

ILLINOIS POLLUTION CONTROL BOARD
October 25, 2005

BOARD OF TRUSTEES OF EASTERN)	
ILLINOIS UNIVERSITY,)	
)	
Petitioner,)	
)	
v.)	PCB 04-110
)	(Permit Appeal - Air)
)	
ILLINOIS ENVIRONMENTAL)	
PROTECTION AGENCY,)	
)	
Respondent.)	

HEARING OFFICER ORDER

On October 25, 2005, the parties were scheduled to participate in a telephone status conference with the hearing officer. Neither party appeared. As last reported, the parties were still waiting for the Office of the Attorney General to review respondent's referral of a related enforcement matter that will be relevant to finalizing the compliance plan for this permit.

The parties are directed to participate in a telephone status conference with the hearing officer at 1:30 p.m. on November 29, 2005. The telephone status conference will be initiated by the complainant.

Petitioner filed an open waiver of the statutory decision deadline in this case.

IT IS SO ORDERED.



Carol Webb
Hearing Officer
Illinois Pollution Control Board
1021 North Grand Avenue East
P.O. Box 19274
Springfield, Illinois 62794-9274
217/524-8509
webbc@ipcb.state.il.us

CERTIFICATE OF SERVICE

It is hereby certified that true copies of the foregoing order were mailed, first class, on October 25, 2005, to each of the persons on the attached service list.

It is hereby certified that a true copy of the foregoing order was hand delivered to the following on October 25, 2005:

Dorothy M. Gunn
Illinois Pollution Control Board
James R. Thompson Center
100 W. Randolph St., Ste. 11-500
Chicago, Illinois 60601



Carol Webb
Hearing Officer
Illinois Pollution Control Board
1021 North Grand Avenue East
P.O. Box 19274
Springfield, Illinois 62794-9274
217/524-8509
webbc@ipcb.state.il.us

PCB 2004-110
IEPA
1021 North Grand Avenue East
P.O. Box 19276
Springfield, IL 62794-9276

PCB 2004-110
Sally A. Carter
IEPA
1021 North Grand Avenue East
P.O. Box 19276
Springfield, IL 62794-9276

PCB 2004-110
Katherine Hodge
Hodge Dwyer Zeman
3150 Roland Avenue
Post Office Box 5776
Springfield, IL 62705-5776