

## ILLINOIS POLLUTION CONTROL BOARD

November 21, 2005

TERMINAL RAILROAD ASSOCIATION,	)	
	)	
Petitioner,	)	
	)	
v.	)	PCB 01-69
	)	(Permit Appeal – Land)
ILLINOIS ENVIRONMENTAL	)	
PROTECTION AGENCY,	)	
	)	
Respondent.	)	

**HEARING OFFICER ORDER**

On November 21, 2005, petitioner participated in a telephone status conference with the hearing officer. Respondent did not appear. As last reported, petitioner has been waiting to hear from respondent regarding clean up options for more than a year. Petitioner still has not heard from respondent, and respondent has not, as directed, contacted petitioner to discuss how much longer this will take.

The parties are directed to participate in a telephone status conference with the hearing officer at 11:00 a.m. on January 17, 2006. The telephone status conference will be initiated by the petitioner.

The petitioner has filed an open waiver of the decision deadline in this matter.

IT IS SO ORDERED.




---

Carol Webb  
Hearing Officer  
Illinois Pollution Control Board  
1021 North Grand Avenue East  
P.O. Box 19274  
Springfield, Illinois 62794-9274  
217/524-8509  
webbc@ipcb.state.il.us

CERTIFICATE OF SERVICE

It is hereby certified that true copies of the foregoing order were mailed, first class, on November 29, 2005, to each of the persons on the attached service list.

It is hereby certified that a true copy of the foregoing order was hand delivered to the following on November 29, 2005:

Dorothy M. Gunn  
Illinois Pollution Control Board  
James R. Thompson Center  
100 W. Randolph St., Ste. 11-500  
Chicago, Illinois 60601



Carol Webb  
Hearing Officer  
Illinois Pollution Control Board  
1021 North Grand Avenue East  
P.O. Box 19274  
Springfield, Illinois 62794-9274  
217/524-8509  
webbc@ipcb.state.il.us

PCB 2001-069  
Daniel P. Merriman  
IEPA  
1021 North Grand Avenue East  
P.O. Box 19276  
Springfield, IL 62794-9276

PCB 2001-069  
Steven J. Poplawski  
Bryan Cave, LLP  
One Metropolitan Square  
211 North Broadway, Suite 3600  
St. Louis, MO 63102-2750