ILLINOIS POLLUTION CONTROL BOARD December 7, 2005

AMEREN ENERGY GENERATING)	
COMPANY, MEREDOSIA POWER)	
STATION,)	
)	
Petitioner,)	
)	PCB 06-69
v.)	(CAPP Permit Appeal – Air)
)	
ILLINOIS ENVIRONMENTAL)	
PROTECTON AGENCY,)	
)	
Respondent.		

HEARING OFFICER ORDER

The parties are hereby notified that the above-captioned matter has been assigned to the hearing officer identified below. From this day forward, any document filed with the Clerk of the Board must also be served individually on the hearing officer.

The parties or their legal representatives are directed to participate in a telephonic status conference with the hearing officer on December 12, 2005, at 2:30 p.m. The telephonic status conference must be initiated by the petitioner, but each party is nonetheless responsible for its own appearance. At the status conference, the parties must be prepared to discuss the status of the above-captioned matter and their readiness for hearing.

IT IS SO ORDERED.

Bradley P. Halloran

Hearing Officer

Illinois Pollution Control Board

Bradley P. 12000-

James R. Thompson Center, Suite 11-500

100 W. Randolph Street Chicago, Illinois 60601

212 014 0017

312.814.8917

CERTIFICATE OF SERVICE

It is hereby certified that true copies of the foregoing order were mailed, first class, on December 7, 2005, to each of the persons on the attached service list.

It is hereby certified that a true copy of the foregoing order was hand delivered to the following on December 7, 2005:

Dorothy M. Gunn

Illinois Pollution Control Board

James R. Thompson Center

100 W. Randolph St., Ste. 11-500

Chicago, Illinois 60601

Bradley P. Halloran

Hearing Officer

Illinois Pollution Control Board

100 W. Randolph Street, Suite 11-500

Chicago, Illinois 60601

(312) 814-8917

PCB 2006-069 IEPA 1021 North Grand Avenue East P.O. Box 19276 Springfield, IL 62794-9276 PCB 2006-069 David Rieser McGuire Woods LLP 77 W. Wacker Suite 4100 Chicago, IL 60601

PCB 2006-069 James T. Harrington McGuire Woods LLP 77 W. Wacker Suite 4100 Chicago, IL 60601