

ILLINOIS POLLUTION CONTROL BOARD January 11, 2006

JAN 1 7 2006

STATE OF ILLINOIS

IN THE MATTER OF:)		Pollution Control Board
)		
PROPOSAL OF VAUGHAN & BUSHNELL)	R06-11	
MANUFACTURING COMPANY OF)	(Rulemaking – Noise)	
AMENDMENT TO A SITE-SPECIFIC RULE)		
35 H.L. ADM. CODE 901.121)		

HEARING OFFICER ORDER

On October 20, 2005, the Board received a rulemaking proposal submitted by Vaughan & Bushnell Manufacturing Company (V&B) that seeks a site-specific rule amending a previously promulgated site-specific noise rule that would extend the allowable operational levels of its forging facility located at the intersection of Davis and Main Streets, Bushnell in McDonough County. The Board accepted the proposal for hearing on December 1, 2005.

The parties are directed to participate in a telephonic status conference on January 18, 2006 at 10:00 a.m. V&B is responsible for initiating the status conference.

IT IS SO ORDERED.

THE PROPERTY OF THE PARTY OF TH

Bergeral Committee in the State of the State

∕Iohn Knittl

Hearing Officer Illinois Pollution Control Board

2125 South First Street

Champaign, Illinois 61820

(217) 278-3109

CERTIFICATION OF SERVICE

It is hereby certified that a true copy of the foregoing order was mailed, first class, to each of the following on January 11, 2006:

Mark Gurnik
Division of Legal Counsel
Illinois Environmental Protection Agency
1021 North Grand Avenue East
P.O. Box 19276
Springfield, Illinois 62794-9276

Jeremy M. Pelphrey Davis & Campbell, L.L.C. 401 Main Street, Suite 1600 Peoria, Illinois 61602

Dorothy M. Gunn Illinois Pollution Control Board James R. Thompson Center 100 W. Randolph St., Suite. 11-500 Chicago, Illinois 60601

 $\{ \{x_i\}_{i=1}^k \}$

Matthew J. Dunn
Division Chief of Environmental
Enforcement
Office of the Attorney General
100 West Randolph Street, 12th Floor
Chicago, Illinois 60601

Jonathon Furr Chief Legal Counsel Illinois Department of Natural Resources 524 South Second Street Springfield, Illinois 62701

John Knittle Hearing Officer

Illinois Pollution Control Board