

ILLINOIS POLLUTION CONTROL BOARD
January 19, 2006

WILLIAM BREUER,)	
)	
Petitioner,)	
)	
v.)	PCB 06-25
)	(UST Appeal)
ILLINOIS ENVIRONMENTAL)	
PROTECTION AGENCY,)	
)	
Respondent.)	

HEARING OFFICER ORDER

On January 18, 2006, the parties participated in a telephone status conference with the hearing officer. The parties report that they have reached a settlement agreement. Accordingly, the hearing set for January 20, 2006 is cancelled. Petitioner is directed to file another decision deadline waiver no later than February 3, 2006 if the motion to dismiss is not filed by that time. Petitioner has agreed to withdraw the motion for sanctions as part of the settlement agreement.

The parties are directed to participate in a telephone status conference with the hearing officer at 9:30a.m. on April 4, 2006. Petitioner shall initiate the call.

The decision deadline is May 4, 2006.

IT IS SO ORDERED.

Carol Webb

Carol Webb
Hearing Officer
Illinois Pollution Control Board
1021 North Grand Avenue East
P.O. Box 19274
Springfield, Illinois 62794-9274
217/524-8509
webbc@ipcb.state.il.us

CERTIFICATE OF SERVICE

It is hereby certified that true copies of the foregoing order were mailed, first class, on December 1, 2005, to each of the persons on the attached service list.

It is hereby certified that a true copy of the foregoing order was hand delivered to the following on December 1, 2005:

Dorothy M. Gunn
Illinois Pollution Control Board
James R. Thompson Center
100 W. Randolph St., Ste. 11-500
Chicago, Illinois 60601

A handwritten signature in black ink that reads "Carol Webb". The signature is written in a cursive, flowing style.

Carol Webb
Hearing Officer
Illinois Pollution Control Board
1021 North Grand Avenue East
P.O. Box 19274
Springfield, Illinois 62794-9274
217/524-8509
webbc@ipcb.state.il.us

PCB 2006-025
John J. Kim
IEPA
1021 North Grand Avenue East
P.O. Box 19276
Springfield, IL 62794-9276

PCB 2006-025
Curtis W. Martin
Shaw & Martin
123 South 10th Street, Suite 302
P. O. Box 1789
Mt. Vernon, IL 62864