## ILLINOIS POLLUTION CONTROL BOARD August 30, 2006

K.A.STEEL CHEMICAL, INC.,	)	
Petitioner,	)	PCB 07-9
v.	)	
ILLINOIS ENVIROMENTAL PROTECTIO	) (N )	(NPDES Permit Appeal – Water)
AGENCY,	)	
Respondent	)	

## **HEARING OFFICER ORDER**

On August 29, 2006, all parties participated in a telephonic status conference with the hearing officer. The petitioner represented that a permit modification is being reviewed by the respondent and that all outstanding issues are being addressed. The petitioner represented that it will file a 70-day waiver of the statutory decision deadline. The respondent is reminded to file its appearance.

The parties or their legal representatives are directed to participate in a telephonic status conference on October 19, 2006, at 11:00 a.m. The status conference must be initiated by the petitioner, but each party is nonetheless responsible for its own appearance. At the status conference, the parties must be prepared to discuss the status of the above-captioned matter and their readiness for hearing.

IT IS SO ORDERED.

Bradley P. Halloran

Hearing Officer

Illinois Pollution Control Board

James R. Thompson Center, Suite 11-500

100 W. Randolph Street

Chicago, Illinois 60601

312.814.8917

## CERTIFICATE OF SERVICE

It is hereby certified that true copies of the foregoing order were mailed, first class, on August 30, 2006, to each of the persons on the attached service list.

It is hereby certified that a true copy of the foregoing order was hand delivered to the following on August 30, 2006:

Dorothy M. Gunn Illinois Pollution Control Board James R. Thompson Center 100 W. Randolph St., Ste. 11-500 Chicago, Illinois 60601

Bradley P. Halloran

Hearing Officer

Illinois Pollution Control Board

James R. Thompson Center

100 West Randolph Street, Suite 11-500

Bradly P. Holon

Chicago, Illinois 60601

312.814.8917

PCB 2007-009

\*

IEPA 1021 North Grand Avenue East P.O. Box 19276 Springfield, IL 62794-9276 PCB 2007-009 Maureen Martin The Martin Law Firm W3643 Judy Lane Green Lake, WI 54941