ILLINOIS POLLUTION CONTROL BOARD January 9, 2007

AFTON CHEMICAL CORPORATION,)	
5 .44)	
Petitioner,)	
V.)	PCB 04-113
)	(Permit Appeal - Air)
ILLINOIS ENVIRONMENTAL)	
PROTECTION AGENCY,)	
)	
Respondent.)	

HEARING OFFICER ORDER

On January 9, 2007, the parties participated in a telephone status conference with the hearing officer. The parties are exchanging draft permit language. Petitioner will soon provide respondent with additional information that respondent will use to propose new language.

The parties are directed to participate in a telephone status conference with the hearing officer at 9:30 a.m. on April 10, 2007. The telephone status conference will be initiated by the petitioner.

Petitioner filed an open waiver of the statutory decision deadline in this matter.

IT IS SO ORDERED.

Carol Webb

Carol Webb

Hearing Officer
Illinois Pollution Control Board
1021 North Grand Avenue East
P.O. Box 19274
Springfield, Illinois 62794-9274
217/524-8509
webbc@ipcb.state.il.us

CERTIFICATE OF SERVICE

It is hereby certified that true copies of the foregoing order were mailed, first class, on January 9, 2007, to each of the persons on the attached service list.

It is hereby certified that a true copy of the foregoing order was hand delivered to the following on January 9, 2007:

Dorothy M. Gunn Illinois Pollution Control Board James R. Thompson Center 100 W. Randolph St., Ste. 11-500 Chicago, Illinois 60601

Carol Webb

Carol Webb Hearing Officer Illinois Pollution Control Board 1021 North Grand Avenue East P.O. Box 19274 Springfield, Illinois 62794-9274 217/524-8509 webbc@ipcb.state.il.us PCB 2004-113 IEPA 1021 North Grand Avenue East P.O. Box 19276 Springfield, IL 62794-9276 PCB 2004-113 Sally A. Carter IEPA 1021 North Grand Avenue East P.O. Box 19276 Springfield, IL 62794-9276

PCB 2004-113 N. LaDonna Driver Hodge Dwyer Zeman 3150 Roland Avenue Post Office Box 5776 Springfield, IL 62705-5776 PCB 2004-113 Katherine D. Hodge Hodge Dwyer Zeman 3150 Roland Avenue Post Office Box 5776 Springfield, IL 62705-5776