

ILLINOIS POLLUTION CONTROL BOARD
July 30, 2007


PEOPLE OF THE STATE OF ILLINOIS)	
)	
Complainant,)	
)	
v.)	PCB 07-133
)	(Enforcement - Water)
THOMAS P. MATHEWS,)	
)	
Respondent.)	
)	
)	

HEARING OFFICER ORDER

On July 30, 2007, all parties participated in a telephonic status conference with the hearing officer. The parties represented that settlement discussions have been initiated. Respondent represented that it intends to file its answer in a timely manner.

The parties or their legal representatives are directed to appear at a telephonic pre-hearing conference with the hearing officer on September 6, 2007, at 9:00 a.m. The telephonic conference must be initiated by the complainant, but each party is nonetheless responsible for its own appearance. At the conference the parties must be prepared to discuss the status of the above-captioned matter and their readiness for hearing.

IT IS SO ORDERED.



Bradley P. Halloran
Hearing Officer
Illinois Pollution Control Board
James R. Thompson Center, Suite 11-500
100 W. Randolph Street
Chicago, Illinois 60601
312.814.8917

CERTIFICATE OF SERVICE

It is hereby certified that true copies of the foregoing order were mailed, first class, on July 30, 2007, to each of the persons on the attached service list.

It is hereby certified that a true copy of the foregoing order was hand delivered to the following on July 30, 2007:

John T. Therriault
Illinois Pollution Control Board
James R. Thompson Center
100 W. Randolph St., Ste. 11-500
Chicago, Illinois 60601

A handwritten signature in black ink, reading "Bradley P. Halloran", is written over a horizontal line.

Bradley P. Halloran
Hearing Officer
Illinois Pollution Control Board
James R. Thompson Center
100 West Randolph Street, Suite 11-500
Chicago, Illinois

PCB 2007-133
Katherine M. Hausrath
Office of the Attorney General
69 West Washington Street, Suite 1800
Chicago, IL 60602

PCB 2007-133
James A. Campion
Campion, Curran, Rausch, Gummerson & Dunlop
8600 Route 14
Suite 201
Crystal Lake, IL 60012