

ILLINOIS POLLUTION CONTROL BOARD
February 19, 2008

KAPP, INC., an Illinois corporation,)	
)	
Complainant,)	
)	
v.)	PCB 05-196
)	(Citizens Enforcement – Land, Water)
HARTLEY CARLTON, individually and)	
d/b/a/ ONE HOUR CLEANERS,)	
)	
Respondent.)	

HEARING OFFICER ORDER

On February 19, 2008, the parties participated in a telephone status conference with the hearing officer. The parties have provided financial assurance to the dry cleaner fund for portions of the remediation not covered by the fund, and expect to receive written approval later this week. Respondent’s attorney will work with its consultant and the Illinois Environmental Protection Agency to ensure that the cleanup plan makes the best use of the available funding.

The parties are directed to participate in a telephone status conference with the hearing officer at 10:30 a.m. on April 16, 2008. The status conference shall be initiated by the complainant.

IT IS SO ORDERED.




Carol Webb
Hearing Officer
Illinois Pollution Control Board
1021 North Grand Avenue East
P.O. Box 19274
Springfield, Illinois 62794-9274
217/524-8509
webbc@ipcb.state.il.us

CERTIFICATE OF SERVICE

It is hereby certified that true copies of the foregoing order were mailed, first class on February 19, 2008, to each of the persons on the attached service list.

It is hereby certified that a true copy of the foregoing order was hand delivered to the following on February 19, 2008:

John T. Therriault
Illinois Pollution Control Board
James R. Thompson Center
100 W. Randolph St., Ste. 11-500
Chicago, Illinois 60601



Carol Webb
Hearing Officer
Illinois Pollution Control Board
1021 North Grand Avenue East
P.O. Box 19274
Springfield, Illinois 62794-9274
217/524-8509
webbc@ipcb.state.il.us

PCB 2005-196
Christine G. Zeman
Hodge Dwyer Zeman
3150 Roland Avenue
Post Office Box 5776
Springfield, IL 62705-5776

PCB 2005-196
Hartley L. Carlton
91 Ridge Lane Drive
Decatur, IL 62521

PCB 2005-196
Jeffrey R. Diver
Jeffrey R. Diver, P.C.
437 Anthony Street
Glen Ellyn, IL 60137