ILLINOIS POLLUTION CONTROL BOARD July 16, 2008

KCBX TERMINALS COMPANY,)	
)	
Petitioner,)	
)	
V.)	
)	PCB 08-103
ILLINOIS ENVIRONMENTAL)	(Permit Appeal – Air)
PROTECTON AGENCY,)	
)	
Respondent.)	
)	

HEARING OFFICER ORDER

The parties are hereby notified that the above-captioned matter has been assigned to the hearing officer noted below. From this date forward, any document filed with the Clerk of the Board must also be served individually on the hearing officer.

The parties or their legal representatives are directed to participate in a telephonic status conference with the hearing officer on July 24, 2008, at 11:45 a.m. The telephonic status conference must be initiated by the petitioner, but each party is nonetheless responsible for its own appearance. At the status conference, the parties must be prepared to discuss the status of the above-captioned matter and their readiness for hearing.

IT IS SO ORDERED.

Bradly P. 1200-

Bradley P. Halloran Hearing Officer Illinois Pollution Control Board James R. Thompson Center, Suite 11-500 100 W. Randolph Street Chicago, Illinois 60601 312.814.8917

CERTIFICATE OF SERVICE

It is hereby certified that true copies of the foregoing order were mailed, first class, on July 16, 2008, to each of the persons on the attached service list.

It is hereby certified that a true copy of the foregoing order was hand delivered to the following on July 16, 2008:

John T. Therriault Illinois Pollution Control Board James R. Thompson Center 100 W. Randolph St., Ste. 11-500 Chicago, Illinois 60601

Bradly P. Helon-

Bradley P. Halloran Hearing Officer Illinois Pollution Control Board James R. Thompson Center 100 West Randolph Street, Suite 11-500 Chicago, Illinois

PCB 2008-103 IEPA 1021 North Grand Avenue East P.O. Box 19276 Springfield, IL 62794-9276 PCB 2008-103 Katherine D. Hodge Hodge Dwyer Zeman 3150 Roland Avenue Post Office Box 5776 Springfield, IL 62705-5776

PCB 2008-103 Lauren C. Lurkins Hodge Dwyer Zeman 3150 Roland Avenue Post Office Box 5776 Springfield, IL 62705-5776