## ILLINOIS POLLUTION CONTROL BOARD July 23, 2008

PEOPLE OF THE STATE OF ILLINOIS	)	
	)	
Complainant,	)	
	)	
V.	)	PCB 09-3
	)	(Enforcement – Water)
PRAEDIUM DEVELOPMENT	)	
CORPORATION, an Illinois corporation, and	)	
PLAZA EXCAVATING, INC., an Illinois	)	
corporation,	)	
	)	

Respondents.

## **HEARING OFFICER ORDER**

The parties are hereby notified that the above-captioned matter has been assigned to the hearing officer identified below. From this date forward, any document filed with the Clerk of the Board must also be served individually on the hearing officer.

The parties or their legal representatives are directed to appear at a telephonic status conference with the hearing officer on August 14, 2008, at 9:15 a.m. The telephonic conference must be initiated by the complainant, but each party is nonetheless responsible for its own appearance. At the conference the parties must be prepared to discuss the status of the above-captioned matter and their readiness for hearing.

IT IS SO ORDERED.

P. Hlon

Bradley P. Halloran Hearing Officer Illinois Pollution Control Board James R. Thompson Center, Suite 11-500 100 W. Randolph Street Chicago, Illinois 60601 312.814.8917

## CERTIFICATE OF SERVICE

It is hereby certified that true copies of the foregoing order were mailed, first class, on July 23, 2008, to each of the persons on the attached service list.

It is hereby certified that a true copy of the foregoing order was hand delivered to the following on July 23, 2008:

John T. Therriault Illinois Pollution Control Board James R. Thompson Center 100 W. Randolph St., Ste. 11-500 Chicago, Illinois 60601

P. Llan

Bradley P. Halloran Hearing Officer Illinois Pollution Control Board James R. Thompson Center 100 West Randolph Street, Suite 11-500 Chicago, Illinois 60601 312.814.8917

PCB 2009-003 Richard A. Perry Office of the Attorney General Environmental Bureau North 69 West Washington Street, Suite 1800 Chicago, IL 60602 PCB 2009-003 James Brusslan Levenfield Pearlstein 2 North LaSalle Suite 1300 Chicago, IL 60602