ILLINOIS POLLUTION CONTROL BOARD December 22, 2008

ANNE MCDONAGH and DAVID FISHBAUM,)	
Complainants,))	
v.) PCB 08-76) (Citizens Enforcement – Noi	ise`
RICHARD and AMY MICHELON,)	/
,)	
Respondents.)	
	1	

HEARING OFFICER ORDER

On December 18, 2008, all parties participated in a telephonic status conference with the hearing officer. The hearing officer informed the parties that he anticipates ruling on complainants motion to bar respondents expert witness prior to the next telephonic status conference.

The parties or their legal representatives are directed to appear at a telephonic status conference with the hearing officer on January 29, 2009, at 10:00 a.m. The telephonic conference must be initiated by the complainant, but each party is nonetheless responsible for its own appearance. At the conference the parties must be prepared to discuss the status of the above-captioned matter and their readiness for hearing.

IT IS SO ORDERED.

Bradley P. Halloran Hearing Officer

Illinois Pollution Control Board

James R. Thompson Center, Suite 11-500

100 W. Randolph Street Chicago, Illinois 60601

312.814.8917

CERTIFICATE OF SERVICE

It is hereby certified that true copies of the foregoing order were mailed, first class, on December 22, 2008, to each of the persons on the attached service list.

It is hereby certified that a true copy of the foregoing order was hand delivered to the following on December 22, 2008:

John T. Therriault Illinois Pollution Control Board James R. Thompson Center 100 W. Randolph St., Ste. 11-500 Chicago, Illinois 60601

Bradley P. Halloran

Hearing Officer

Illinois Pollution Control Board

James R. Thompson Center

100 West Randolph Street, Suite 11-500

Chicago, Illinois 60601

312.814.8917

PCB 2008-076 David Fishbaum Anne McDonagh & David Fishbaum 1464 Linden Avenue Highland Park, IL 60035 PCB 2008-076 Amy Michelon Richard Michelon 1474 Linden Avenue Highland Park, IL 60035

PCB 2008-076 Elliot S. Wiczer Wiczer & Zelmar, LLC 500 Skokie Blvd. Suite 350 Northbrook, IL 60062