ILLINOIS POLLUTION CONTROL BOARD June 10, 2009

DICKERSON PETROLEUM, INC.,)	
)	
Petitioner,)	
)	
V.)	PCB 09-87
)	(UST Appeal)
ILLINOIS ENVIRONMENTAL)	
PROTECTION AGENCY,)	
)	
Respondent.)	

HEARING OFFICER ORDER

The parties are advised that this matter has been assigned to the hearing officer identified below. From this date forward, any pleading filed with the Clerk of the Board in this matter must also be served individually on the hearing officer.

A hearing has been set for July 29, 2009. Although petitioner is located in St. Clair County, petitioner requested that the hearing be held in Springfield. Unless petitioner files a deadline waiver, the parties are advised that the record must be closed no later than August 17, 2009. The transcript will be ready by August 3, 2009, and each party will have one week to complete its brief.

No status conference has been set, although the parties may contact the hearing officer if anything arises.

The decision deadline is September 17, 2009.

IT IS SO ORDERED.

Carol Webb

Carol Webb Hearing Officer Illinois Pollution Control Board 1021 North Grand Avenue East P.O. Box 19274 Springfield, Illinois 62794-9274 217/524-8509 webbc@ipcb.state.il.us

CERTIFICATE OF SERVICE

It is hereby certified that true copies of the foregoing order were mailed, first class, on June 15, 2009, to each of the persons on the attached service list.

It is hereby certified that a true copy of the foregoing order was hand delivered to the following on June 15, 2009:

John T. Therriault Illinois Pollution Control Board James R. Thompson Center 100 W. Randolph St., Ste. 11-500 Chicago, Illinois 60601

Carol Webb

Carol Webb Hearing Officer Illinois Pollution Control Board 1021 North Grand Avenue East P.O. Box 19274 Springfield, Illinois 62794-9274 217/524-8509 webbc@ipcb.state.il.us

PCB 2009-087 IEPA 1021 North Grand Avenue East P.O. Box 19276 Springfield, IL 62794-9276

PCB 2009-087 Edward W. Dwyer Hodge Dwyer Zeman 3150 Roland Avenue Post Office Box 5776 Springfield, IL 62705-5776