ILLINOIS POLLUTION CONTROL BOARD June 18, 2009

SANITARY DISTRICT OF DECATUR,)	
)	
Petitioner,)	
)	
v.)	PCB 09-125
)	(Variance - Water)
ILLINOIS ENVIRONMENTAL)	
PROTECTION AGENCY,)	
)	
Respondent.)	

ORDER OF THE BOARD (by G.T. Girard):

On June 15, 2009, the Sanitary District of Decatur (District) filed a petition for a variance for the District's wastewater treatment plant located in Decatur, Macon County. The District seeks relief from 35 Ill. Adm. Code 302.208(e) and from 35 Ill. Adm. Code 304.105 as the rules apply to establishing water quality based effluent limits. The District is seeking a variance term until July 1, 2014, to comply with the regulations relating to the discharge of zinc and nickel. *See* 415 ILCS 5/35-37 (2004); 35 Ill. Adm. Code 104.200(a).

The District has waived a hearing on its petition. The petition meets the content requirements of 35 Ill. Adm. Code 104.204, and 104.208. The Board accepts the petition. However, the Board through its hearing officer, may direct petitioner to provide additional information concerning the requested variance. *See* <u>Petition of BFI Waste Systems of North</u> <u>America, Inc. for Waste Delisting</u>, AS 08-5, slip op. at 1 (Jan. 10, 2008) (accepting petition for hearing while noting that orders may issue requiring more information from petitioner before or at hearing).

The Agency or any person may file an objection to the grant of a variance and request in writing within 21 days of the filing date of the petition, by July 6, 2009 (which is the first business day following the 21st day after the filing date), that the Board conduct a hearing on the petition. *See* 35 Ill. Adm. Code 104.224. The Board will then set this matter for hearing, and direct that this matter proceed to hearing as expeditiously as practicable.

IT IS SO ORDERED.

I, John Therriault, Clerk of the Illinois Pollution Control Board, certify that the Board adopted the above order on June 18, 2009, by a vote of 5-0.

In T. Theriant

John Therriault, Clerk Illinois Pollution Control Board