

ILLINOIS POLLUTION CONTROL BOARD
March 16, 2010


GHB 630, LLC,)	
)	
Petitioner,)	
)	
v.)	
)	
ILLINOIS ENVIRONMENTAL PROTECTON))	PCB 10-66
AGENCY,)	(UST Appeal)
)	
Respondent.)	
)	

HEARING OFFICER ORDER

The parties are hereby notified that the above-captioned matter has been assigned to the hearing officer noted below. From this date forward, any documents filed with the Clerk of the Board, must also be served individually on the hearing officer.

The parties or their legal representatives are directed to participate in a telephonic pre-hearing conference with the hearing officer on March 24, 2010, at 11:00 a.m. The telephonic status conference must be initiated by the petitioner, but each party is nonetheless responsible for its own appearance. At the status conference, the parties must be prepared to discuss the status of the above-captioned matter and their readiness for hearing.

IT IS SO ORDERED.




Bradley P. Halloran
Hearing Officer
Illinois Pollution Control Board
James R. Thompson Center, Suite
11-500
100 W. Randolph Street
Chicago, Illinois 60601
312.814.8917

CERTIFICATE OF SERVICE

It is hereby certified that true copies of the foregoing order were mailed, first class, on March 16, 2010, to each of the persons on the attached service list.

It is hereby certified that a true copy of the foregoing order was hand delivered to the following on March 16, 2010:

John T. Therriault
Illinois Pollution Control Board
James R. Thompson Center
100 W. Randolph St., Ste. 11-500
Chicago, Illinois 60601

A handwritten signature in black ink, reading "Bradley P. Halloran", is written over a horizontal line.

Bradley P. Halloran
Hearing Officer
Illinois Pollution Control Board
James R. Thompson Center
100 West Randolph Street, Suite 11-500
Chicago, Illinois

PCB 2010-066
Division of Legal Counsel
IEPA
1021 North Grand Avenue
East
P.O. Box 19276
Springfield, IL 62794-9276

PCB 2010-066
Daniel Swartzman
DiVincenzo Schoenfield
Swartzman
33 N. LaSalle

Suite 2900
Chicago, IL 60632