

ILLINOIS POLLUTION CONTROL BOARD  
March 22, 2010

PEOPLE OF THE STATE OF ILLINOIS,	)	
	)	
Complainant,	)	
	)	
v.	)	PCB 04-137
	)	(Enforcement - Air)
ROBINSON CARBON, INC., a Delaware	)	
corporation,	)	
	)	
Respondent.	)	

**HEARING OFFICER ORDER**

On March 22, 2010, the parties participated in a telephone status conference with the hearing officer. Respondent’s attorney has not yet received the second amended complaint, and will be out of the office for the next month due to medical reasons. The parties agree that respondent’s deadline to respond to the second amended complaint is April 30, 2010.

The parties are directed to participate in a telephone status conference with the hearing officer at 11:00 a.m. on June 21, 2010. The telephone status conference will be initiated by the complainant.

IT IS SO ORDERED.




---

Carol Webb  
Hearing Officer  
Illinois Pollution Control Board  
1021 North Grand Avenue East  
P.O. Box 19274  
Springfield, Illinois 62794-9274  
217/524-8509  
webbc@ipcb.state.il.us

CERTIFICATE OF SERVICE

It is hereby certified that true copies of the foregoing order were mailed, first class, on March 22, 2010, to each of the persons on the attached service list.

It is hereby certified that a true copy of the foregoing order was hand delivered to the following on March 22, 2010:

John T. Therriault  
Illinois Pollution Control Board  
James R. Thompson Center  
100 W. Randolph St., Ste. 11-500  
Chicago, Illinois 60601



Carol Webb  
Hearing Officer  
Illinois Pollution Control Board  
1021 North Grand Avenue East  
P.O. Box 19274  
Springfield, Illinois 62794-9274  
217/524-8509  
webbc@ipcb.state.il.us

PCB 2004-137  
Stephen J. Janasie  
Office of the Attorney General  
69 West Washington Street, Suite 1800  
Chicago, IL 60602

PCB 2004-137  
Roy M. Harsch  
DrinkerBiddleGardnerCarton  
191 N. Wacker Drive  
Suite 3700  
Chicago, IL 60606-1698

PCB 2004-137  
Yesenia Villasenor-Rodriguez  
DrinkerBiddleGardnerCarton  
191 N. Wacker Drive  
Suite 3700  
Chicago, IL 60606-1698