

ILLINOIS POLLUTION CONTROL BOARD
April 26, 2010

RECEIVED
CLERK'S OFFICE

APR 26 2010

STATE OF ILLINOIS
Pollution Control Board

GATEWAY FS, INC.,)
)
Petitioner,)
)
v.) PCB 07-126
) (UST Appeal)
ILLINOIS ENVIRONMENTAL)
PROTECTION AGENCY,)
)
Respondent.)

ORIGINAL

HEARING OFFICER ORDER

On April 26, 2009, the parties participated in a telephone status conference with the hearing officer. The environmental consultant involved in this case, United Science Industries, Inc. (USI), has filed for Chapter 11 bankruptcy. Petitioner's new attorney, Mr. James Hanson, is handling the bankruptcy proceedings, and has not had an opportunity to review USI's cases before the Board. Mr. Hanson is directed to file an appearance with the Clerk of the Board.

The parties are directed to participate in a telephone status conference with the hearing officer at 10:00 a.m. on June 9, 2010. The status conference shall be initiated by the petitioner.

Petitioner filed an open waiver of the decision deadline.

IT IS SO ORDERED.

Carol Webb

Carol Webb
Hearing Officer
Illinois Pollution Control Board
1021 North Grand Avenue East
P.O. Box 19274
Springfield, Illinois 62794-9274
217/524-8509
webbc@ipcb.state.il.us

CERTIFICATE OF SERVICE

It is hereby certified that true copies of the foregoing order were mailed, first class, on April 26, 2010, to each of the persons on the attached service list.

It is hereby certified that a true copy of the foregoing order was hand delivered to the following on April 26, 2010:

John T. Therriault
Illinois Pollution Control Board
James R. Thompson Center
100 W. Randolph St., Ste. 11-500
Chicago, Illinois 60601



Carol Webb
Hearing Officer
Illinois Pollution Control Board
1021 North Grand Avenue East
P.O. Box 19274
Springfield, Illinois 62794-9274
217/524-8509
webbc@ipcb.state.il.us

PCB 2007-126
Mandy L. Combs
The Sharp Law Firm, P.C.
1115 Harrison Street
P.O. Box 906
Mt. Vernon, IL 62864

PCB 2007-126
James G. Richardson
IEPA
1021 North Grand Avenue East
P.O. Box 19276
Springfield, IL 62794-9276