ILLINOIS POLLUTION CONTROL BOARD April 27, 2010		CLERK'S OFFICE APR 2 7 2010 STATE OF ILLINOIS Pollution Control Board
PEOPLE OF THE STATE OF ILLINOIS,)	Pollution Control Board
Complainant,)	
v.) PCB 09-60	1300
CROP PRODUCTION SERVICES, a Delaware corporation,) (Enforcement)	DORIGINAL
a Delaware corporation,)	
Respondent.)	

HEARING OFFICER ORDER

On April 27, 2010, the parties participated in a telephone status conference with the hearing officer. The parties continue to discuss settlement and exchange information.

The parties are directed to participate in a telephone status conference with the hearing officer at 2:00 p.m. on July 7, 2010. The status conference shall be initiated by the complainant.

IT IS SO ORDERED.

Carol Webb

Hearing Officer

Illinois Pollution Control Board

Carol Webb

1021 North Grand Avenue East

P.O. Box 19274

Springfield, Illinois 62794-9274

217/524-8509

webbc@ipcb.state.il.us

CERTIFICATE OF SERVICE

It is hereby certified that true copies of the foregoing order were mailed, first class, on April 27, 2010, to each of the persons on the attached service list.

It is hereby certified that a true copy of the foregoing order was hand delivered to the following on April 27, 2010:

John T. Therriault Illinois Pollution Control Board James R. Thompson Center 100 W. Randolph St., Ste. 11-500 Chicago, Illinois 60601

Carol Webb

Hearing Officer Illinois Pollution Control Board 1021 North Grand Avenue East

Carol Webb

P.O. Box 19274

Springfield, Illinois 62794-9274

217/524-8509

webbc@ipcb.state.il.us

PCB 2009-060 Jane E. McBride Office of the Attorney General Hodge Dwyer & Driver Environmental Bureau 500 South Second Street Springfield, IL 62706

PCB 2009-060 Edward W. Dwyer 3150 Roland Avenue Post Office Box 5776 Springfield, IL 62705-5776

PCB 2009-060 Monica T. Rios Hodge Dwyer & Driver 3150 Roland Avenue Post Office Box 5776 Springfield, IL 62705-5776 PCB 2009-060 for Crop Production Services CT Corporation Systems 208 South LaSalle Street Suite 814 Chicago, IL 60604-1101