ILLINOIS POLLUTION CONTROL BOARD September 1, 2010 DECEIVE

ILLINOIS ENVIRONMENTAL PROTECTION AGENCY,	SEP 0 1 2010
Complainant,	STATE OF ILLINOIS Pollution Control Board
v.) AC 09-35
WILLIAM AND PATRICIA HAJEK,	 (IEPA No. 13-09-AC) (Administrative Citation)
Respondents.	ORIGINAL

HEARING OFFICER ORDER

On September 1, 2010, a telephonic status conference with the hearing officer was held. The respondents did not appear. The complainant, however, stated that the respondents have represented that the site has been remediated. The complainant stated that it will have an inspector visit the site.

The parties or their legal representatives are directed to appear at a telephonic status conference with the hearing officer on September 30, 2010, at 8:00 a.m. The telephonic status conference must be initiated by the complainant, but each party is nonetheless responsible for its own appearance. At the status conference the parties must be prepared to discuss the status of the above-captioned matter and their readiness for hearing.

IT IS SO ORDERED.

P. Helor

Bradley P. Halloran Hearing Officer Illinois Pollution Control Board James R. Thompson Center, Suite 11-500 100 W. Randolph Street Chicago, Illinois 60601 312.814.8917

CERTIFICATE OF SERVICE

It is hereby certified that true copies of the foregoing order were mailed, first class, on September 1, 2010, to each of the persons on the attached service list.

It is hereby certified that a true copy of the foregoing order was hand delivered to the following on September 1, 2010:

John T. Therriault Illinois Pollution Control Board James R. Thompson Center 100 W. Randolph St., Ste. 11-500 Chicago, Illinois 60601

Bradly P. 12lon-

Bradley P. Halloran Hearing Officer Illinois Pollution Cntrol Board James R. Thompson Center 100 West Randolph Street, Suite 11-500 Chicago, Illinois

AC 2009-035	AC 2009-035
Michelle M. Ryan	*
IEPA	William & Patricia Hajek
1021 North Grand Avenue East	11683 McAllister Road
P.O. Box 19276	Waterman, IL 60556-7084
Springfield, IL 62794-9276	

1 54