RECEIVED CLERK'S OFFICE

ILLINOIS POLLUTION CONTROL BOARD September 13, 2010

SEP 1 3 2010

PEOPLE OF THE STATE OF ILLINOIS,)		Pollution Control Board
Complainant,)		2 + -
v.)	PCB 06-8 (Enforcement - Air)	ORIGINAL
BRIDGEPORT GRAIN, INC.,)	(Emorcement - An)	
Respondent.)		

HEARING OFFICER ORDER

On September 13, 2010, the parties participated in a telephone status conference with the hearing officer. Respondent is preparing a response to complainant's letter regarding respondent's most recent settlement proposal.

The parties are directed to participate in a telephone status conference with the hearing officer at 9:30 a.m. on October 13, 2010. The status conference shall be initiated by the complainant.

IT IS SO ORDERED.

Carol Webb

Hearing Officer

Illinois Pollution Control Board 1021 North Grand Avenue East

Carol Webb

P.O. Box 19274

Springfield, Illinois 62794-9274

217/524-8509

webbc@ipcb.state.il.us

CERTIFICATE OF SERVICE

It is hereby certified that true copies of the foregoing order were mailed, first class, on September 13, 2010, to each of the persons on the attached service list.

It is hereby certified that a true copy of the foregoing order was hand delivered to the following on September 13, 2010:

John T. Therriault Illinois Pollution Control Board James R. Thompson Center 100 W. Randolph St., Ste. 11-500 Chicago, Illinois 60601

Carol Webb

Hearing Officer

Illinois Pollution Control Board 1021 North Grand Avenue East

Carol Webb

P.O. Box 19274

Springfield, Illinois 62794-9274

217/524-8509

webbc@ipcb.state.il.us

PCB 2006-008
Phillip McQuillan
Office of the Attorney General
Environmental Bureau
500 South Second Street
Springfield, IL 62706

PCB 2006-008 Monica T. Rios Hodge Dwyer & Driver 3150 Roland Avenue Post Office Box 5776 Springfield, IL 62705-5776 PCB 2006-008 Katherine D. Hodge Hodge Dwyer & Driver 3150 Roland Avenue Post Office Box 5776 Springfield, IL 62705-5776

PCB 2006-008 for Bridgeport Grain, Inc. Arthur A. Eubank, Jr., R.A. 902 Monroe Street Evanston, IL 60202-2627