

ILLINOIS POLLUTION CONTROL BOARD December 7, 2010

DEC 0 7 2010 STATE OF ILLINOIS

GY)	Poliution Control Boar
)	
)	DORIGINAL
)	PCB 09-92
)	(CAAPP Permit Appeal – Air)
TON)	
)	
)	
)	
)

HEARING OFFICER ORDER

On November 22, 2010, the parties again informed the hearing officer that a recently issued permit in another appeal will be used in this and other related permit appeals.

To that end, respondent's answer and record are due to be filed on or before March 10, 2011. The petitioner stated that it will file an additional 90-day waiver of the statutory decision deadline.

The parties or their legal representatives are directed to participate in a telephonic status conference with the hearing officer on March 3, 2011, at 10:00 a.m. The telephonic status conference must be initiated by the petitioner, but each party is nonetheless responsible for its own appearance. At the status conference, the parties must be prepared to discuss the status of the above-captioned matter and their readiness for hearing.

IT IS SO ORDERED.

Bradley P. Halloran

Hearing Officer

Illinois Pollution Control Board

Bradly P. 12000-

James R. Thompson Center, Suite 11-500

100 W. Randolph Street

Chicago, Illinois 60601

312.814.8917

CERTIFICATE OF SERVICE

It is hereby certified that true copies of the foregoing order were mailed, first class, on December 7, 2010, to each of the persons on the attached service list.

It is hereby certified that a true copy of the foregoing order was hand delivered to the following on December 7, 2010:

John T. Therriault Illinois Pollution Control Board James R. Thompson Center 100 W. Randolph St., Ste. 11-500 Chicago, Illinois 60601

Bradley P. Halloran

Hearing Officer

Illinois Pollution Control Board

James R. Thompson Center

100 West Randolph Street, Suite 11-500

Chicago, Illinois 60601

312.814.8917

PCB 2009-092 Sally A. Carter IEPA 1021 North Grand Avenue East P.O. Box 19276 Springfield, IL 62794-9276

PCB 2009-092 Mark A. Bilut McDermott, Will & Emery 227 W. Monroe Street Chicago, IL 60606-5096