

Updated June 28, 2011

IN THE MATTER OF:)
)
AMENDMENTS TO 35 ILL. ADM. CODE)
PART 229: HOSPITAL/MEDICAL/)
INFECTIOUS WASTE INCINERATORS)

R 11-20 (Rulemaking - Air)

RECEIVED
CLERK'S OFFICE

JUN 28 2011

STATE OF ILLINOIS
Pollution Control Board

,062811

Exhibit 1 Testimony of Dixon Nw [redacted] Protection Engineer, Air Quality
Planning Planning Secti [redacted] Environmental Protection Agency
(IEPA)(4 page testimon [redacted];admitted into record as if
read)

Exhibit 2 Amendments Agreed to by IEPA & Stericycle to 35 Ill. Adm. Code 229.115
"Compliance Schedules for HMIWIs That Will Continue to Operate (2 page
document dated 6/8/11, further agreed to change in Sec. 229.115(b)(2)(B)(vii) on
p. 2, strike-through initialed by hearing officer)

Exhibit 3 IEPA Answers and First Errata to Questions Regarding Hospital/Medical/
Infectious Waste Incinerators, filed 5/25/2011(excluding Exhibit A-H) (12-pages)

Exhibit 4 Stericycle Inc. Testimony on Amendments to 35 Ill. Adm. Code Part 229:
HMIWI, filed 2/22/2011(6-page letter signed by Selin Hoboy, VP Legislative and
Regulatory Affairs)

Exhibit 5 Stericycle Inc. Testimony on Amendments to 35 Ill. Adm. Code Part 229:
HMIWI, filed 5/23/2011(3-page letter signed by Selin Hoboy, VP Legislative and
Regulatory Affairs)

Exhibit 6 6/23/2011 Hearing officer order in R11-24addressing questions to IEPA and
Stericycle re respective filings of 5/25/2011 & 5/23, 2011 (9-pages)

Exhibit 7 IEPA Answers and Second Errata to Questions Regarding Hospital/Medical/
Infectious Waste Incinerators, filed 6/13/2011 (13 pages)

Hearing was completed on June 28, 2011.

All public comments must be received by the Board by 4:30 p.m. August 16, 2011.