

ILLINOIS POLLUTION CONTROL BOARD
July 19, 2011

RECEIVED
CLERK'S OFFICE

JUL 19 2011

STATE OF ILLINOIS
Pollution Control Board

WILLINGHAM FARMS,)	
)	
Petitioner,)	
)	
v.)	PCB 07-121
)	(UST Appeal)
ILLINOIS ENVIRONMENTAL)	
PROTECTION AGENCY,)	
)	
Respondent.)	

ORIGINAL

HEARING OFFICER ORDER

On July 19, 2011, the parties participated in a telephone status conference with the hearing officer. The parties still hope to resolve this matter without hearing. Petitioner agreed to file an additional deadline waiver after the next status conference.

The parties are directed to participate in a telephone status conference with the hearing officer at 10:30 a.m. on August 23, 2011. The status conference shall be initiated by the petitioner.

The decision deadline is currently November 17, 2011.

IT IS SO ORDERED.

Carol Webb

Carol Webb
Hearing Officer
Illinois Pollution Control Board
1021 North Grand Avenue East
P.O. Box 19274
Springfield, Illinois 62794-9274
217/524-8509
webbc@ipcb.state.il.us

CERTIFICATE OF SERVICE

It is hereby certified that true copies of the foregoing order were mailed, first class, on July 19, 2011, to each of the persons on the service list below.

It is hereby certified that a true copy of the foregoing order was hand delivered to the following on July 19, 2011:

John T. Therriault
Illinois Pollution Control Board
James R. Thompson Center
100 W. Randolph St., Ste. 11-500
Chicago, Illinois 60601

Carol Webb

Carol Webb
Hearing Officer
Illinois Pollution Control Board
1021 North Grand Avenue East
P.O. Box 19274
Springfield, Illinois 62794-9274
217/524-8509

SERVICE LIST

PCB 2007-121
Melanie A. Jarvis
IEPA
1021 North Grand Avenue East
P.O. Box 19276
Springfield, IL 62794-9276

PCB 2007-121
Fred Prillaman
Mohan, Alewelt, Prillaman & Adami
First of America Center
1 North Old State Capitol Plaza, Suite
325
Springfield, IL 62701-1323

PCB 2007-121
Patrick D. Shaw
Mohan, Alewelt, Prillaman & Adami
First of America Center
1 North Old State Capitol Plaza, Suite
325
Springfield, IL 62701-1323