

## OFFICE OF THE SECRETARY OF STATE

JESSE WHITE • Secretary of State

February 17, 2012

POLLUTION CONTROL BOARD JOHN THERRIAULT ASSISTANT CLERK 100 W RANDOLPH ST, STE 11-500 CHICAGO, IL 60601 FEB 2 4 2012 STATE OF ILLINOIS Pollution Control Board

## Dear JOHN THERRIAULT ASSISTANT CLERK

Your rules Listed below met our codification standards and have been published in Volume 36, Issue 8 of the Illinois Register, dated 2/24/2012.

PROPOSED RULES	
Proceedings Pursuant to Specific Rules or Statutory Provisions 35 Ill. Adm. Code 106 Point of Contact: Nancy Miller	2643
Primary Drinking Water Standards 35 Ill. Adm. Code 611 Point of Contact: Mike McCambridge	2656
Clean Construction or Demolition Debris Fill Operations 35 Ill. Adm. Code 1100 Point of Contact: Nancy Miller	2801

If you have any questions, you may contact the Administrative Code Division at (217) 782 - 7017.

### POLLUTION CONTROL BOARD

## NOTICE OF PROPOSED AMENDMENTS

Heading of the Part: Clean Construction or Demolition Debris Fill Operations 1)

Proposed Action:

- Code Citation: 35 Ill. Admin. Code 1100 2)
- 3) Section Numbers:

1100.101 Amended 1100.103 Amended 1100.104 Amended 1100.201 Amended 1100.203 Amended 1100.204 Amended 1100.205 Amended 1100.206 Amended 1100.207 Amended 1100.208 Amended 1100.209 Amended 1100.211 Amended 1100.212 New 1100.304 Amended 1100.306 Amended 1100.307 Amended 1100.309 Amended 1100.412 Amended 1100.500 New 1100.505 New 1100.510 New 1100.515 New 1100.520 New 1100.525 New 1100.530 New 1100.600 New 1100.605 New 1100.610 New 1100.615 New

CLERK'S OFFICE FEB 2 4 2012

STATE OF ILLINOIS Pollution Control Board

Statutory Authority: 415 ILCS 5/10, 22.51, 22.51a, 27, and 28 4)

A Complete Description of the Subjects and Issues Involved: On July 29, 2011, the 5) A Complete Description of the Subjects and Issues involves. On the Subject State Sta

FEB 7 2012

SOS-CODE DIV

## POLLUTION CONTROL BOARD

## NOTICE OF PROPOSED AMENDMENTS

22.51 and 22.51a of the Environmental Protection Act (Act) (415 ILCS 5/22.51 and 22.51a (2010)) with the Board. The proposal will amend the Board's rules for Clean Construction or Demolition Debris Fill Operations to allow for use of uncontaminated clean construction or demolition debris (CCDD) and uncontaminated soil to be used as fill at quarries, mines and other excavations. The Board held two hearings and proceeds to first notice with a rule that sets standards for levels of constituents in uncontaminated soil, requires certifications for soil and detailed registration for soil fill sites.

6) <u>Published studies or reports, and sources of underlying data, used to compose this</u> rulemaking:

Soil Survey Staff Natural Resources Conservation Service, United States Department of Agriculture. U.S. General Soil Map (STATSGO2). Available online at http://soildatamart.nrcs .usda. gov

United States Environmental Protection Agency: Hazardous Waste Test Methods: TCLP Questions, "Total Constituent Analysis Instead of TCLP Analysis." Available online at http://www.epa.gov/osw/hazard/testrnethods/fag/fag tclp.htm

- 7) <u>Will these proposed amendments replace an emergency rule currently in effect</u>? No
- 8) Do these amendments contain an automatic repeal date? No
- 9) <u>Do these proposed amendments contain incorporations by reference?</u> No
- 10) Are there any other proposed amendments pending on this Part? No
- 11) <u>Statement of Statewide Policy Objectives</u>:

These proposed amendments do not create or enlarge a state mandate as defined in Section 3(b) of the State Mandates Act. [30 ILCS 805/3].

12) <u>Time, Place, and Manner in which interested persons may comment on this proposed</u> <u>amendment</u>:

The Board will accept written public comments on this proposal for a period of 45 days after the date of publication in the Illinois Register. Comments should refer to Docket R12-09 and be addressed to:

Clerk's Office

## POLLUTION CONTROL BOARD

## NOTICE OF PROPOSED AMENDMENTS

Illinois Pollution Control Board 100 W. Randolph St., Suite 11-500 Chicago, IL 60601

## 13) Initial Regulatory Flexibility Analysis:

- A) <u>Types of small businesses, small municipalities and not for profit corporations</u> <u>affected</u>: Businesses which either accept CCDD or uncontaminated soil or businesses which seek to remove CCDD or uncontaminated soil from a site and place CCDD or uncontaminated soil in a CCDD or uncontaminated soil fill operation.
- B) <u>Reporting, bookkeeping or other procedures required for compliance</u>: Owners of uncontaminated soil fill operations will be required to provide information to the Illinois Environmental Protection Agency such as site maps, description of the facility, and a closure plan
- C) Types of Professional skills necessary for compliance: None
- 14) <u>Regulatory Agenda in which these amendments were summarized</u>: January 2012
- 15) Do these amendments require the review of the Procurement Policy Board as specified in Section 5-25 of the Illinois Procurement Code? [30 ILCS 500/5-25]? No

The full text of the Proposed Amendments begins on the next page:

## POLLUTION CONTROL BOARD

## NOTICE OF PROPOSED AMENDMENTS

### TITLE 35: ENVIRONMENTAL PROTECTION SUBTITLE J: CLEAN CONSTRUCTION OR DEMOLITION DEBRIS CHAPTER I: POLLUTION CONTROL BOARD

#### **PART 1100**

## CLEAN CONSTRUCTION OR DEMOLITION DEBRIS FILL OPERATIONS AND UNCONTAMINATED SOIL FILL OPERATIONS

### SUBPART A: GENERAL

#### Section

- 1100.101 Scope and Applicability
- 1100.102 Severability
- 1100.103 Definitions
- 1100.104 Incorporations by Reference

## SUBPART B: OPERATING STANDARDS FOR CCDD FILL OPERATIONS

### Section

- 1100.201 **Prohibitions**
- 1100.202 Surface Water Drainage
- 1100.203 Annual Facility Map
- 1100.204 **Operating Standards**
- Certifications and Load Checking 1100.205
- 1100.206 Salvaging
- 1100.207 Boundary Control
- 1100.208 Closure
- 1100.209 Postclosure Maintenance
- 1100.210 **Recordkeeping Requirements**
- 1100.211 Annual Reports
- Use of Painted CCDD as Fill Material 1100.212

## SUBPART C: PERMIT APPLICATION INFORMATION FOR CCDD FILL OPERATIONS

- Section
- 1100.301 Scope and Applicability
- 1100.302 Notification
- 1100.303 Required Signatures
- 1100.304 Site Location Map
- 1100.305 Facility Plan Maps
- Narrative Description of the Facility 1100.306
- Proof of Property Ownership and Certifications 1100.307
- 1100.308 Surface Water Control

### POLLUTION CONTROL BOARD

## NOTICE OF PROPOSED AMENDMENTS

1100.309	Closure Plan
1100 010	

1100.310 Postclosure Maintenance Plan

## SUBPART D: PROCEDURAL REQUIREMENTS FOR PERMITTING CCDD FILL **OPERATIONS**

#### Section

- 1100.401 Purpose of Subpart
- Delivery of Permit Application 1100.402
- Agency Decision Deadlines 1100.403
- Standards for Issuance of a Permit 1100.404
- 1100.405 Standards for Denial of a Permit
- 1100.406 Permit Appeals
- 1100.407 Permit No Defense
- 1100.408 Term of Permit
- 1100.409 Transfer of Permits
- Procedures for the Modification of Permits 1100.410
- 1100.411 Procedures for the Renewal of Permits
- 1100.412 Procedures for Closure and Postclosure Maintenance

## SUBPART E: UNCONTAMINATED SOIL FILL OPERATIONS

- Section 1100.500
- **Prohibitions** 1100.505
- **Operating Standards** 1100.510
- Recordkeeping Requirements 1100.515
- Registration
- <u>1100.520</u> Required Signatures
- 1100.525 Procedures for Closure
- <u>1100.530</u> Termination of Postclosure Maintenance

## SUBPART F: STANDARDS FOR UNCONTAMINATED SOIL USED AS FILL MATERIAL AT FILL OPERATIONS REGULATED BY THIS PART

- Section
- 1100.600 Purpose and Applicability
- Maximum Allowable Concentrations for Chemical Constituents in 1100.605 Uncontaminated Soils
- Compliance Evaluation; Performance and Documentation of Soil Sampling and 1100.610 **Chemical Analysis** 1100.615
- Waste and Materials Other Than Chemical Constituents in Soils

## POLLUTION CONTROL BOARD

## NOTICE OF PROPOSED AMENDMENTS

AUTHORITY: Implementing Sections 5, 3.160, 22.51, and 22.51a and authorized by Sections 3.160, 22.51, 22.51a, and 27 of the Environmental Protection Act [415 ILCS 5/5, 22.51, 22.51a, and 27].

SOURCE: Adopted in R06-19 at 30 Ill. Reg. 14534, effective August 24, 2006; amended in R12-9 at 36 Ill. Reg.\_\_\_\_\_, effective\_\_\_\_\_

### SUBPART A: GENERAL

## Section 1100.101 Scope and Applicability

- a) This Part applies to all clean construction or demolition debris (CCDD) fill operations that are required to be permitted pursuant to Section 22.51 of the Act, other than CCDD fill operations permitted pursuant to 35 Ill. Adm. Code 807 or 811 through 814, and to all uncontaminated soil fill operations that are required to be registered pursuant to Section 22.51a of the Act.
- b) This Part does not apply to:
  - 1) CCDD <u>or uncontaminated soil that is not</u> <del>other than CCDD</del> used as fill material in a current or former quarry, mine, or other excavation;
  - 2) The use of CCDD or uncontaminated soil as fill material in a current or former quarry, mine, or other excavation located on the site where the CCDD or uncontaminated soil was generated The use of CCDD as fill material in a current or former quarry, mine, or other excavation located on the site where the CCDD was generated [415 ILCS 5/22.51(b)(4)(A)];
  - 3) The use of CCDD or uncontaminated soil as fill material in an excavation other than a current or former quarry or mine if the use complies with Illinois Department of Transportation specifications The use of CCDD as fill material in an excavation other than a current or former quarry or mine if the use complies with Illinois Department of Transportation specifications [415 ILCS 5/22.51(b)(4)(B)];

BOARD NOTE: The Illinois Department of Transportation (IDOT) specifications applicable to the use of CCDD <u>or uncontaminated soil</u> as fill can be found at Articles 107.22 and 202.03 of IDOT's "Standard Specifications for Road and Bridge Construction." According to IDOT specifications, this exemption applies to IDOT, a county, a municipality,

### POLLUTION CONTROL BOARD

## NOTICE OF PROPOSED AMENDMENTS

or a township.

- 4) <u>Current or former quarries, mines, and other excavations that do not use</u> <u>CCDD or uncontaminated soil as fill material</u> <u>Current or former quarries,</u> <u>mines, and other excavations that do not use clean construction or</u> <u>demolition debris as fill material</u> [415 ILCS 5/22.51(b)(4)(C)];
- 5) The use of the following types of material as fill material:
  - A) CCDD <u>or soil</u> that is considered "waste" under the Act or rules adopted pursuant to the Act; or
  - B) Any material other than CCDD or uncontaminated soil, including, but not limited to, material generated on site as part of a mining process; and
- 6) The portions of a site not used for a CCDD fill operation or an <u>uncontaminated soil fill operation</u>.

(Source: Amended at 36 Ill. Reg.\_\_\_\_\_ effective\_\_\_\_\_)

### Section 1100.103 Definitions

Except as stated in this Section, or unless a different meaning of a word or term is clear from the context, the definition of words or terms in this Part will be the same as that applied to the same words or terms in the Environmental Protection Act [415 ILCS 5]:

"10-year, 24-hour precipitation event" means a precipitation event of 24-hour duration with a probable recurrence interval of once in 10 years.

"100-year, 24-hour precipitation event" means a precipitation event of 24-hour duration with a probable recurrence interval of once in 100 years.

"Act" means the Environmental Protection Act [415 ILCS 5].

"Acceptable Detection Limit (ADL)" means the detectable concentration of a substance that is equal to the lowest appropriate Practical Quantitation Limit (PQL) as defined in this Section.

"Agency" is the Illinois Environmental Protection Agency established by the Act.

### POLLUTION CONTROL BOARD

## NOTICE OF PROPOSED AMENDMENTS

[415 ILCS 5/3.105]

"Applicant" means the person submitting an application to the Agency for a permit for a CCDD fill operation.

<u>"Aquifer" means saturated (with groundwater) soils and geologic materials</u> which are sufficiently permeable to readily yield economically useful quantities of water to wells, springs, or streams under ordinary hydraulic gradients and whose boundaries can be identified and mapped from hydrogeologic data. (Section 3 of the Illinois Groundwater Protection Act [415 ILCS 55/3]).

"Board" is the Pollution Control Board established by the Act. [415 ILCS 5/3.105]

"CCDD" means clean construction or demolition debris.

"CCDD fill operation" means <u>a current or former quarry, mine, or other</u> <u>excavation where clean construction or demolition debris is used as fill material</u> [415 ILCS 5/22.51(e)(3)]. the use of CCDD as fill material in a current or former quarry, mine, or other excavation. For purposes of this Part, the term "other excavation" does not include holes, trenches, or similar earth removal created as part of normal construction, removal, or maintenance of a structure, utility, or transportation infrastructure.

"Clean construction or demolition debris" means uncontaminated broken concrete without protruding metal bars, bricks, rock, stone, reclaimed <u>or other</u> asphalt pavement, or soil generated from construction or demolition activities. For purposes of this Part, CCDD may include uncontaminated broken concrete without protruding metal bars, bricks, rock, stone, or reclaimed or other asphalt pavement that has been painted ("painted CCDD") if the painted CCDD is used as fill material at a CCDD fill operation in accordance with Section 1100. 212 of this Part.

Clean construction or demolition debris does not include uncontaminated soil generated during construction, remodeling, repair, and demolition of utilities, structures, and roads provided the uncontaminated soil is not commingled with any clean construction or demolition debris or other waste. For purposes of this Part, uncontaminated soil may include incidental amounts of stone, elay, rock, sand, gravel, roots, and other vegetation. [415 ILCS 5/3.160(b)]

### POLLUTION CONTROL BOARD

## NOTICE OF PROPOSED AMENDMENTS

To the extent allowed by federal law, elean construction or demolition debris shall not be considered "waste" if it is:

used as fill material outside of a setback zone if the fill is placed no higher than the highest point of elevation existing prior to the filling immediately adjacent to the fill area, and if covered by sufficient uncontaminated soil to support vegetation within 30 days of the completion of filling or if covered by a road or structure; or

separated or processed and returned to the economic mainstream in the form of raw materials or products, if it is not speculatively accumulated and, if used as a fill material, it is used in accordance with the first identical paragraph immediately above within 30 days of its generation; or

solely broken concrete without protruding metal bars used for crosion control; or

generated from the construction or demolition of a building, road, or other structure and used to construct, on the site where the construction or demolition has taken place, a manmade functional structure not to exceed 20 feet above the highest point of elevation of the property immediately adjacent to the new manmade functional structure as that elevation existed prior to the creation of that new structure, provided that the structure shall be covered with sufficient soil materials to sustain vegetation or by a road or structure, and further provided that no such structure shall be constructed within a home rule municipality with a population over 500,000 without the consent of the municipality. [415 ILCS 5/3.160(b)]

"Documentation" means items, in any tangible form, whether directly legible or legible with the aid of any machine or device, including but not limited to affidavits, certificates, deeds, leases, contracts or other binding agreements, licenses, permits, photographs, audio or video recordings, maps, geographic surveys, chemical and mathematical formulas or equations, mathematical and statistical calculations and assumptions, research papers, technical reports, technical designs and design drawings, stocks, bonds, and financial records, that are used to support facts or hypotheses.

"Facility" means the areas of a site and all equipment and fixtures on a site used for a CCDD fill operation<u>or uncontaminated soil fill operation</u>. A facility consists of an entire <del>CCDD</del> fill operation. All structures used in connection with

### POLLUTION CONTROL BOARD

## NOTICE OF PROPOSED AMENDMENTS

or to facilitate the CCDD fill operation will be considered a part of the facility.

"Filled area" means areas within a unit where CCDD or uncontaminated soil has been placed as fill material.

"Fill operation" means a CCDD fill operation or an uncontaminated soil fill operation, as the context requires.

"Malodor" means an odor caused by one or more contaminant emissions into the atmosphere from a facility that is in sufficient quantities and of such characteristics and duration as to be described as malodorous and which may be injurious to human, plant, or animal life, to health, or to property, or may unreasonably interfere with the enjoyment of life or property. [415 ILCS 5/3.115]

"Mine" means an excavation created for the purpose of extracting ore or minerals, including, but not limited to, coal.

"National Pollutant Discharge Elimination System" or "NPDES" means the program for issuing, modifying, revoking and reissuing, terminating, monitoring, and enforcing permits and imposing and enforcing pretreatment requirements under the Clean Water Act (33 USC 1251 et seq.), Section 12(f) of the Act, Subpart A of 35 Ill. Adm. Code 309, and 35 Ill. Adm. Code 310.

"NPDES permit" means a permit issued under the NPDES program.

"Operator" means a person responsible for the operation and maintenance of a  $\frac{CCDD}{fill}$  operation. [415 ILCS 5/22.51(e)(1)]

"Other excavation" means a pit other than a quarry or mine created primarily for the purpose of extracting resources including, but not limited to, clay or other soil (e.g. soil, sand, gravel, clay) and does not include holes, trenches, or similar earth removal created as part of normal construction, removal, or maintenance of a structure, utility, or transportation infrastructure.

"Owner" means a person who has any direct or indirect interest in a CCDD fill operation or in land on which a person operates and maintains a CCDD fill operation. A "direct or indirect interest" does not include the ownership of publicly traded stock. The "owner" is the "operator" if there is no other person who is operating and maintaining a CCDD fill operation. [415 ILCS 5/22.51(e)(2)]

### POLLUTION CONTROL BOARD

## NOTICE OF PROPOSED AMENDMENTS

"Person" is any individual, partnership, co-partnership, firm, company, corporation, association, joint stock company, trust, estate, political subdivision, State agency, or any other legal entity, or their legal representative, agent or assigns. [415 ILCS 5/3.115]

"Potentially impacted property" means property on which a historical or current use, or contaminant migration from a proximate site, increases the presence or potential presence of contamination at the source site.

"Potentially impacted property" is intended to identify soil that is more likely to be contaminated and in need of professional evaluation and certification before placement in a fill site. The following should be considered when determining whether property is "potentially impacted property": the current use of the property, prior uses of the property, and the uses of adjoining property. For example, for transportation rights of way or utility easements, the current use of the property as a right of way or easement, the uses of the property prior to its use as a right of way or easement, and the uses of adjoining property should be considered. Source site owners are encouraged to coordinate with the receiving facility on soil certifications.

"Quarry" means an open surface excavation or pit created for the purpose of extracting stone, rock, sand and gravel.

"Practical Quantitation Limit (PQL)" means the lowest concentration that can be reliably measured within specified limits of precision and accuracy for a specific laboratory analytical method during routine laboratory operating conditions in accordance with "Test Methods for Evaluating Solid Wastes, Physical/Chemical Methods," EPA Publication No. SW-846, incorporated by reference in Section 1100.104 of this Part.

"Professional engineer (PE)" means a person who has registered and obtained a seal pursuant to the Professional Engineering Practice Act of 1989 [225 ILCS 325].

"Professional Geologist (PG)" means a person licensed to practice as a professional geologist pursuant to the Professional Geologist Licensing Act [225] ILCS 745].

"Runoff" means water resulting from precipitation that flows overland before it

### POLLUTION CONTROL BOARD

## NOTICE OF PROPOSED AMENDMENTS

enters a defined stream channel, any portion of such overland flow that infiltrates into the ground before it reaches the stream channel, and any precipitation that falls directly into a stream channel.

"Salvaging" means the return of CCDD to use other than use as fill at a CCDD fill operation.

"Setback zone" means a geographic area, designated pursuant to the Act, containing a potable water supply well or a potential source or potential route, having a continuous boundary, and within which certain prohibitions or regulations are applicable in order to protect groundwaters. [415 ILCS 5/3.450]

"Site of origin" means the site where the CCDD or uncontaminated soil was generated from construction or demolition activities.

<u>"Source site operator" means a person responsible for the operation of the site of origin of the CCDD or uncontaminated soil.</u>

"Source site owner" means a person having an ownership interest in the site of origin of the CCDD or uncontaminated soil.

"Uncontaminated soil" means soil generated during construction, remodeling, repair or demolition of utilities, structures and roads that does not contain contaminants in concentrations that pose a threat to human health and safety and the environment. [415 ILCS 5/3.160(c)] Subpart F of this Part establishes standards for soil that is considered uncontaminated for purposes of this Part.

<u>"Uncontaminated soil fill operation" means a current or former quarry, mine, or</u> <u>other excavation where uncontaminated soil is used as fill material but does not</u> <u>include a clean construction or demolition debris fill operation. [415 ILCS</u> <u>5/22.51a(a)(2)].</u>

"Unit" means a contiguous area within a facility where CCDD or uncontaminated soil is placed that is permitted for the placement of CCDD as fill material.

"Working face" means any part of a unit where CCDD <u>or uncontaminated soil is</u> being placed as fill.

(Source: Amended at 36 Ill. Reg.\_\_\_\_\_ effective\_\_\_\_\_)

## POLLUTION CONTROL BOARD

## NOTICE OF PROPOSED AMENDMENTS

## Section 1100.104 Incorporations by Reference

a) The Board incorporates the following material by reference:

ASTM. American Society for Testing and Materials, 100 Barr Harbor Drive, West Conshohocken, PA 19428-2959. (610) 832-9585

> ASTM E 1527-05 Standard Practice for Environmental Site Assessments: Phase I Environmental Site Assessment Process, approved November 1, 2005.

ASTM E 1528-06 Standard Practice for Limited Environmental Due Diligence: Transaction Screen Process, approved February 1, 2006.

"Human Health Toxicity Values in Superfund Risk Assessments (2003)". U. S. Environmental Protection Agency, Office of Solid Waste and Emergency Response, Washington, DC, OSWER Directive 9285.7-53, 2003. (Available online at http://www.epa.gov/oswer/riskassessment/pdf/hhmemo.pdf).

IRIS. Integrated Risk Information System, National Center for Environmental Assessment, United States Environmental Protection Agency, 26 West Martin Luther King Drive, MS-190, Cincinnati, OH 45268, (513) 569-7254.

> "Reference Dose (RfD): Description and Use in Health Risk Assessments," Background Document IA (March 15, 1993).

"Guidelines for Carcinogen Risk Assessment (2005)". U. S. Environmental Protection Agency, Washington, DC, EPA Publication No. EPA/630/P-03/001F, 2005. (Available online at http://www.epa.gov/ttn/atw/cancer\_guidelines\_final\_3-25-05.pdf).

NTIS. National Technical Information Service, 5285 Port Royal Road, Springfield, VA 22161, (800) 553-6847 U.S. Government Printing Office, Washington, D.C. 20402, Ph: 202 783-3238:

Test Methods for Evaluating Solid Waste, Physical/Chemical methods, EPA Publication SW-846 (Third Edition, 1986 as

## POLLUTION CONTROL BOARD

## NOTICE OF PROPOSED AMENDMENTS

amended by Updates I, II, IIA, IIB, III, IIIA, and IIIB, IVA and IVB and IV).

b) This incorporation includes no later amendments or editions.

(Source: Amended at 36 Ill. Reg.\_\_\_\_\_ effective\_\_\_\_\_)

## SUBPART B: OPERATING STANDARDS FOR CCDD FILL OPERATIONS

### Section 1100.201 Prohibitions

- a) No person shall conduct any CCDD fill operation in violation of the Act or any regulations or standards adopted by the Board. [415 ILCS 5/22.51(a)].
- b) CCDD fill operations must not accept waste for use as fill.
- c) CCDD fill operations must not be located inside a setback zone of a potable water supply well. (See Section 3.160(b)(i) of the Act.)
- <u>d)</u> <u>No person shall use soil other than uncontaminated soil as fill material at a</u> <u>CCDD fill operation. [415 ILCS 5/22.51(g)(1)]</u>
- e) <u>No person shall use construction or demolition debris other than CCDD as fill</u> material at a CCDD fill operation. [415 ILCS 5/22.51(g)(2)]
- f) Except as provided in Section 1100.212 of this Part, no person shall use painted clean construction or demolition debris ("painted CCDD") as fill material at a CCDD fill operation.

(Source: Amended at 36 Ill. Reg.\_\_\_\_\_ effective\_\_\_\_\_)

## Section 1100.203 Annual Facility Map

The owner or operator must submit an annual facility map with the annual report required under <u>Section 1100.211</u> to the Agency each calendar year by the date specified in the Agency permit. The map must have a scale no smaller than one inch equals 200 feet, show the horizontal extent of filled areas as of the date of the map, and show the same information as required for facility plan maps under Sections 1100.305(a) through (d) of this Part.

(Source: Amended at 36 Ill. Reg.\_\_\_\_\_ effective\_\_\_\_\_)

### POLLUTION CONTROL BOARD

## NOTICE OF PROPOSED AMENDMENTS

## Section 1100.204 Operating Standards

a) Placement of Fill Material Fill material must be placed in a safe manner that protects human health and the environment in conformance with the provisions of the Act and the regulations adopted under the Act.

## b) Size and Slope of Working Face

The working face of the fill operation must be no larger than is necessary, based on the terrain and equipment used in material placement, to conduct operations in a safe and efficient manner in conformance with the provisions of the Act and the regulations adopted under the Act.

### c) Equipment

Equipment must be maintained and available for use at the facility during all hours of operation, so as to achieve and maintain compliance with the requirements of this Part.

### d) Utilities

All utilities, including but not limited to heat, lights, power, and communications equipment, necessary for safe operation in compliance with the requirements of this Part must be available at the facility at all times.

### e) Maintenance

The owner or operator must maintain and operate all systems and related appurtenances and structures in a manner that facilitates proper operations in compliance with this Part.

### f) Dust Control

The owner or operator must implement methods for controlling dust so as to minimize off-site wind dispersal of particulate matter.

### g) Noise Control

The facility must be designed, constructed, and maintained to minimize the level of equipment noise audible outside the site. The facility must not cause or contribute to a violation of the Board's noise regulations or Section 24 of the Act.

#### h) Fill Elevation

The owner or operator must not place CCDD used as fill higher than the highest

## POLLUTION CONTROL BOARD

## NOTICE OF PROPOSED AMENDMENTS

point of elevation existing prior to the filling immediately adjacent to the fill area. [415 ILCS 5/3.160(b)]

BOARD NOTE: This does not prohibit non-CCDD materials, such as uncontaminated soil and other non-waste material, from being placed above grade in accordance with the Act and regulations adopted thereunder to increase elevations at the fill site.

- i) Mud Tracking The owner or operator must implement methods to minimize tracking of mud by hauling vehicles onto public roadways.
- j) <u>Odor and Nuisance</u> <u>The fill operation must not cause foul odors or other nuisance.</u>

(Source: Amended at 36 Ill. Reg. \_\_\_\_\_ effective \_\_\_\_\_ )

## Section 1100.205 <u>Certifications and Load Checking</u>

- a) The owner or operator must do all of the following activities and document all the activities for all CCDD and uncontaminated soil accepted for use as fill material:
  - 1) For all soil, including soil mixed with CCDD, obtain:
    - A) <u>a certification from the source site owner or source site operator</u> <u>that the site is not a potentially impacted property, as determined in</u> <u>accordance with ASTM E 1528-06 Standard Practice for Limited</u> <u>Environmental Due Diligence: Transaction Screen Process,</u> <u>incorporated by reference at Section 1100.104 and is presumed to</u> <u>be uncontaminated soil. If soil is consolidated from more than one</u> <u>source site, a certification must be obtained from each source site</u> <u>owner or source site operator; or,</u>
    - B) a certification from a PE or PG that the soil is uncontaminated soil based on a site evaluation conducted in accordance with ASTM E 1527-05 Standard Practice for Environmental Site assessments: Phase I Environmental Site Assessment Process, incorporated by reference at Section 1100.104. A certification under this subsection (a)(1)(B) must include analytical soil testing results to show that soil chemical constituents comply with the maximum

### POLLUTION CONTROL BOARD

## NOTICE OF PROPOSED AMENDMENTS

allowable concentrations established pursuant to Subpart F of this Part.

C) Certifications required under subsections (a)(1)(A) and (a)(1)(B) must be on forms and in a format prescribed by the Agency and must provide at a minimum:

for source site owners or source site operators who <u>i)</u> certify under subsection (a)(1)(A) the following language: In accordance with the Environmental Protection Act (415 ILCS 5/22.51or 5/22.51a) and 35 Ill. Adm. Code 1100.205(a), I [owner or operator of source site] certify that this site is not a potentially impacted property, as determined in accordance with ASTM E 1528-06 Standard Practice for Limited Environmental Due Diligence: Transaction Screen Process, and the soil is presumed to be uncontaminated soil. I also certify that I am either the site owner or site operator or a duly authorized representative of the site owner or site operator and am authorized to sign this form. Furthermore, I certify that all information submitted, including but not limited to all attachments and other information is, to the best of my knowledge and belief, true, accurate and complete.

ii)

for PE or PG who certify under subsection (a)(1)(B) the following language: I [name of licensed professional engineer or geologist] certify under penalty of law that the information submitted, including but not limited to all attachments and other information, is, to the best of my knowledge and belief, true, accurate, and complete. In accordance with the Environmental Protection Act (415 ILCS 5/22.51 or 5/22.51a) and 35 Ill. Adm. Code 1100.205(a), I certify that the soil from this site is uncontaminated soil based on a site evaluation conducted in accordance with ASTM E 1527-05 Standard Practice for Environmental Site

### POLLUTION CONTROL BOARD

## NOTICE OF PROPOSED AMENDMENTS

### assessments: Phase I Environmental Site Assessment Process. All necessary documentation is attached.

- 2) Confirm and document that the CCDD or uncontaminated soil was not removed from a site as part of a cleanup or removal of contaminants, including, but not limited to, activities conducted under the Comprehensive Environmental Response, Compensation, and Liability Act of 1980, as amended; as part of a Closure or Corrective Action under the Resource Conservation and Recovery Act, as amended, or under an Agency remediation program, such as the Leaking Underground Storage Tank Program or Site Remediation Program, but excluding sites subject to Section 58.16 of this Act where there is no presence or likely presence of a release or a substantial threat of a release of a regulated substance at, on, or from the real property.
- 3) For all testing conducted to determine that the soil is uncontaminated, obtain documentation to show that the soil was tested in accordance with the requirements of Subpart F of this Part.
- 4) Obtain documentation on rejected loads
  - A) For loads rejected from the same or another fill operation, the owner or operator may accept a rejected load if subsections (a)(1) through (a) (3) of this Section are satisfied and the owner or operator also obtains the following information:
    - i) Information identifying the rejected load and the reasons it was rejected, including, but not limited to, a copy of the written notice the driver received pursuant to subsection (b)(4)(A) of this Section when the load was rejected;
    - ii) Information demonstrating that the load proposed for acceptance is the rejected load identified in subsection (a)(4)(A) of the Section;
    - iii) Information demonstrating that the reasons for rejection of the load have been addressed by measures which would include but not be limited to testing and retesting of soils or removal of nonconforming materials; and

## POLLUTION CONTROL BOARD

- <u>iv</u>) For all soil, including soil mixed with CCDD, a certification meeting the requirements of subsection (a)(1) of this Section that is executed after correction of the reasons for the load rejection. This subsection (a)(4) (A)(iv) does not apply if load rejection was due to the detection of non-CCDD or non-soil material, including, but not limited to, wood, glass, piping, vegetation, plastic, metal, electrical wiring, or concrete with protruding rebar.
- B) Except as provided in subsection (a)(4)(A)(iv) above, the information required under subsection (a)(4)(A) must be on forms and in a format prescribed by the Agency, and must be certified by the source site owner, the source site operator, a PE or PG. Loads accepted pursuant to this subsection (a)(4) are subject to all other requirements of this Part, including but not limited to the load checking program in effect at the receiving fill operation pursuant to subsection (b) of this Section.
- ab) The owner or operator must institute and conduct a load checking program designed to detect attempts to dispose of waste at the facility. At a minimum, the load checking program must consist of the following components:
  - <u>1)</u> Routine Inspections
    - An inspector designated by the facility must inspect every load <u>A</u>+) before its acceptance at the facility utilizing an elevated structure, a designated ground level inspection area, or another acceptable method as specified in the Agency permit. In addition to a visual inspection, the inspector must use an instrument with a photo ionization detector utilizing a lamp of 10.6 eV or greater or an instrument with a flame ionization detector, or other monitoring devices approved by the Agency, to inspect each load. All instruments shall be interpreted based on the manufacturer's margin of error. Any reading in excess of background levels using any of these instruments must result in the rejection of the inspected load. In addition, any reading in excess of background levels on any monitoring device used by the Agency during an Agency inspection must result in the rejection of the inspected load.

### POLLUTION CONTROL BOARD

- <u>B2</u>) Cameras or other devices may be used to record the visible contents of shipments. Where such devices are employed, their use should be designated on a sign posted near the entrance to the facility.
- <u>2</u>b) Random Inspections
  - In addition to the inspections required under subsection (b)(1)(a) of <u>A</u>4) this Section, an inspector designated by the facility must conduct a discharge inspection of at least one randomly selected load delivered to the facility each day. The driver of the randomly selected load must be directed to discharge the load at a separate, designated location within the facility. The inspector must conduct an inspection of the discharged material that includes, but is not limited to, additional visual inspection and additional instrument testing using the instruments required under subsection (b)(a)(1)(A) of this Section. All instruments shall be interpreted based on the manufacturer's margin of error. Any reading in excess of background levels using any of these instruments must result in the rejection of the inspected load. In addition, any reading in excess of background levels on any monitoring device used by the Agency during an Agency inspection must result in the rejection of the inspected load.
  - <u>B</u>2) Cameras or other devices may be used to record the visible contents of shipments. Where such devices are employed, their use should be designated on a sign posted near the entrance to the facility.
- <u>3e</u>) Documentation of Inspection Results: The documentation for each inspection must include, at a minimum, the following:
  - <u>A</u>1) The date and time of the inspection, <u>the date the CCDD or</u> <u>uncontaminated soil was received</u>, <u>the weight or volume of the</u> <u>CCDD or uncontaminated soil</u>, <u>the name of the hauler</u>, the name of the hauling firm, the vehicle identification number or license plate number, <u>the source site owner and source site operator</u>, and the <u>location of the site of origin of the CCDD or uncontaminated soil</u> <del>source of the CCDD</del>;

## POLLUTION CONTROL BOARD

- <u>B2</u>) The results of the routine inspection required under subsection (b)(1) (a) of this Section, including, but not limited to, the monitoring instruments used, whether the load was accepted or rejected, and for rejected loads the reason for the rejection;
- C3) The results of any random inspection required under subsection
  (b)(2) of this Section, including, but not limited to, the monitoring instruments used, whether the load was accepted or rejected, and for rejected loads the reason for the rejection; and
- $\underline{D}4$ ) The name of the inspector.
- 4d) Rejection of Loads
  - <u>A</u>+) If material other than CCDD <u>or uncontaminated soil</u> is found or suspected, the owner or operator must reject the load and present the driver of the rejected load with written notice of the following:
    - iA) That only CCDD <u>or uncontaminated soil</u> is accepted for use as fill at the facility;
    - <u>ii</u>B) <u>The reasons for rejections of the load, that</u> That the rejected load contains or is suspected to contain material other than <u>CCDD</u>, and that, the material must not be taken to another <u>CCDD</u> fill operation, <u>except as provided in subsection</u> (b)(4)(A)(iv) of this Section and or the material must be properly recycled or disposed of at a permitted landfill;
    - iiiC) That for all inspected loads the owner or operator is required to record and make available for Agency inspection, at a minimum, the date and time of the inspection, the weight or volume of the CCDD or uncontaminated soil, the name of the hauler, the name of the hauling firm, the vehicle identification number or license plate number, the source site owner and source site operator, and the location of the site of origin of the fill and source of the fill and is required to make this information available to the Agency for inspection.;

### POLLUTION CONTROL BOARD

- iv) That a load rejected from a fill operation may be accepted by the same fill operation or another fill operation if the requirements of subsection (a)(4) of this Section are satisfied.
- <u>B</u>2) The owner or operator must ensure the cleanup, transportation, and proper disposal of any material other than CCDD or <u>uncontaminated soil</u> that remains at the facility after the rejection of a load.
- 5e) The owner or operator must take special precautionary measures as specified in the Agency permit prior to accepting loads from persons or sources found or suspected to be responsible for sending or transporting material other than CCDD or uncontaminated soil to the facility. The special precautionary measures may include, but are not limited to, communication with the source site owner or source site operator of the CCDD or uncontaminated soil, communication with the PE or PG certifying pursuant to subsection (a)(1)(B) of this Section, questioning the driver about the load prior to its discharge and increased visual inspection and instrument testing of the load.
- 6f) If material other than CCDD or uncontaminated soil is discovered to be improperly accepted or deposited at the facility, the owner or operator must remove and properly dispose of the material.
- 7g) The owner or operator must ensure that all appropriate facility personnel are properly trained in the identification of material that is not CCDD or <u>uncontaminated soil</u>.
- <u>8h</u>) All field measurement activities relative to equipment and instrument operation, calibration and maintenance and data handling shall be conducted in accordance with the following:
  - <u>A</u>+) "Test Methods for Evaluating Solid Waste, Physical/Chemical Methods" (SW-846), Vol. One, Ch. One (Quality Control), incorporated by reference at Section 1100.104 of this Part;
  - <u>B</u>2) The equipment or instrument manufacturer's or vendor's published standard operating procedures; or

## POLLUTION CONTROL BOARD

## NOTICE OF PROPOSED AMENDMENTS

- <u>C</u><sup>3</sup>) Other operating procedures specified in the Agency permit <u>or other</u> written Agency approval.
- <u>ci</u>) Documentation required under this Section must be kept for a minimum of 3 years at the facility or in some alternative location specified in the Agency permit or other written Agency approval. Documentation relating to an appeal, litigation or other disputed claim must be maintained until at least 3 years after the date of the final disposition of the appeal, litigation, or other disputed claim. The documentation must be available for inspection and copying by the Agency and by units of local government upon request during normal business hours.
- d) For painted CCDD to be accepted for use as fill material in accordance with Section 1100.212 of this Part, the owner or operator of the CCDD fill operation must:
  - 1) Obtain a certification from a PE or PG that the painted CCDD satisfies the requirements of Section 1100.212. The certification required under this subsection must be on forms and in a format prescribed by the Agency. Documentation required by subsection (c)(2) of Section 1100.212 of this Part must be attached to the certification form.
  - 2) Comply with the load checking requirements of subsection (b) of this Section.
  - 3) Comply with the document retention requirements of subsection (c) of this Section for the PE or PG certification and the attached documentation required under subsection (c)(2) of Section 1100.212 of this Part.

(Source: Amended at 36 Ill. Reg. \_\_\_\_\_ effective \_\_\_\_\_)

## Section 1100.206 Salvaging

- a) All salvaging operations must in no way interfere with the CCDD fill operation, result in a violation of this Part, or delay the construction of final cover.
- b) All salvaging operations must be performed in a safe manner in compliance with the requirements of this Part.
- c) Salvageable materials:

### POLLUTION CONTROL BOARD

## NOTICE OF PROPOSED AMENDMENTS

- 1) May be accumulated onsite by an owner or operator, provided they are managed so as not to create a nuisance, harbor vectors, cause <u>foul odors</u> malodors, or create an unsightly appearance; and
- 2) May not be accumulated at the facility for longer than one year unless a longer period of time is allowed under the Act or is specified in the Agency permit.

(Source: Amended at 36 Ill. Reg.\_\_\_\_\_ effective\_\_\_\_\_)

## Section 1100.207 Boundary Control

- a) Unauthorized vehicular access to the working face of all units and to all other areas within the boundaries of the facility must be restricted.
- b) A permanent sign must be posted at the entrance to the facility or each unit stating that only CCDD <u>or uncontaminated soil</u> is accepted for use as fill.

(Source: Amended at 36 Ill. Reg.\_\_\_\_\_ effective\_\_\_\_\_)

### Section 1100.208 Closure

- a) Completion of Filling
  - 1) The owner or operator is deemed to have completed CCDD filling with CCDD or uncontaminated soil:
    - A) 30 days after the date on which the facility receives the final load of CCDD <u>or uncontaminated soil</u> for use as fill; or
    - B) If the facility has remaining capacity and there is a reasonable likelihood that the facility will receive additional CCDD or <u>uncontaminated soil</u> for use as fill, no later than one year after the most recent receipt of CCDD or <u>uncontaminated soil</u> for use as fill.
  - 2) The Agency must grant extensions beyond the one year deadline in subsection (a)(1)(B) of this Section if the owner or operator demonstrates that:

### POLLUTION CONTROL BOARD

## NOTICE OF PROPOSED AMENDMENTS

- A) The facility has the capacity to receive additional CCDD <u>or</u> <u>uncontaminated soil</u> for use as fill; and
- B) The owner or operator has taken and will continue to take all steps necessary to prevent threats to human health and the environment from the facility.
- b) Closure
  - 1) Final Cover

All filled areas must be covered by sufficient uncontaminated soil to support vegetation within 30 days of the completion of filling or must be covered by a road or structure. [415 ILCS 5/3.160] The minimum amount of soil to support vegetation is one foot. The final surface must prevent or minimize erosion.

- 2) Final Slope and Stabilization
  - A) The final slopes and contours must be constructed to complement and blend with the surrounding topography of the proposed final land use of the area.
  - B) All drainage ways and swales must be constructed to safely pass the runoff from the 100-year, 24-hour precipitation event without scouring or erosion.
  - C) The final configuration of the facility must be constructed in a manner that minimizes erosion.
  - D) Standards for Vegetation
    - i) Vegetation must minimize wind and water erosion;
    - ii) Vegetation must be compatible with (i.e., grow and survive under) the local climatic conditions;
    - iii) Temporary erosion control measures, including, but not limited to, the application, alone or in combination, of mulch, straw, netting, or chemical soil stabilizers, must be

### POLLUTION CONTROL BOARD

## NOTICE OF PROPOSED AMENDMENTS

undertaken while vegetation is being established.

(Source: Amended at 36 Ill. Reg.\_\_\_\_\_ effective\_\_\_\_\_)

## Section 1100.209 Postclosure Maintenance

The owner or operator must conduct postclosure maintenance in accordance with this Section and the Agency permit for a minimum of one year after the Agency issues a certificate of closure in accordance with Section 1100.412 of this Part unless a shorter period of time for postclosure maintenance is specified in the Agency permit <u>or other written Agency approval</u>. Reasons for which the Agency may specify a shorter period of time for postclosure maintenance include, but are not limited to, conformance with existing reclamation plan requirements, zoning requirements, local ordinances, private contracts, or development plans.

- a) The owner or operator must remove all equipment or structures not necessary for the postclosure land use, unless otherwise authorized by the Agency permit or <u>other written Agency approval</u>.
- b) Maintenance and Inspection of the Final Cover
  - 1) Frequency of Inspections. The owner or operator must conduct a quarterly inspection of all surfaces during closure and for a minimum of one year after closure.
  - 2) All rills, gullies, and crevices 6 inches or deeper identified in the inspection must be filled. Areas identified by the owner or operator or the Agency as particularly susceptible to erosion must be recontoured.
  - 3) All eroded and scoured drainage channels must be repaired and lining material must be replaced if necessary.
  - 4) All holes and depressions created by settling must be filled and recontoured so as to prevent standing water.
  - 5) All reworked surfaces, and areas with failed or eroded vegetation in excess of 100 square feet cumulatively, must be revegetated in accordance with the approved closure plan for the facility.
- c) The Agency must approve postclosure use of the property if the owner or operator demonstrates that the disturbance of the final cover will not increase the potential

### POLLUTION CONTROL BOARD

## NOTICE OF PROPOSED AMENDMENTS

threat to human health or the environment.

(Source: Amended at 36 Ill. Reg.\_\_\_\_\_ effective\_\_\_\_\_)

### Section 1100.211 Annual Reports

The owner or operator must submit an annual report to the Agency each calendar year by the date specified in the Agency permit. For uncontaminated soil fill operation, the first annual report shall be filed on the first of January that follows the year in which the facility is registered in accordance with this Part. The annual report must include, at a minimum, the following information:

- a) A summary of the number of loads accepted and the number of loads rejected during the calendar year.
- b) Amount of CCDD and uncontaminated soil accepted in the calendar year.
- c) Amount of CCDD and uncontaminated soil expected in the next year.
- $\underline{de}$ ) Any modification affecting the operation of the facility.
- ed) The signature of the owner or operator, or the owner or operator's duly authorized agent as specified in Section 1100.303 of this Part.
- <u>f</u> <u>Annual facility map required pursuant to Section 1100.203 of this Part.</u>

(Source: Amended at 36 Ill. Reg. \_\_\_\_\_ effective \_\_\_\_\_ )

## Section 1100.212 Use of Painted CCDD as Fill Material

a) For purposes of this Part, uncontaminated broken concrete without protruding metal bars, bricks, rock, stone, or reclaimed or other asphalt pavement that has been painted ("painted CCDD") may be used as fill material at a CCDD fill operation if it is evaluated analytically under the supervision of a PE or PG and if all requirements of this Section are satisfied. Acceptance or management of painted CCDD for any purpose other than use as fill material at a CCDD fill operation must be in accordance with applicable law and may require a permit(s) or beneficial use determinations(s) from the Agency. Such other purposes include, but are not limited to, processing of painted CCDD for reuse.

#### POLLUTION CONTROL BOARD

- 1) The PE or PG must determine on a site-specific basis the number and location of paint samples that will provide a representative analysis of paint from the painted CCDD to be used as fill material.
- 2) The PE or PG must obtain paint samples consisting of representative paint chips or scrapings that include all layers of paint in the area sampled and that minimize the amount of substrate in the sample.
- 3) Paint samples must be analyzed for arsenic, cadmium, chromium (total), lead, mercury and zinc ("contaminants of concern") using the TCLP or SPLP extraction test analytical procedures in accordance with Methods 1311 and 1312 respectively in "Test Methods for Evaluating Solid Wastes, Physical/Chemical Methods," USEPA Publication No. SW-846 incorporated by reference at Section 1100.104 of this Part.
  - <u>A)</u> Paint samples must not be composited for analysis, and analytical results from paint samples must not be averaged.
  - B) All quantitative analyses of paint samples must be completed by an accredited laboratory in accordance with the requirements of 35 Ill. Adm. Code 186 and the scope of the accreditation.
  - <u>C)</u> <u>Documentation of any chemical analysis must include, but is not</u> <u>limited to:</u>
    - i) <u>Chain of custody control;</u>
    - ii) <u>A copy of the lab analysis;</u>
    - iii) Accreditation status of the laboratory performing the analysis; and
    - iv) Certification by an authorized agent of the laboratory that the analysis has been performed in accordance with the Agency's rules for the accreditation of environmental laboratories and the scope of the accreditation.
- 4) For painted CCDD to be used as fill material, analytical results for each paint sample must not exceed the chemical-specific Class I groundwater quality standard at 35 Ill. Adm. Code 620.410 for any contaminant of

### POLLUTION CONTROL BOARD

## NOTICE OF PROPOSED AMENDMENTS

## concern identified in subsection (c) of this Section.

- b) Notwithstanding subsection (a) of this Section, broken concrete, asphalt pavement, and other roadway CCDD with pavement markings, including but not limited to striping, may be used as fill material at a CCDD fill operation provided that:
  - 1) The pavement markings comply with IDOT specification for pavement markings; and
  - 2) The CCDD is accompanied by a PE or PG certification, on forms prescribed by the Agency, affirming that the pavement markings comply with IDOT specification for pavement markings.

BOARD NOTE: The IDOT specifications for pavement markings can be found at Section 1095 of IDOT's "Standard Specifications for Road and Bridge Construction."

(Source: Added at 36 Ill. Reg. \_\_\_\_\_ effective \_\_\_\_\_

SUBPART C: APPLICATION PERMIT INFORMATION FOR CCDD FILL OPERATIONS

## Section 1100.304 Site Location Map

All permit applications must contain a site location map on the most recent United States Geological Survey (USGS) quadrangle of the area from the 7<sup>1</sup>/<sub>2</sub> minute series (topographic) that clearly shows the following information:

- a) The site boundaries, the facility boundaries, and all adjacent property extending at least 1000 meters (3300 feet) beyond the facility boundaries;
- b) All surface waters;
- c) All potable water supply wells within 1000 meters (3300 feet) of the facility boundaries;
- d) All potable water supply well setback zones established pursuant to Section 14.2 or 14.3 of the Act;
- e) Any wellhead protection areas pursuant to Section 1428 of the Safe <u>Drinking</u> Water <u>Drinking</u> Act (SDWA) (42 USC 300f) and any sole source aquifer

### POLLUTION CONTROL BOARD

### NOTICE OF PROPOSED AMENDMENTS

designated by the United States Environmental Protection Agency pursuant to Section 1424(e) of SDWA; and

f) All main service corridors, transportation routes, and access roads to the site and facility.

(Source: Amended at 36 Ill. Reg. \_\_\_\_\_ effective \_\_\_\_\_)

## Section 1100.306 Narrative Description of the Facility

The permit application must contain a written description of the facility with supporting documentation describing the procedures and plans that will be used at the facility to comply with the requirements of this Part. Such descriptions must include, but are not limited to, the following information:

- a) A description of the CCDD <u>and the uncontaminated soil</u> being used as fill and a load checking plan describing how the owner or operator will comply with Section 1100.205 of this Part;
- b) The types of CCDD <u>and uncontaminated soil</u> expected in each unit, an estimate of the maximum capacity of each unit, and the rate at which <u>fillCCDD</u> is to be placed in each unit;
- c) The estimated density of the CCDD<u>and the uncontaminated soil;</u>
- d) The length of time each unit will receive CCDD and uncontaminated soil;
- e) A description of all equipment to be used at the facility for complying with the facility permit, the Act, and Board regulations;
- f) A description of any salvaging to be conducted at the facility, including, but not limited to, a description of all salvage facilities and a description of how the owner or operator will comply with Section 1100.206 of this Part;
- g) A description of how the owner or operator will comply with the requirements of Section 1100.207 of this Part;
- h) A description of how the owner or operator will comply with Sections 1100.204(c) and (e) of this Part;

### POLLUTION CONTROL BOARD

## NOTICE OF PROPOSED AMENDMENTS

- i) A description of the methods to be used for controlling dust in compliance with Section 1100.204(f) of this Part;
- j) A description of how the owner or operator will control noise in compliance with Section 1100.204(g) of this Part; and
- k) A description of all existing and planned roads in the facility that will be used during the operation of the facility, the size and type of such roads, and the frequency with which they will be used.

(Source: Amended at 36 Ill. Reg. \_\_\_\_\_ effective \_\_\_\_\_)

## Section 1100.307 Proof of Property Ownership and Certifications

The permit application must contain a certificate of ownership of the facility property and certifications regarding the provisions of Sections 39(i) and 39(i-5) of the Act. The owner and operator <u>provide written notification to the Agency</u> must certify that the Agency will be notified within 7 days after any changes in ownership.

(Source: Amended at 36 Ill. Reg.\_\_\_\_\_ effective\_\_\_\_\_)

### Section 1100.309 Closure Plan

The permit application must contain a written closure plan that contains, at a minimum, the following:

- a) Maps showing the configuration of the facility after closure of all units, including, but not limited to, appropriate contours as needed to show the proposed final topography after placement of the final cover for all filled areas. All maps must have a scale no smaller than one inch equals 200 feet;
- b) Steps necessary for the temporary suspension of <u>the fill operation</u> <u>CCDD filling in</u> accordance with Sections 1100.208(a)(1)(B) or (a)(2) of this Part;
- c) Steps necessary for closure of the facility at the end of its intended operating life;
- d) An estimate of the expected year of closure;
- e) Schedules for temporary suspension of <u>the fill operation CCDD filling</u> and closure, which must include, at a minimum, the total time required to close the

### POLLUTION CONTROL BOARD

## NOTICE OF PROPOSED AMENDMENTS

facility and the time required for closure activities that will allow tracking of the progress of closure;

- f) A description of how the applicant will comply with Section 1100.208 of this Part; and
- g) A description of the final cover, including, but not limited to, the material to be used as the final cover, application and spreading techniques, the types of vegetation to be planted, and the types of roads or structures to be built pursuant to Section 1100.208 of this Part.

(Source: Amended at 36 Ill. Reg. \_\_\_\_\_ effective \_\_\_\_\_ )

### SUBPART D: PROCEDURAL REQUIREMENTS FOR PERMITTING CCDD FILL OPERATIONS

## Section 1100.412 Procedures for Closure and Postclosure Maintenance

a) Notification of <u>Closure Receipt of Final Volume</u>

The owner or operator must provide written notification of closure to the Agency within 30 days after the date the owner or operator is deemed to have completed filling under subsection (a) of Section 1100.208 of this Part. Within 30 days after the date the final volume of CCDD is received, the owner or operator must notify the Agency in writing of the receipt of the final volume of CCDD.

- b) Certification of Closure
  - 1) When the closure of the facility is complete, the owner or operator must submit to the Agency:
    - A) Documentation concerning closure of the facility, including, but not limited to, plans or diagrams of the facility as closed and the date closure was completed.
    - B) An affidavit by the owner or operator and the seal of a <u>PE</u> professional engineer or <u>PG</u> that the facility has been closed in accordance with the closure plan and the closure requirements of this Part.

### POLLUTION CONTROL BOARD

## NOTICE OF PROPOSED AMENDMENTS

- 2) When the Agency determines, pursuant to the information received pursuant to subsection (b)(1) of this Section and any Agency site inspection, that the facility has been closed in accordance with the specifications of the closure plan and the closure requirements of this Part, the Agency must:
  - A) Issue a certificate of closure; and
  - B) Specify the date the postclosure maintenance period begins, based on the date closure was completed.
- c) Termination of the Permit
  - At the end of the postclosure maintenance period, the owner or operator may submit to the Agency an application for termination of the permit. The application must be submitted in a format prescribed by the Agency and must include, at a minimum, the certification of a <u>PEprofessional</u> engineer or PG and the affidavit of the owner or operator demonstrating that, due to compliance with the postclosure maintenance plan and the postclosure maintenance requirements of this Part, postclosure maintenance is no longer necessary because:
    - A) Vegetation has been established on all nonpaved areas;
    - B) The surface has stabilized sufficiently with respect to settling and erosion so that further stabilization measures, pursuant to the postclosure maintenance plan, are no longer necessary; and
    - C) The owner or operator has completed all requirements of the postclosure maintenance plan-; and
  - 2) Within 90 days after receiving the certification required by subsection (c)(1) of this Section, the Agency must notify the owner or operator in writing that the permit is terminated, unless the Agency determines, pursuant to the information received pursuant to subsection (c)(1) of this Section and any Agency site inspection, that continued postclosure maintenance is required pursuant to the postclosure maintenance plan and this Part.

3) For purposes of appeal pursuant to Section 40(d) of the Act and the appeal

### POLLUTION CONTROL BOARD

## NOTICE OF PROPOSED AMENDMENTS

provisions of this Part, Agency action pursuant to subsection (c)(2) of this Section is deemed a denial or grant of permit with conditions.

## SUBPART E: UNCONTAMINATED SOIL FILL OPERATIONS

### Section 1100.500 Prohibitions

- a) No person shall conduct any uncontaminated soil fill operation in violation of the Act or any regulations or standards adopted by the Board.
- b) No person shall use soil other than uncontaminated soil as fill material at an uncontaminated soil fill operation. [415 ILCS 5/22.51a(b)].
- c) Uncontaminated soil fill operations must not accept waste for use as fill.
- d) Uncontaminated soil fill operations must not accept CCDD for use as fill.
- e) <u>Uncontaminated soil fill operations must not be located inside a setback zone of a</u> potable water supply well.

(Source: Added at 36 Ill. Reg. \_\_\_\_\_ effective \_\_\_\_\_ )

## Section 1100.505 Operating Standards

Uncontaminated soil fill operations are subject to all of the standards and requirements of Sections 1100.202 through 1100.2111 of Subpart B of this Part, excluding Sections 1100.203 and 1100.210.

(Source: Added at 36 Ill. Reg.\_\_\_\_\_\_ effective\_\_\_\_\_\_)

## Section 1100.510 Recordkeeping Requirements

The owner or operator must maintain an operating record at the facility or in some alternative location approved by the Agency. The owner or operator must make the operating record available for inspection and copying by the Agency upon request during normal business hours. Information maintained in the operating record must include, but is not limited to, the following:

- a) Any information submitted to the Agency pursuant to this Part;
- b) Written procedures for load checking, load rejection notifications, and training

### POLLUTION CONTROL BOARD

## NOTICE OF PROPOSED AMENDMENTS

## required under Section 1100.205 of this Part;

- c) A site location map as described under Section 1100.304 of Subpart C of this Part.
- d) <u>A facility plan map as described under Section 1100.305 of Subpart C of this Part.</u>
- e) <u>A narrative description of the facility as described under Section 1100.306 of</u> <u>Subpart C of this Part.</u>
- <u>f</u> <u>Proof of property ownership</u>. The owner and operator must notify the Agency within 7 days after any changes in ownership.
- g) <u>A surface water control plan as described under Section 1100.308 of Subpart C of this Part.</u>
- h) A closure plan and postclosure maintenance plan as described under Sections 1100.309 and 1100.310 of Subpart C of this Part.

(Source: Added at 36 Ill. Reg. \_\_\_\_\_ effective \_\_\_\_\_)

### Section 1100.515 Registration

- a) <u>Owners and operators of uncontaminated soil fill operations must register the fill</u> operation with the Agency.
  - 1) Uncontaminated soil fill operations must be registered with the Agency within 60 days after the effective date of this Section. Uncontaminated soil fill operations already registered with the Agency pursuant to subsection (c) of Section 22.51a of the Act must be re-registered in accordance with this subsection (a)(1).
  - 2) Uncontaminated soil fill operations that first receive uncontaminated soil on or after the effective date of this Section must be registered with the Agency prior to the receipt of any uncontaminated soil.
- b) Registrations must be submitted on forms and in a format prescribed by the Agency and must include information set forth at Sections 1100.304 through 1100.310, excluding the certifications required under Section 1100.307.

(Source: Added at 36 Ill. Reg.\_\_\_\_\_ effective\_\_\_\_\_)

### POLLUTION CONTROL BOARD

## NOTICE OF PROPOSED AMENDMENTS

## Section 1100.520 Required Signatures

- a) <u>All registrations must contain the name, address, and telephone number of the</u> <u>owner and operator, and any duly authorized agents of the owner or operator to</u> <u>whom inquiries and correspondence should be addressed.</u>
- b) All registration applications must be signed by the owner and operator or by their duly authorized agents with an accompanying oath or affidavit attesting to the agent's authority to sign the application on behalf of the owner or operator. The following persons are considered duly authorized agents of the owner and operator:
  - 1) For corporations, a principal executive officer of at least the level of vice president;
  - 2) For a sole proprietorship, the sole proprietor;
  - 3) For a partnership, a general partner;
  - 4) For a municipality, state, federal or other public agency, by the head of the agency or a ranking elected official; and
  - 5) For a member-managed limited liability company, by a member and for a manager-managed limited liability company, by a manager or member.

(Source: Added at 36 Ill. Reg. \_\_\_\_\_ effective \_\_\_\_\_ )

## Section 1100.525 Procedures for Closure

a) <u>Notification of Closure</u>

The owner or operator must provide written notification to the Agency within 30 days after the owner or operator begins closure in accordance with the closure plan required pursuant to Section 1100.510(h) and the closure requirements of Section 1100.208 required pursuant to Section 1100.505 of this Part.

b) <u>Certification of Closure</u>

When the closure of the facility is complete, the owner or operator must submit to

### POLLUTION CONTROL BOARD

## NOTICE OF PROPOSED AMENDMENTS

#### the Agency:

- 1) Documentation concerning closure of the facility, including, but not limited to, plans or diagrams of the facility as closed and the date closure was completed.
- 2) An affidavit by the owner or operator and the seal of a PE or PG that the facility has been closed in accordance with the closure plan required pursuant to Section 1100.510(h) and the closure requirements of Section 1100.208 required pursuant to Section 1100.505 of this Part.

(Source: Added at 36 Ill. Reg. \_\_\_\_\_ effective \_\_\_\_\_ )

## Section 1100.530 Termination of Postclosure Maintenance

At the end of the postclosure maintenance period, the owner or operator must submit a certification by a PE or PG and an affidavit by the owner or operator demonstrating that, due to compliance with the postclosure maintenance plan and the postclosure maintenance requirements of this Part, postclosure maintenance is no longer necessary because:

- a) Vegetation has been established on all nonpaved areas;
- b) The surface has stabilized sufficiently with respect to settling and erosion so that further stabilization measures, pursuant to the postclosure maintenance plan, are no longer necessary; and
- c) The owner or operator has completed all requirements of the postclosure maintenance plan.

(Source: Added at 36 Ill. Reg. \_\_\_\_\_ effective \_\_\_\_\_)

## SUBPART F: STANDARDS FOR UNCONTAMINATED SOIL USED AS FILL MATERIAL AT FILL OPERATIONS REGULATED BY THIS PART

## Section 1100.600 Purpose and Applicability

- a) The purpose of this Subpart F is to establish standards for soils that are considered uncontaminated for purposes of this Part.
- b) This Subpart F applies only to soil that is:

### POLLUTION CONTROL BOARD

- 1) <u>Generated during construction, remodeling, repair, or demolition of</u> <u>utilities, structures and roads as provided in Section 3.160 of the Act (415</u> <u>ILCS 5/3.160); and</u>
- 2) Used as fill material at Clean Construction or Demolition Debris Fill Operations or Uncontaminated Soil Fill Operations as provided at Sections 22.51 and 22.51a of the Act (415 ILCS 5/22.51, 5/22.51a) and in this Part 1100.
- c) Soil that is generated during construction, remodeling, repair, or demolition of utilities, structures and roads and commingled with CCDD must satisfy the standards for maximum allowable concentrations of chemical constituents in uncontaminated soil as set forth in this Subpart F if used as fill material at CCDD Fill Operations pursuant to Section 22.51 of the Act.
- d) Soil or materials to which this Subpart F does not apply include, but are not limited to:
  - 1) Soil that must be managed as hazardous waste;
  - 2) Soil that has at any time been treated or diluted to reduce contaminant concentrations or contaminant mobility (e.g., treatment to reduce extraction test contaminant concentrations) except for soil that has been treated to reduce contaminants by physical separation from construction or demolition debris at the site where the soil was generated or at a site authorized by applicable law to perform such separation; and
  - 3) Soil that has been removed from a site as part of cleanup or removal of contaminants, including, but not limited to, activities conducted under the Comprehensive Environmental Response, Compensation, and Liability Act of 1980, as amended; as part of a closure of corrective action under the Resource Conservation and Recovery Act, as amended; or under an Agency remediation program, such as the leaking Underground Storage Tank Program or Site Remediation Program, but excluding sites subject to Section 58.16 of [the] Act (415 ILCS 5/58.16) where there is no presence or likely presence of a release or a substantial threat of a release of a regulated substance at, on or from the real property and excluding soil that is uncontaminated and has not been excavated or treated as part of the cleanup or removal of contaminants. [415 ILCS 5/22.51(f)(2)(C).

### POLLUTION CONTROL BOARD

## NOTICE OF PROPOSED AMENDMENTS

#### <u>5/22.51a (d)(2)(C).</u>

(Source: Added at 36 Ill. Reg. \_\_\_\_\_ effective \_\_\_\_\_)

### <u>Section 1100.605</u> <u>Maximum Allowable Concentrations for Chemical Constituents in</u> <u>Uncontaminated Soils</u>

- a) Except as provided for background concentrations in subsection (b) of this Section, the maximum allowable concentrations for chemical constituents in uncontaminated soil must be determined pursuant to subsections (a)(1) through (a)(5) of this Section.
  - 1) The maximum allowable concentration for a chemical constituent in uncontaminated soil will be the lowest Tier 1 chemical-specific soil value of the exposure routes for residential and construction worker receptors set forth in 35 Ill. Adm. Code 742. Appendix B, Tables A and B (e.g., soil ingestion exposure route, outdoor inhalation exposure route, soil component of the groundwater ingestion exposure route, construction worker exposure route). Class I values must be used when determining the lowest Tier 1 chemical-specific value for the soil component of the groundwater ingestion exposure route. Before making the comparison among exposure routes to determine the lowest value for ionizing organic chemical constituents and inorganic chemical constituents, the requirements of subsections (a)(2) and (a)(3) of this Section must be satisfied, as applicable.
  - 2) For ionizing organic constituents, the lowest pH-dependent value for the soil component of the Class I groundwater ingestion exposure route in 35 Ill. Adm. Code 742. Appendix B, Table C must be substituted for the pH-neutral value provided for the soil component of the Class I groundwater ingestion exposure route in Appendix B, Table A before determining the lowest Tier 1 chemical-specific soil value pursuant to subsection (a)(1) of this Section.
  - 3) For inorganic constituents, the remediation objectives for the soil component of the Class I groundwater ingestion exposure route in Appendix B, Tables A and B are based on the contaminant concentration resulting from an extraction test and are not directly comparable to the remediation objectives provided for the ingestion and inhalation exposure routes, which are based on total concentrations. The following values,

### POLLUTION CONTROL BOARD

## NOTICE OF PROPOSED AMENDMENTS

based on total concentrations, must be substituted for the extraction test values in Table A before determining the lowest Tier 1 chemical-specific soil value pursuant to subsection (a)(1) of this Section:

- <u>A)</u> <u>The lowest chemical-specific, pH-dependent values in Appendix</u> <u>B, Table C; or</u>
- <u>B</u>) For inorganic constituents that are listed in Appendix B, Table A but not in Appendix B, Table C, the extraction test values for the soil component of the groundwater ingestion exposure route in Appendix B, Table A may be multiplied by twenty (i.e., 20 liters/kilogram, the liquid to solid ratio in the extraction test assuming complete constituent leaching) to enable direct comparison with the ingestion and inhalation exposure route values. The resulting value must be substituted for the extraction test value before determining the lowest Tier 1 chemical-specific soil value pursuant to subsection (a)(1) of this Section.
- 4) If the lowest Tier 1 soil value for a chemical is less than the Acceptable Detection Limit (ADL), the ADL will serve as the lowest soil value.
- 5) The total concentration of organic contaminants may not exceed the attenuation capacity of the soil as determined in accordance with subsections (b)(1) and (b)(1)(A) of 35 Ill. Adm. Code 742.215 using a default value of 2000 mg/kg for the natural organic carbon fraction (f<sub>oc</sub>)
- b) Background concentrations from 35 Ill. Adm. Code 742. Appendix A, Tables G and H may be used as the maximum allowable concentrations at locations specified by the tables if the most stringent exposure route value for the chemical constituent as determined pursuant to subsection (a) of this Section is lower than the chemical's applicable background value listed in Tables G or H. The chemical's applicable background value in Table G or H must be established based on the location of the fill operation where the soil is placed.
- c) For chemicals not listed in 35 Ill. Adm. Code 742. Appendix B, Tables A, B, or C, the values may be obtained from the Agency by making a request for chemical-specific values.
  - 1) The Agency will develop these objectives based upon the United States Environmental Protection Agency's (USEPA) toxicity value hierarchy as

### POLLUTION CONTROL BOARD

## NOTICE OF PROPOSED AMENDMENTS

specified in OSWER Directive 9285.7-53, incorporated by reference at Section 1105.115 of this Part. USEPA's Integrated Risk Management System (IRIS), incorporated by reference at Section 1100.104 of this Part, is the first tier of this hierarchy.

- 2) Calculation of the maximum allowable concentrations must use the applicable risk-based soil screening level equations from 35 Ill. Adm. Code 742.Appendix C, Table A. Default exposure durations and contact rates from 35 Ill. Adm. Code 742.Appendix C, Table B must be used in making these calculations.
- 3) If the person making the request of the Agency disagrees with the Agency's decision, the person who made the request may file an appeal of the Agency's decision with the Board pursuant to Section 40(a) of the Act (415 ILCS 5/40(a)) and 35 Ill. Adm. Code 105.
- d) Other provisions of 35 Ill. Adm. Code 742 (e.g., institutional controls, engineered barriers, exposure route exclusions, site-specific evaluations, local area background calculations) may not be used to exclude or otherwise alter exposure routes or exposure route values for the purpose of determining the maximum allowable concentrations under this Part.
- e) For purposes of this Part, the Agency shall publish at its website a list of chemical-specific values for maximum allowable concentrations of chemical constituents in uncontaminated soils based on the methodology for determining those values set forth in this Section. In addition, the Agency shall publish at its website a list of chemical-specific values for chemicals not listed in 35 III. Adm. Code 742.Appendix B, Tables A, B or C when values are calculated by the Agency in accordance with subsection (c) of this Section or subsection (c) of 35 III. Adm. Code 742.510.

(Source: Added at 36 Ill. Reg. \_\_\_\_\_ effective \_\_\_\_\_)

# Section 1100.610 Compliance Evaluation; Performance and Documentation of Soil Sampling and Chemical Analysis

a) For purposes of this Subpart F, the chemical constituents to be evaluated, if any, and the soil sample points must be determined on a site-specific basis by the PE or PG.

### POLLUTION CONTROL BOARD

## NOTICE OF PROPOSED AMENDMENTS

b) If soil sampling and analysis are used to evaluate compliance with the maximum allowable concentrations for chemical constituents in uncontaminated soils, compliance generally must be determined by comparing total soil concentrations from the laboratory reports with the maximum allowable concentrations as determined pursuant to Section 1100.605 of this Part. The following procedures will be required, as applicable, when making the comparisons:

- 1) If the background value from 35 Ill. Adm. Code 742. Appendix A, Tables G or H was determined to be the maximum allowable concentration in accordance with Section 1100.605 of this Part for an inorganic constituent or a polynuclear aromatic hydrocarbon constituent, compliance must be determined as follows:
  - A) The applicable background value from Table G or H may be compared directly with the total soil concentration from the laboratory report; or
  - B) If, as determined pursuant to subsections (a) and (b) of Section1100.605, the applicable background value for an inorganic chemical constituent from Table G has been selected as the maximum allowable concentration in place of a more stringent value for the Class I soil component of the groundwater ingestion exposure route in 35 Ill. Adm. Code 742. Appendix B, Table A, concentration in the extract from the Toxicity Characteristic Leaching Procedure (TCLP) or Synthetic Precipitation Leaching Procedure (SPLP) analytical extraction test in accordance with Methods 1311 and 1312, respectively, in SW-846 incorporated by reference at Section 1100.104 of this Part may be compared with the chemical's Class I soil component of the Groundwater ingestion exposure route value in Appendix B, Table A.
- 2) For ionizing organic constituents, if, as determined pursuant to Section 1100.605 of this Part, the lowest Tier 1 chemical-specific soil value is for the soil component of the Class I groundwater ingestion exposure route, the total soil concentration from the laboratory report must be compared with the lowest corresponding pH-dependent value in 35 Ill. Adm. Code 742.Appendix B, Table C.
- 3) For inorganic constituents and except as provided in subsection (b)(1)(B) of this Section, if, as determined pursuant to Section 1100.605 of this Part,

### POLLUTION CONTROL BOARD

## NOTICE OF PROPOSED AMENDMENTS

the lowest Tier 1 chemical-specific soil value is for the soil component of the Class I groundwater ingestion exposure route, compliance must be evaluated by comparing the total soil concentration from the laboratory report using the following methods:

- A) Total soil concentrations from the laboratory report must be compared with the lowest chemical-specific, pH-dependent value for the soil component of the Class I groundwater ingestion exposure route in Appendix B, Table C; or
- B) For inorganic chemical constituents that are listed in Appendix B, Table A but not in Appendix B, Table C, the total soil concentrations from the laboratory report must be compared with the product of the extraction test values for the soil component of the Class I groundwater ingestion exposure route in Appendix B, Table A multiplied by twenty (20) to convert to total soil concentration values; or
- C) As an alternative to subsections (b)(3)(A) and (b)(3)(B) of this Section, concentrations in the extract from the Toxicity Characteristic Leaching Procedure (TCLP) or Synthetic Precipitation Leaching Procedure (SPLP) analytical extraction test in accordance with Methods 1311 and 1312, respectively, in SW-846 may be compared with the chemical's Class I soil component of the groundwater ingestion exposure route value in Appendix B, Table A.
- c) <u>Chemical analysis of soil samples conducted under this Subpart F must be</u> <u>conducted in accordance with the requirements of 35 Ill. Adm. Code 742, as</u> <u>amended and "Test Methods for Evaluating Solid Wastes, Physical/Chemical</u> <u>Methods," USEPA Publication No. SW-846, incorporated by reference at Section</u> <u>1100.104 of the Part [415 ILCS 5/22.51(f)(3), 22.51a(d)(3)]</u> If SW-846 methods do not support detection at the concentration specified for a particular chemical constituent (e.g., aldicarb, carbofuran, endothall), the laboratory may use modified or alternative methods available to the laboratory to achieve the lowest practical detection level possible. If concentrations of these constituents in soil are demonstrated to be equal to or lower than the applicable maximum allowable concentrations using modified or alternative methods pursuant to this subsection (c), the soil may be certified as complying with the maximum allowable concentrations.</u>

### POLLUTION CONTROL BOARD

## NOTICE OF PROPOSED AMENDMENTS

- <u>d)</u> <u>Samples must not be composited for analysis, and analytical results from samples</u> <u>must not be averaged.</u>
- e) <u>All quantitative analyses of samples must be completed by an accredited</u> <u>laboratory in accordance with the requirements of 35 Ill. Adm. Code 186 and the</u> <u>scope of the accreditation. Documentation of any chemical analysis must include,</u> <u>but is not limited to:</u>
  - 1) Chain of custody control;
  - 2) <u>A copy of the lab analysis;</u>
  - 3) Accreditation status of the laboratory performing the analysis; and
  - 4) <u>Certification by an authorized agent of the laboratory that the analysis</u> <u>has been performed in accordance with the Agency's rules for the</u> <u>accreditation of environmental laboratories and the scope of the</u> <u>accreditation. [415 ILCS 5/22.51(f)(2)(D)]</u>

(Source: Added at 36 Ill. Reg.\_\_\_\_\_ effective\_\_\_\_\_)

## Section 1100.615 Waste and Materials Other Than Chemical Constituents in Soils

For purposes of this Part:

- a) Uncontaminated soil may include incidental amounts of stone, rock, gravel, roots, and other vegetation.
- b) Except as provided in subsection (a) of this Section, soil containing waste or other materials or exceeding the standards for chemical constituents in uncontaminated soil is not uncontaminated soil and must be managed in accordance with applicable provisions of the Act and implementing rules.
  - 1) Soil satisfying the standards for chemical constituents in uncontaminated soil but that is commingled with general construction or demolition debris is general construction or demolition debris and must be managed as such in accordance with applicable provisions of the Act and implementing rules. [415 ILCS 5/3.160(a)]

## POLLUTION CONTROL BOARD

## NOTICE OF PROPOSED AMENDMENTS

2) Soil satisfying the standards for chemical constituents in uncontaminated soil but that is commingled with clean construction or demolition debris is clean construction or demolition debris and must be managed as such in accordance with applicable provisions of the Act and implementing rules. [415 ILCS 5/3.160(b)]

(Source: Added at 36 Ill. Reg.\_\_\_\_\_ effective\_\_\_\_\_)