

ILLINOIS POLLUTION CONTROL BOARD
May 3, 2012

RECEIVED
MAY 03 2012

W.R MEADOWS, INC.,)
)
 Petitioner,)
)
 v.)
)
 ILLINOIS ENVIRONMENTAL PROTECTON)
 AGENCY,)
)
 Respondent.)

STATE OF ILLINOIS
Pollution Control Board

PCB 06-140
(Permit Appeal – Air)


ORIGINAL
RETURN TO THIS OFFICE

HEARING OFFICER ORDER

A telephonic status conference was scheduled for May 3, 2012. Neither party appeared.

The parties or their legal representatives are directed to participate in a telephonic status conference with the hearing officer on July 26, 2012, at 9:30 a.m. The telephonic status conference must be initiated by the petitioner, but each party is nonetheless responsible for its own appearance. At the status conference, the parties must be prepared to discuss the status of the above-captioned matter and their readiness for hearing. If, however, a motion to voluntarily dismiss is filed prior to the next status conference, the conference will be cancelled without further notice.

IT IS SO ORDERED.




Bradley P. Halloran
Hearing Officer
Illinois Pollution Control Board
James R. Thompson Center, Suite 11-500
100 W. Randolph Street
Chicago, Illinois 60601
312.814.8917

CERTIFICATE OF SERVICE

It is hereby certified that true copies of the foregoing order were mailed, first class on May 3, 2012, to each of the persons on the service list below.

It is hereby certified that a true copy of the foregoing order was hand delivered to the following on May 3, 2012:

John T. Therriault
 Illinois Pollution Control Board
 James R. Thompson Center
 100 W. Randolph St., Ste. 11-500
 Chicago, Illinois 60601



Bradley P. Halloran
 Hearing Officer
 Illinois Pollution Control Board
 James R. Thompson Center, Suite 11-500
 100 W. Randolph Street
 Chicago, Illinois 60601
 312.814.8917

SERVICE LIST

PCB 2006-140
 Robb H. Layman
 IEPA
 1021 North Grand Avenue East
 P.O. Box 19276
 Springfield, IL 62794-9276

PCB 2006-140
 Jon S. Faletto
 Hinshaw & Culbertson
 416 N. Main Street
 Suite 600
 Peoria, IL 61602