

RECEIVED  
CLERK'S OFFICE

AUG 27 2012

STATE OF ILLINOIS  
Pollution Control Board

ILLINOIS POLLUTION CONTROL BOARD  
August 27, 2012

KB SULLIVAN, INC.	)	
	)	
Petitioner,	)	
	)	
v.	)	
	)	PCB 12-105
ILLINOIS ENVIRONMENTAL	)	(UST Appeal)
PROTECTION AGENCY,	)	
	)	
Respondent.	)	
	)	

ORIGINAL  
RETURN TO CLERK'S OFFICE

**HEARING OFFICER ORDER**

On August 27, 2012, the parties participated in a telephone status conference with the hearing officer. The parties still hope that this matter may be resolved without hearing. Petitioner agreed to waive the deadline to February 21, 2013.

The parties are directed to participate in a telephone status conference with the hearing officer at 10:30 a.m. on October 30, 2012. The status conference shall be initiated by the petitioner.

The decision deadline is currently December 20, 2012.

IT IS SO ORDERED.

*Carol Webb*

---

Carol Webb  
Hearing Officer  
Illinois Pollution Control Board  
1021 North Grand Avenue East  
P.O. Box 19274  
Springfield, Illinois 62794-9274  
217/524-8509  
webbc@ipcb.state.il.us

CERTIFICATE OF SERVICE

It is hereby certified that true copies of the foregoing order were mailed, first class, on August 27, 2012, to each of the persons on the service list below.

It is hereby certified that a true copy of the foregoing order was hand delivered to the following on August 27, 2012:

John T. Therriault  
Illinois Pollution Control Board  
James R. Thompson Center  
100 W. Randolph St., Ste. 11-500  
Chicago, Illinois 60601



Carol Webb  
Hearing Officer  
Illinois Pollution Control Board  
1021 North Grand Avenue East  
P.O. Box 19274  
Springfield, Illinois 62794-9274  
217/524-8509  
[webbc@ipcb.state.il.us](mailto:webbc@ipcb.state.il.us)

SERVICE LIST

PCB 2012-105  
Division of Legal Counsel  
IEPA  
1021 North Grand Avenue East  
P.O. Box 19276  
Springfield, IL 62794-9276

PCB 2012-105  
Patrick D. Shaw  
Mohan, Alewelt, Prillaman & Adami  
First of America Center  
1 North Old State Capitol Plaza, Suite 325  
Springfield, IL 62701-1323