

RECEIVED
CLERK'S OFFICE

AUG 27 2012

STATE OF ILLINOIS
Pollution Control Board

ILLINOIS POLLUTION CONTROL BOARD
August 27, 2012

| | | |
|---------------------------|---|--------------|
| SCENIC RIDGE PLAZA, INC., |) | |
| |) | |
| Petitioner, |) | |
| |) | |
| v. |) | PCB 13-4 |
| |) | (UST Appeal) |
| ILLINOIS ENVIRONMENTAL |) | |
| PROTECTION AGENCY, |) | |
| |) | |
| Respondent. |) | |

ORIGINAL
RETURN TO CLERK'S OFFICE

HEARING OFFICER ORDER

On August 27, 2012, the parties participated in a telephone status conference with the hearing officer. The parties hope that this matter may be resolved without hearing. Petitioner agreed to waive the deadline to February 21, 2013.

The parties are directed to participate in a telephone status conference with the hearing officer at 10:30 a.m. on October 30, 2012. The status conference shall be initiated by the petitioner.

The decision deadline is November 15, 2012.

IT IS SO ORDERED.



Carol Webb
Hearing Officer
Illinois Pollution Control Board
1021 North Grand Avenue East
P.O. Box 19274
Springfield, Illinois 62794-9274
217/524-8509
webbc@ipcb.state.il.us

CERTIFICATE OF SERVICE

It is hereby certified that true copies of the foregoing order were mailed, first class, on August 27, 2012, to each of the persons on the attached service list.

It is hereby certified that a true copy of the foregoing order was hand delivered to the following on August 27, 2012:

John T. Therriault
 Illinois Pollution Control Board
 James R. Thompson Center
 100 W. Randolph St., Ste. 11-500
 Chicago, Illinois 60601

Carol Webb

Carol Webb
 Hearing Officer
 Illinois Pollution Control Board
 1021 North Grand Avenue East
 P.O. Box 19274
 Springfield, Illinois 62794-9274
 217/524-8509
 webbc@ipcb.state.il.us

SERVICE LIST

PCB 2013-004
 Patrick D. Shaw
 Mohan, Alewelt, Prillaman &
 Adami
 First of America Center
 1 North Old State Capitol Plaza
 Suite 325
 Springfield, IL 62701-1323

PCB 2013-004
 Division of Legal Counsel
 IEPA
 1021 North Grand Avenue
 P.O. Box 19276
 Springfield, IL 62794-9276