CLERK'S OFFICE

DEC 1 9 2012

STATE OF ILLINOIS
Pollution Control Board

## ILLINOIS POLLUTION CONTROL BOARD December 19, 2012

PEOPLE OF THE STATE OF ILLINOIS	)
Complainant,	) )
v.	) PCB 11-79 ) (Enforcement Water)
INVERSE INVESTMENTS, L.L.C., an Illinois limited liability company,	) )
Respondent.	

## **HEARING OFFICER ORDER**

On December 19, 2012, a telephonic status conference was held. The respondent did not appear but did inform the complainant that it is still reviewing the settlement offer Discovery remains stayed while settlement discussions continue.

The parties or their legal representatives are directed to appear at a telephonic status conference with the hearing officer on January 16, 2013, at 11:30 a.m. The telephonic status conference must be initiated by the complainant, but each party is nonetheless responsible for its own appearance. At the conference, the parties must be prepared to discuss the status of the above-captioned matter and their readiness for hearing.

IT IS SO ORDERED.

Bradley P. Halloran

**Hearing Officer** 

Illinois Pollution Control Board

James R. Thompson Center, Suite 11-500

100 W. Randolph Street

Chicago, Illinois 60601

312.814.8917

## CERTIFICATE OF SERVICE

It is hereby certified that true copies of the foregoing order were mailed, first class, on December 19, 2012, to each of the persons on the service list below.

It is hereby certified that a true copy of the foregoing order was hand delivered to the following on December 19, 2012:

John T. Therriault Illinois Pollution Control Board James R. Thompson Center 100 W. Randolph St., Ste. 11-500 Chicago, Illinois 60601

> Bradley P. Halloran Hearing Officer Illinois Pollution Cntrol Board James R. Thompson Center 100 West Randolph Street, Suite 11-500

Chicago, Illinois

## SERVICE LIST

PCB 2011-079 Krystyna Bednarczyk Office of the Attorney General 69 W. Washington Street Suite 1800 Chicago, IL 60602 PCB 2011-079 Jennifer T. Nijman Nijman Franzetti LLP 10 S. LaSalle Street Suite 3600 Chicago, IL 60603