

ILLINOIS POLLUTION CONTROL BOARD  
February 4, 2013

RECEIVED  
CLERK'S OFFICE

FEB 05 2013

STATE OF ILLINOIS  
Pollution Control Board

KAPP, INC., an Illinois corporation, )  
 )  
Complainant, )  
 )  
v. ) PCB 05-196  
 ) (Citizens Enforcement – Land, Water)  
HARTLEY CARLTON, individually and )  
d/b/a/ ONE HOUR CLEANERS, )  
 )  
Respondent. )

 ORIGINAL

**HEARING OFFICER ORDER**

On February 4, 2013, complainant participated in a telephone status conference with the hearing officer. The parties hope to file a proposed stipulation and settlement agreement before the next status conference.

The parties are directed to participate in a telephone status conference with the hearing officer at 11:30 a.m. on March 4, 2013. The status conference shall be initiated by the complainant.

IT IS SO ORDERED.

*Carol Webb*

---

Carol Webb  
Hearing Officer  
Illinois Pollution Control Board  
1021 North Grand Avenue East  
P.O. Box 19274  
Springfield, Illinois 62794-9274  
217/524-8509  
Carol.Webb@illinois.gov

CERTIFICATE OF SERVICE

It is hereby certified that true copies of the foregoing order were mailed, first class on February 5, 2012, to each of the persons on the service list below.

It is hereby certified that a true copy of the foregoing order was hand delivered to the following on February 5, 2012:

John T. Therriault  
 Illinois Pollution Control Board  
 James R. Thompson Center  
 100 W. Randolph St., Ste. 11-500  
 Chicago, Illinois 60601

*Carol Webb*

Carol Webb  
 Hearing Officer  
 Illinois Pollution Control Board  
 1021 North Grand Avenue East  
 P.O. Box 19274  
 Springfield, Illinois 62794-9274  
 217/524-8509  
 Carol.Webb@illinois.gov

SERVICE LIST

PCB 2005-196  
 Edward W. Dwyer  
 Hodge Dwyer & Driver  
 3150 Roland Avenue  
 Post Office Box 5776  
 Springfield, IL 62705-  
 5776

PCB 2005-196  
 \*  
 Hartley L. Carlton  
 91 Ridge Lane  
 Drive  
 Decatur, IL 62521

PCB 2005-196  
 Jeffrey R. Diver  
 Jeffrey R. Diver, P.C.  
 2S741 Crimson King  
 Lane  
 Glen Ellyn, IL 60137