#### NOTICE OF PROPOSED AMENDMENTS

1) Heading of the Part: Air Quality Standards

2) Code Citation: 35 Ill. Adm. Code 243



			SECURO OFFICE
3)	Section Numbers: 243.101	Proposed Action:	MAY 3 0 2013
		Amend	STATE OF ILLINOIS
	243.102	Amend	Pollution Control Board
	243.103	Amend	Sustain Countai Board
	243.104	Repeal	
	243.105	New	
	243.106	Repeal	
	243.107	Amend	
	243.108	Amend	
	243.120	Amend	
	243.122	Amend	
	243.123	Amend	
	243.124	Amend	
	243.125	Amend	
	243.126	Amend	
	243.APPENDIX A	Repeal	
	243.APPENDIX B	Repeal	
	243.APPENDIX C	Repeal	
	243.TABLE A	New	

- 4) Statutory Authority: 415 ILCS 5/7.2, 10, and 27
- 5) A Complete Description of the Subjects and Issues Involved: The following briefly describes the subjects and issues involved in this rulemaking. A comprehensive description is contained in the Board's opinion and order of May 16, 2013, proposing amendments in R13-11 for public comment, which opinion and order is available from the address below. As is explained in that opinion, the Board will receive public comment on the proposed amendments for 45 days from the date they appear in the Illinois Register before proceeding to adopt amendments based on this proposal.

The R13-11 proceeding relates to the National Ambient Air Quality Standards (NAAQS) in 35 Ill. Adm. Code 243 of the Illinois air pollution control Part. These amendments would update the Illinois ambient air quality regulations to include all current federal NAAQS as adopted and amended by the United States Environmental Protection Agency (USEPA) through December 31, 2012. USEPA has codified the NAAQS in 40 C.F.R.

#### NOTICE OF PROPOSED AMENDMENTS

50. As such, this proceeding embraces USEPA actions that span the period from April 30, 1971 through December 31, 2012.

Tables appear in the Board's opinion and order of May 16, 2013 in R13-11that list numerous corrections and amendments that are not based on current federal amendments. The tables contain deviations from the literal text of the federal amendments underlying these amendments, as well as corrections and clarifications that the Board made in the base text involved. Persons interested in the details of those corrections and amendments should refer to the May 16, 2013 opinion and order in R13-11.

Section 10(H) of the Environmental Protection Act [415 ILCS 5/10(H)] provides that Section 5-35 of the Illinois Administrative Procedure Act [5 ILCS 100/5-35] does not apply to this rulemaking. Because this rulemaking is not subject to Section 5-35 of the IAPA, it is not subject to First Notice or to Second Notice review by the Joint Committee on Administrative Rules (JCAR).

- 6) Published studies or reports, and sources of underlying data, used to compose this rulemaking: None
- 7) Will this rulemaking replace any emergency amendments currently in effect? No
- 8) <u>Does this rulemaking contain an automatic repeal date?</u> No
- 9) <u>Does this rulemaking contain incorporations by reference?</u> Yes. The amendments incorporate a number of federal regulations pertaining to monitoring for the criteria pollutants of interest. The amendments further incorporate a USEPA document that lists all methods that USEPA has designated for use in the required monitoring.
- 10) Are there any other rulemakings pending on this Part? No
- 11) <u>Statement of Statewide Policy Objectives</u>: These proposed amendments do not create or enlarge a State mandate, as defined in Section 3(b) of the State Mandates Act. [30 ILCS 805/3(b) (2012)].
- 12) <u>Time, Place and Manner in which interested persons may comment on this proposed</u> rulemaking: The Board will accept written public comment on this proposal for a period of 45 days after the date of this publication. Comments should reference R13-11 and be addressed to:

John T. Therriault, Assistant Clerk

## NOTICE OF PROPOSED AMENDMENTS

Illinois Pollution Control Board State of Illinois Center, Suite 11-500 100 W. Randolph St. Chicago, IL 60601

The Board will conduct one public hearing on the proposed amendments because they will ultimately result in submission to the United States Environmental Protection Agency of an amendment to the State implementation plan (SIP). Section 110(a)(2) of the Federal Clean Air Act (42 U.S.C. 7410(a)(2) (2011)) requires reasonable notice and hearing before a state undertakes an amendment to the SIP. The public hearing will occur at the following time and location:

11:00 a.m., June 26, 2013

0.00

Sangamo Building, Room1119N Illinois Pollution Control Board Hearing Room 1021 North Grand Avenue Springfield, Illinois

Please direct inquiries to the following person and reference R13-11:

Michael J. McCambridge Staff Attorney Illinois Pollution Control Board 100 W. Randolph 11-500 Chicago, IL 60601

Phone: 312/814-6924

E-mail: michael.mccambridge@ipcb.state.il.us

Request copies of the Board's opinion and order at 312-814-3620, or download a copy from the Board's Website at http://www.ipcb.state.il.us.

## 13) <u>Initial Regulatory Flexibility Analysis:</u>

A) Types of small businesses, small municipalities, and not-for-profit corporations affected: This rulemaking may affect those small businesses, small municipalities and not-for-profit corporations that emit pollutants that could potentially affect ambient air quality in any area of Illinois. These proposed amendments do not create or enlarge a State mandate, as defined in Section 3(b) of the State Mandates

## NOTICE OF PROPOSED AMENDMENTS

Act. [30 ILCS 805/3(b) (2012)].

- B) Reporting, bookkeeping or other procedures required for compliance: The existing rules and proposed amendments require extensive reporting, bookkeeping and other procedures, including emissions monitoring, annual reports and maintenance of operating records. These proposed amendments do not create or enlarge a State mandate, as defined in Section 3(b) of the State Mandates Act. [30 ILCS 805/3(b) (2012)].
- C) Types of Professional skills necessary for compliance: Compliance with the existing rules and proposed amendments may require the services of an attorney, certified public accountant, chemist, and registered professional engineer. These proposed amendments do not create or enlarge a State mandate, as defined in Section 3(b) of the State Mandates Act. [30 ILCS 805/3(b) (2012)].
- 14) Regulatory Agenda on which this rulemaking was summarized: 36 Ill. Reg. 17947; Dec. 21, 2012

The Full Text of the Proposed Amendments begins on the next page:

TITLE 35: ENVIRONMENTAL PROTECTION
SUBTITLE B: AIR POLLUTION
CHAPTER I: POLLUTION CONTROL BOARD

SUBCHAPTER 1: AIR QUALITY STANDARDS AND EPISODES



### PART 243 AIR QUALITY STANDARDS

#### SUBPART A: GENERAL PROVISIONS

Section	
243.101	Definitions
243.102	PreambleScopeScope
243.103	Applicability
243.104	Nondegradation (Repealed)
243.105	Air Quality Monitoring Data Influenced by Exceptional Events
243.106	Monitoring (Repealed)
243.107	Reference Conditions
243.108	Incorporations by Reference
	-

### SUBPART B: STANDARDS AND MEASUREMENT METHODS

Section	
243.120	$PM_{10}$ and $PM_{2.5}$
243.121	Particulates (Repealed)
243.122	Sulfur Oxides (Sulfur Dioxide)
243.123	Carbon Monoxide
243.124	Nitrogen Oxides (Nitrogen Dioxide as Indicator)
243.125	8-Hour-Ozone
243.126	Lead <del>Appendix</del>

243.APPENDIX A Rule into Section Table (Repealed)

Appendix 243. APPENDIX B Section into Rule Table (Repealed)

Appendix 243. APPENDIX C Past Compliance Dates (Repealed)

243.TABLE A Schedule of Exceptional Event Flagging and Documentation Submission for New or Revised NAAQS

AUTHORITY: Implementing Section Sections 7.2 and 10 and authorized by Section 27 of the Environmental Protection Act (Ill. Rev. Stat. 1991, ch. 111 1/2, pars. 1010 and 1027) [415 ILCS 5/7.2, 10.10] and 27].

SOURCE: Adopted as Chapter 2: Air Pollution, Part III: Air Quality Standards, in R71-23, 4
PCB 191, filed and effective April 14, 1972; amended in R80-11, 46 PCB 125, at 6 Ill. Reg.
5804, effective April 22, 1982; amended in R82-12, at 7 Ill. Reg. 9906, effective August 18,
1983; codified at 7 Ill. Reg. 13630; amended in R91-35 at 16 Ill. Reg. 8185, effective May 15,
1992; amended in R09-19 at 35 Ill. Reg. 18857, effective October 25, 2011; amended in R13-1
at 37 Ill. Reg, effective

#### SUBPART A: GENERAL PROVISIONS

#### Section 243.101 Definitions

- a) Except as stated in this Part and unless a different meaning of a term is clear from its context, the definitions of terms used in this Part shall be the same as those used in the Environmental Protection Act [415 ILCS 5] (Act).
- b) All terms that appear in this Part have the definitions specified by 35 Ill. Adm. Code 201 or 211.

For the purposes of this Part, terms listed below will have the meanings attributed to them in this Section. As used in this Part, all terms not defined in this Section will have the meaning given them by the Act; the CAA, incorporated by reference in Section 243.108; or 35 Ill. Adm. Code 201.102.

- <u>""Act"</u> means the Environmental Protection Act [415 ILCS 5].
- "Agency" means the Illinois Environmental Protection Agency.
- <u>"</u>Ambient air means that portion of the atmosphere, external to buildings, to which the general public has access.
- "Clean Air Act" or "CAA" means the federal Clean Air Act (42 USC 7401 etseq., as amended), incorporated by reference in Section 243.108.
- <u>""Exceedance of a NAAQS"</u> means one occurrence of a measured or modeled concentration that exceeds the specified concentration level of <u>such</u> <u>standardNAAOS</u> for the averaging period specified by the standard.
- Exceptional event means an event that fulfills all of the following criteria:

The event affects air quality;

The event is not reasonably controllable or preventable;

The event is an event caused by human activity that is unlikely to recur at a particular location or a natural event; and

The event is determined by USEPA in accordance with 40 CFR 50.14 to be an exceptional event.

An "exceptional event does not include any of the following:

Stagnation of air masses or meteorological inversions;

A meteorological event involving high temperatures or lack of precipitation; or

Air pollution relating to source noncompliance.

E"Federal equivalent method" or "FEM" means a method for measuring the concentration of an air pollutant in the ambient air that USEPA has designated as an equivalent method pursuant to 40 CFR 53 and whichthat is included in the List of Designated Methods, including later updates, as incorporated by reference in Section 243.108; the term "federal equivalent method" does not include a method for which USEPA has cancelled or superseded an equivalent method designation in accordance with 40 CFR 53.11 or 53.16, as reflected in the incorporation by reference in Section 243.108.

BOARD NOTE: Derived from 40 CFR 50.1(f) (definition of "equivalent method"), 50.11(d)(2) (parenthetical definition of "FEM"), and 53.1 (definition of "federal equivalent method"). The clause "including later updates" in this definition is intended to exclude methods canceled by USEPA pursuant to 40 CFR 53.11 or 53.16 for which the cancellation is included in the updates to the List of Designated Methods incorporated by reference in Section 243.108. A federal designation of an FEM becomes effective upon publication of a notice in the Federal Register. A federal cancellation of an FEM becomes effective upon deletion from the listing of FEMs or from an appendix to 40 CFR 50.

"Federal reference method" or "FRM" means a method of sampling and analyzing the ambient air for an air pollutant that USEPA has specified as a reference method in an appendix to 40 CFR 50, incorporated by reference in

Section 243.108, or a method that USEPA has designated as a reference method pursuant to 40 CFR 53 and whichthat is included in the List of Designated Methods, including later updates, incorporated by reference in Section 243.108; the term "federal reference method" does not include a method for which USEPA has cancelled or superseded a reference method designation in accordance with 40 CFR 53.11 or 53.16, as reflected in the incorporation by reference in Section 243.108.

BOARD NOTE: Derived from 40 CFR 50.1(f) (definition of "reference method") and 53.1 (definition of "federal reference method"). The clause "including later updates" in this definition is intended to include methods canceled by USEPA pursuant to 40 CFR 53.11 or 53.16 for which the cancellation is included in the updates to the List of Designated Methods incorporated by reference in Section 243.108. A federal designation of an FRM becomes effective upon publication of a notice in the Federal Register. A federal cancellation of an FRM becomes effective upon deletion from the listing of FRMs or from an appendix to 40 CFR 50.

"Micrograms per cubic meter" or "μg/m³" means one millionth (10-6) of a gram of a contaminant per cubic meter of ambient air, as measured and determined by the methods prescribed for that contaminant.

BOARD NOTE: The Board added this definition and that for "milligrams per liter" (immediately below)".

"Milligrams per cubic meter" or "mg/m³" means one thousandth (10<sup>-3</sup>) of a gram of a contaminant per cubic meter of ambient air, as measured and determined by the methods prescribed for that contaminant.

"National Ambient Air Quality Standard" or "NAAQS" means a standard established by USEPA that applies forto outdoor air throughout the United States. BOARD NOTE: The Board added this definition, derived from the definition in "Terms of Environment: Glossary, Abbreviations, and Acronyms" (December 1997), EPA 175-B-97-001, at p. 30. USEPA has codified the NAAQS at 40 CFR 50.

BOARD NOTE: The Board added this definition based on the definition in <u>""</u>Terms of Environment: Glossary, Abbreviations, and Acronyms<u>""</u> (December 1997), document number EPA 175-B-97-001, USEPA, Office of Communications, Education, and Public Affairs, at p. 30.

"Natural event" means an event in which human activity plays little or no direct causal role.

"Parts per billion" or ""ppb" means the ratio of the parts of a specified contaminant to a billion parts of air by weight (1:10-9), as measured and determined by the methods prescribed for that contaminant.

BOARD NOTE: The Board added this definition and that for "parts per million" (immediately below)", derived from the parentheticals in 40 CFR 50.4(a) and (b) and 50.17(a) and the definition of "parts per billion (ppb)/parts per million (ppm)" in "Terms of Environment: Glossary, Abbreviations, and Acronyms" (December 1997), EPA 175-B-97-001, at p. 34.

"Parts per million" or "ppm" means the ratio of the parts of a specified contaminant to a million parts of air by weight (1:10<sup>-6</sup>), as measured and determined by the methods prescribed for that contaminant.

BOARD NOTE: The Board added this definition and that for "parts per million" (immediately below), derived from the parentheticals in 40 CFR 50.4(a) and (b) and 50.17(a) and the definition of "parts per billion (ppb)/parts per million (ppm)" in "Terms of Environment: Glossary, Abbreviations, and Acronyms" (December 1997), EPA 175-B-97-001, at p. 34.

"PM<sub>10</sub>" means particulate matter that has an aerodynamic diameter less than or equal to a nominal 10 micrometers (μm).
BOARD NOTE: The Board added this definition, derived from the parenthetical definition in 40 CFR 50.6(c).

"PM<sub>2.5</sub>" means particulate matter that has an aerodynamic diameter less than or equal to a nominal 2.5 micrometers (μm).
BOARD NOTE: The Board added this definition, derived from the parenthetical definition in 40 CFR 50.7(a).

Traceable means that a local standard has been compared and certified either directly or via not more than one intermediate standard, to a primary standard, such as a National Bureau of Standards Standard Reference Material (NBS SRM), or a USEPA/NBS-approved Certified Reference Material (CRM).

"USEPA" means the United States Environmental Protection Agency.
BOARD NOTE: Derived from 40 CFR 50.1(c). The Board has used "USEPA" in segments of text where USEPA has used "Administrator", where action by USEPA is clearly contemplated. Otherwise, the Board has retained the term "Agency" as defined in this Section.

#### **ILLINOIS REGISTER**

### POLLUTION CONTROL

### BOARDJCAR350243-1307316r01

## NOTICE OF PROPOSED AMENDMENTS

BOARD NOTE: Derived from 40 C.F.R.CFR 50.1 (2012), except as otherwise more specifically indicated.

(Source:	Amended at 37 Ill. Reg.		
----------	-------------------------	--	--

## Section 243.102 Preamble\_Scope

- Air quality standards are limits on atmospheric concentrations of air contaminants established for the purpose of protecting public health and welfare. The levels of air quality designated by the standards are designed to protect against injury to human, plant or animal life and they are further intended to allow maximum enjoyment of life and property consistent with the intent of the Act.
- a) This Part sets forth the NAAQS adopted by USEPA under section 109 of the CAA (42 USC 7409) and incorporated into this Part pursuant to 415 ILCS 5/7.2 and 10(H).
- The first use of our air resources is to sustain life. Air entering the respiratory tract must not menace health. Therefore, the air quality standards set must, as a minimum, provide air which will not adversely affect, through acute or chronic symptoms, the health of the community. Adverse health effects include not only the possible production and aggravation of disease, but also interference with bodily functions. The standards have also taken into account soiling, corrosion, vegetation damage and other human effects.
- National primary ambient air quality standards (primary NAAQS) define levels of air quality that USEPA has judged are necessary, with an adequate margin of safety, to protect the public health. National secondary ambient air quality standards (secondary NAAQS) define levels of air quality that USEPA has judged necessary to protect the public welfare from any known or anticipated adverse effects of a pollutant. Such These standards are subject to revision, and additional primary and secondary NAAQS may be promulgated as USEPA deems necessary to protect the public health and welfare.
- Primary ambient air quality standards define levels of air quality which are necessary, with an adequate margin of safety, to protect the public health.

  Secondary ambient air quality standards define levels of air quality which are necessary to protect the public welfare from any known or anticipated adverse effects of a pollutant.

a)

Requirements.

### NOTICE OF PROPOSED AMENDMENTS

- c) The promulgation of primary and secondary NAAQS must not be considered in any manner to allow significant deterioration of existing air quality in any portion of this State.
- The standards are more than goals. They are legally enforceable limitations, and any person causing or contributing to a violation of the standards is subject to enforcement proceedings under the Act. The standards have also been designed for use as a basis for the development of implementation plans by State and local agencies for the abatement and control of pollutant emissions from existing sources, and for the determination of air contaminant emission limitations to insure that population and economic growth trends do not add to the region's air pollution problems.

BOARD NOTE: Derived from 40 CFR 50.2 (2012).
(Source: Amended at 37 Ill. Reg, effective)
Section 243.103 Applicability
The standards in this Part-are applicable apply throughout the State of Illinois, except as otherwise provided in this Part.
(Source: Amended at 37 Ill. Reg, effective)
Section 243.104 Nondegradation (Repealed)
Existing ambient air quality that is better than the established ambient air quality standards at the date of their adoption will be maintained in its present high quality. Such ambient air quality shall not be lowered unless and until it is proved to the Illinois Environmental Protection Agency (Agency) that the change is justifiable as a result of necessary economic and social development and will not interfere with or become injurious to human health or welfare.
(Source: Repealed at 37 Ill. Reg, effective)
Section 243.105 Air Quality Monitoring Data Influenced by Exceptional Events

- The Agency may request USEPA to exclude from use in determinations data showing an exceedance of an NAAQS that is directly due to an exceptional event. The Agency must demonstrate to USEPA that such the event caused a specific air pollution concentration at a particular air quality monitoring location.
- A demonstration to justify data exclusion may include any reliable and accurate data, but must demonstrate a clear causal relationship between the measured exceedance of an NAAQS and the event in accordance with paragraphsubsection (c)(3)(D) of this section.
- b) Determinations by USEPA. USEPA has stated the criteria for making a determination to exclude data as follow:
  - 1) Exceptional events Events. USEPA has stated that it will exclude data from use in determinations of exceedance of an NAAQS wherewhen the Agency has demonstrated that an exceptional event caused a specific air pollution concentration in excess of one or more NAAQS at a particular air quality monitoring location, and the Agency otherwise satisfies the requirements of 40 CFR 50.14.
  - Fireworks displays Displays. USEPA has stated that it will exclude data from use in determinations of exceedance of an NAAQS wherewhen the Agency has demonstrated that emissions from fireworks displays caused a specific air pollution concentration in excess of one or more NAAQS at a particular air quality monitoring location, and the stateState otherwise satisfies the requirements of 40 CFR 50.14. USEPA has stated that suchthis data will be treated in the same manner as exceptional events under this rulesubsection (b)(1), provided the Agency has demonstrated that suchthe use of fireworks is significantly integral to traditional national, ethnic; or other cultural events, including, but not limited to July Fourth celebrations, which that satisfy the requirements of 40 CFR 50.14.
  - Prescribed firesFires. USEPA has stated that it will exclude data from use in determinations of exceedance of an NAAQS wherewhen the Agency has demonstrated that emissions from prescribed fires caused a specific air pollution concentration in excess of one or more NAAQS at a particular air quality monitoring location, and the Agency otherwise satisfies the requirements of 40 CFR 50.14, provided that such the emissions are from prescribed fires that USEPA determines meets the definition of

E"exceptional event in Section 243.101, and provided that the Agency has certified to USEPA that the State has adopted and is implementing a Smoke Management Program (SMP) or the stateState has ensured that the burner employed basic smoke management practices. If an exceptional event occurs using the basic smoke management practices approach, the Agency must undertake a review of the State's approach to ensure public health is being protected and must include consideration of development of an SMP.

BOARD NOTE: In each of corresponding 40 CFR 50.14(b)(1), (b)(2) and (b)(3), USEPA stated "EPA shall exclude data from use in determinations of exceedances and NAAQS violations." In the first person, "shall" is used more to express present intent or to commit to future action. The Board has changed "EPA shall" to "USEPA has stated that it will." Further, the Board has relied on the defined term "exceedance of an NAAQS"."

#### c) Schedules and Procedures

Public notification Notification. The Agency or, wherewhen the Agency has delegated authority pursuant to Section 4(g) or (r) of the Act [415] ILCS 5/4(g), or (r)], the Agency delegatee, must notify the public promptly whenever an event occurs or is reasonably anticipated to occur which that may result in the exceedance of an NAAQS.

#### 2) Flagging of data. Data

- A) The Agency must notify USEPA of the State!'s intent to exclude one or more measured exceedances of an NAAQS as being due to an exceptional event by placing a flag in the appropriate field for the data record of concern that has been submitted to the federal air quality system (AQS) database.
- B) Flags placed on data in accordance with this Section must be deemed informational only, and the data must not be excluded from determinations with respect to an exceedance of an NAAQS unless and until after USEPA notifies the Agency of USEPA concurrence following the Agency submittal of a demonstration pursuant to subsection (c)(3) of this Section by placing a concurrence flag in the appropriate field for the data record in the AQS database.

- C) Flags placed on data as being due to an exceptional event, together with an initial description of the event, must be submitted to USEPA not later than July 1st of the calendar year following the year in which the flagged measurement occurred, except as allowed under subsection (c)(2)(D) or (c)(2)(E) of this Section.
- D) This subsection (c)(2)(D) corresponds with 40 CFR 50.14(c)(2)(iv), which has expired by its own terms. This statement maintains structural consistency with the federal regulations.
- E) This subsection (c)(2)(E) corresponds with 40 CFR 50.14(c)(2)(v), which has expired by its own terms. This statement maintains structural consistency with the federal regulations.
- F) USEPA has stated that, when USEPA sets an NAAQS for a new pollutant or revises the NAAQS for an existing pollutant, USEPA may revise or set a new schedule for flagging exceptional event data, providing initial data descriptions, and providing detailed data documentation in AQS for the initial designations of areas for those NAAQS. Table A toof this Part\_provides the existing schedule for submission of flags with initial descriptions in AQS and detailed documentation. These schedules apply for those data that will or may influence the initial designation of areas for those NAAQS. USEPA has stated that it will revise the table upon which Table A to this Part is based as necessary to accommodate revised data submission schedules for new or revised NAAQS.

### 3) Submission of demonstrations. Demonstrations

A) When the Agency has flagged data as being due to an exceptional event and is requesting exclusion of the affected measurement data, the Agency must, after notice and opportunity for public comment, submit a demonstration to USEPA to justify data exclusion not later than the sooner of three years following the end of the calendar quarter in which the flagged concentration was recorded or 12 months prior to the date that a regulatory decision must be made by USEPA. The Agency must submit to USEPA the public comments it received along with its demonstration to USEPA.

- B) This subsection (c)(3)(B) corresponds with 40 CFR 50.14(b)(3)(ii), which pertains only to a reporting period and opportunity to demonstrate exceptions that has passed. This statement maintains structural consistency with the federal regulations.
- C) This subsection (c)(3)(BC) corresponds with 40 CFR 50.14(b)(3)(iiii), which pertains only to a reporting period and opportunity to demonstrate exceptional events that has passed in a provision that has expired by its own terms. This statement maintains structural consistency with the federal regulations.
- D) The demonstration to justify data exclusion must provide the following evidence:
  - i) That the event satisfies the definition of "exceptional event" set forth in Section 243.101;
  - ii) That there is a clear causal relationship between the measurement under consideration and the event that is claimed to have affected the air quality in the area;
  - iii) That the event is associated with a measured concentration in excess of normal historical fluctuations, including background; and
  - iv) That there would have been no exceedance or violation but for the event.
- E) With the submission of the demonstration, the Agency must document that the public comment process was followed.

BOARD NO	OTE: Derived from 40 CFR 50.14 (2012).
(Source: Ad	lded at 37 Ill. Reg, effective)
Section 243.106 M	onitoring (Repealed)

### **ILLINOIS REGISTER**

#### POLLUTION CONTROL

## BOARDJCAR350243-1307316r01

### NOTICE OF PROPOSED AMENDMENTS

Pollution levels will be determined by C. J.	
Totallor levels will be determined by fixed or mobile sampling stations beyond the promise	
Pollution levels will be determined by fixed or mobile sampling stations beyond the premise	<del>es on-</del>
which a source is located. Stations will be located according to the guildelines for established	1
monitoring to the guidelines for establish	<del>ea</del> -
monitoring networks as developed by the United States Environmental Protection Agency.	
of the office of	

(Source: Repealed at 37 Ill. Reg, effect	ctive
--	-------

### Section 243.107 Reference Conditions

All measurements of air quality that are expressed as mass per unit volume (e.g., micrograms per cubic meter, except other than for particulate matter (PM<sub>2.5</sub>) standards contained in Section 243.120(b) and (c) and lead standards contained in Section 243.126(b), are corrected to a reference temperature of 25° C, and to a reference pressure of 760 millimeters of mercury (1013.2 millibars). Measurements of PM<sub>2.5</sub>, for purposes of comparison to the standards contained in Section 243.120(b) and (c) and lead, measurements shall for purposes of comparison to the standards contained in Section 243.126(b), must be reported based upon the actual ambient air volume measured at the actual temperature and pressure at the monitoring site during the measurement period.

BOARD NOTE:	Derived from 40 CFR 50.3 (2012).	

(Source:	Amended at 37 Ill. Reg.	, effective _	
----------	-------------------------	---------------	--

## Section 243.108 Incorporations by Reference

The following materials are incorporated by reference. These incorporations do not include any later amendments or editions:

- a) Pararosaniline method, 40 CFR 50, appendix A (1982).
- b) Non-dispersive infrared spectrometry technique, 40 CFR 50, appendix C (1982), 36 Fed. Reg. 22391, November 25, 1971.
- e) Colorimetric method, 36 Fed. Reg. 22396, November 25, 1971.
- d) Ozone-ethylene reaction method, 40 CFR 50, appendix D (1982), 36 Fed. Reg. 22392, November 25, 1971.
- e) Lead, 40 CFR 50, appendix G (2008).

- f) Reference method for the determination of particulate matter as PM<sub>10</sub> in the atmosphere, 40 CFR 50, appendix J (1990).
- g) Interpretation of the National Ambient Air Quality Standards (NAAQS) for particulate matter, 40 CFR-50, appendix K, 73 Fed. Reg. 61144 (October 17, 2006).
- h) Reference method for the determination of particulate matter as PM<sub>2.5</sub> in the atmosphere, 40 CFR 50, appendix L, 73 Fed. Reg. 61144 (October 17, 2006).
- i) Interpretation of the NAAQS for PM<sub>2.5</sub>, 40 CFR 50, appendix N, 73 Fed. Reg. 1497 (January 9, 2008).
- j) Interpretation of the NAAQS for O<sub>3</sub>, 40 CFR 50, appendix P, 73 Fed. Reg. 16436 (March 27, 2008).
- k) The NAAQS for Lead; Final Rule, 40 CFR 50, 51, 53, and 58, 73 Fed. Reg. 66964 (November 12, 2008).
- 1) Interpretation of the NAAQS for Lead, 40 CFR 50, appendix R, 73 Fed. Reg. 66964 (November 12, 2008).

Government Printing Office (GPO), 732 Capitol Street NW, Washington, DC 20401 (telephone: 202-512-1800 or 866-512-1800; website: www.gpo.gov). The following documents incorporated by reference are available from this source:

Appendix A-1 to 40 CFR 50 (2012) (Reference Measurement Principle and Calibration Procedure for the Measurement of Sulfur Dioxide in the Atmosphere (Ultraviolet Fluorescence Method)), referenced in Section 243.122.

Appendix A-2 to 40 CFR 50 (2012) (Reference Method for the Determination of Sulfur Dioxide in the Atmosphere (Pararosaniline Method)), referenced in Section 243.122.

Appendix B to 40 CFR 50 (2012) (Reference Method for the Determination of Suspended Particulate Matter in the Atmosphere (High-Volume Method)), referenced in appendix G to 40 CFR 50 (see below).50.

Appendix C to 40 CFR 50 (2012) (Reference Measurement Principle and Calibration Procedure for the Measurement of Carbon Monoxide in the Atmosphere (Non-Dispersive Infrared Photometry)), referenced in Section 243.123.

Appendix D to 40 CFR 50 (2012) (Reference Measurement Principle and Calibration Procedure for the Measurement of Ozone in the Atmosphere), referenced in Section 243.125.

Appendix F to 40 CFR 50 (2012) (Reference Measurement Principle and Calibration Procedure for the Measurement of Nitrogen Dioxide in the Atmosphere (Gas Phase Chemiluminescence)), referenced in Section 243.124.

Appendix G to 40 CFR 50 (2012) (Reference Method for the Determination of Lead in Suspended Particulate Matter Collected from Ambient Air), referenced in Section 243.126.

Appendix H to 40 CFR 50 (2012) (Interpretation of the 1-Hour Primary and Secondary National Ambient Air Quality Standards for Ozone), referenced in Section 243.125.

Appendix I to 40 CFR 50 (2012) (Interpretation of the 8-Hour Primary and Secondary National Ambient Air Quality Standards for Ozone), referenced in Section 243,125.

Appendix J to 40 CFR 50 (2012) (Reference Method for the Determination of Particulate Matter as PM<sub>10</sub> in the Atmosphere), referenced in Section 243.120.

Appendix K to 40 CFR 50 (2012) (Interpretation of the Primary and Secondary National Ambient Air Quality Standards for Particulate Matter), referenced in Section 243.120.

Appendix L to 40 CFR 50 (2012) (Reference Method for the Determination of Fine Particulate Matter as PM<sub>2.5</sub> in the Atmosphere), referenced in Section 243.120.

Appendix N to 40 CFR 50 (2012) (Interpretation of the Primary and Secondary National Ambient Air Quality Standards for Particulate Matter), referenced in Section 243.120.

Appendix O to 40 CFR 50 (2012) (Reference Method for the Determination of Coarse Particulate Matter as PM<sub>10-2.5</sub> in the Atmosphere), referenced in appendix Q to 40 CFR 50 and for use in federally required monitoring by the NCore system pursuant to 40 CFR 58.

Appendix P to 40 CFR 50 (2012) (Interpretation of the Primary and Secondary National Ambient Air Quality Standards for Ozone), referenced in Section 243.125.

Appendix Q to 40 CFR 50 (2012) (Reference Method for the Determination of Lead in Particulate Matter as PM<sub>10</sub> Collected from Ambient Air), referenced in appendix R to 40 CFR 50.

Appendix R to 40 CFR 50 (2012) (Interpretation of the National Ambient Air Quality Standards for Lead), referenced in Section 243.126.

Appendix S to 40 CFR 50 (2012) (Interpretation of the Primary National Ambient Air Quality Standards for Oxides of Nitrogen (Nitrogen Dioxide)), referenced in Section 243.124.

Appendix T to 40 CFR 58 (2012) (Interpretation of the Primary National Ambient Air Quality Standards for Oxides of Sulfur (Sulfur Dioxide)), referenced in Section 243.122.

Clean Air Act, 42 USC 7401 et seq. (2011) (for definitions of terms only), referenced in Section 243.102.

BOARD NOTE: Segments of the Code of Federal Regulations and the United States Code are available for free download as PDF documents from the GPO FDsys website: http://www.gpo.gov//.

USEPA, National Exposure Research Laboratory, Human Exposure & Atmospheric Sciences Division (MD-D205-03), Research Triangle Park, NC 27711. The following documents incorporated by reference are available from this source:

"List of Designated Reference and Equivalent Methods<sup>22</sup>" (December 17, 2012) (referred to as "List of Designated Methods<sup>22</sup>" and referenced in Sections 243.101, 243.120, 243.122, 243.123, 243.124, 243.125, and 243.126.

This reference includes the no Federal Register notices subsequent to December 17, 2012 that updated the List of Designated Methods.

BOARD NOTE: This document is available for free download as a PDF document from the USEPA, Technology Transfer, Ambient Monitoring Technology Information Center website: http://www.epa.gov///.html.

(Source:	Amended at 37 Ill. Reg.	, effective	<del></del> )
----------	-------------------------	-------------	---------------

## SUBPART B: STANDARDS AND MEASUREMENT METHODS

#### Section 243.120 PM<sub>10</sub> and PM<sub>2.5</sub>

- a) Standards. The primary and secondary ambient air quality standards for PM<sub>10</sub> are a maximum 24-hour average concentration of 150 µg/m³. The standards are attained when the expected number of days per calendar year with a 24-hour average concentration above 150 µg/m³ is equal to or less than one, as measured and determined in accordance with subsection (b).1987 Primary and Secondary 24-Hour NAAOS for PM<sub>10</sub>
- Measurement Method. For determining conformance with the PM<sub>10</sub> ambient air quality standards, PM<sub>10</sub> shall be measured by the method described in 40 CFR 50, appendix J or an equivalent method designated pursuant to 40 CFR 53 (incorporated by reference in Section 243.108). The standards are attained when the expected number of days per calendar year with a 24-hour average concentration above 150 μg/m³ is equal to or less than one, as determined in accordance with 40 CFR 50, appendix K (incorporated by reference in Section 243.108).
- e) Standards. The primary and secondary ambient air quality standards for PM<sub>2,5</sub>-are:
  - 1) An annual arithmetic mean concentration of 15.0 µg/m³-and as measured and determined in conformance with subsection (d).

- 2) A maximum 24 hour concentration of 35 μg/m³, at the 98th percentile-value, and as measured and determined in conformance with subsection (d).
- d) Measurement Method for PM<sub>2.5</sub>. For determining conformance with the PM<sub>2.5</sub>-ambient air quality standards, PM<sub>2.5</sub> shall be measured by the method described in 40 CFR 50, appendix L or an equivalent method designated pursuant to 40 CFR 53 (incorporated by reference in Section 243.108). Compliance with the standards is determined using the methods and procedures described in 40 CFR 50, appendix N (incorporated by reference in Section 243.108).
  - The annual primary and secondary PM<sub>2.5</sub> standards are met when the annual arithmetic mean concentration, as determined in accordance with 40 CFR 50, appendix N, is less than or equal to  $15.0 \mu g/m^3$ .
  - The 24 hour primary and secondary PM<sub>2.5</sub> standards are met when the 98th percentile 24-hour concentration, as determined in accordance with 40 CFR 50, appendix N, is less than or equal to 35  $\mu$ g/m<sup>3</sup>.
- a) 1987 primary and secondary 24-hour NAAQS for PM<sub>10</sub>.
  - The level of the 1987 primary and secondary 24-hour NAAQS for PM<sub>10</sub> is 150 μg/m³, 24-hour average concentration. The 1987 primary and secondary NAAQS for PM<sub>10</sub> is attained when the expected number of days per calendar year with a 24-hour average concentration above 150 μg/m³, as determined in accordance with appendix K to 40 CFR 50, incorporated by reference in Section 243.108, is equal to or less than one.
  - 2) This subsection (a)(2) corresponds with 40 CFR 51.6(b), a provision marked "reserved" by USEPA. This statement maintains structural consistency with the corresponding federal regulation.
  - 3) For the purpose of determining attainment of the 1987 primary and secondary 24-hour NAAQS for PM<sub>10</sub>, particulate matter must be measured in the ambient air as PM<sub>10</sub> by a method that fulfills either of the following requirements:
    - A) An FRM based on appendix J to 40 CFR 50, incorporated by reference in Section 243.108, and designated by USEPA

and listed in the List of Designated Methods, incorporated by reference in Section 243.108, 243.108; or

B) An FEM designated by USEPA and listed in the List of Designated Methods, incorporated by reference in Section 243.108.

BOARD NOTE: This subsection (a) is derived from 40 CFR 50.6 (2012). USEPA adopted 1997 primary NAAQS for PM<sub>10</sub> at 62 Fed. Reg. 38652 (July 18, 1997). As a result of a judicial vacatur, USEPA later removed the transitional provision relative to the 1987 NAAQS at 65 Fed. Reg. 80776 (Dec. 22, 10002000) and the 1997 NAAQS at 69 Fed. Reg. 45595 (July 30, 2004). Thus, the 1987 primary and secondary NAAQS for PM<sub>10</sub> are included in this subsection (a).

- b) 1997 primary and secondary annual average Primary and Secondary Annual Average and 24-hour Hour NAAQS for PM2572.5
  - 1) The 1997 primary and secondary annual average NAAQS for PM<sub>2.5</sub> is 15.0 μg/m³, annual arithmetic mean concentration, and the 1997 primary and secondary 24-hour NAAQS for PM<sub>2.5</sub> is 65 μg/m³, 24-hour average concentration, measured in the ambient air as PM<sub>2.5</sub> by a method that fulfills either of the following requirements:
    - A) An FRM based on appendix L of 40 CFR 50, incorporated by reference in Section 243.108243.108, and designated by USEPA and listed in the List of Designated Methods, incorporated by reference in Section 243.108; or
    - B) An FEM designated by USEPA and listed in the List of Designated Methods, incorporated by reference in Section 243.108.
  - 2) The 1997 primary and secondary annual average NAAQS for PM<sub>2.5</sub> is met when the annual arithmetic mean concentration, as determined in accordance with appendix N of 40 CFR 50, incorporated by reference in Section 243.108, is less than or equal to 15.0 µg/m<sup>3</sup>.
  - The 1997 primary and secondary 24-hour NAAQS for PM<sub>2.5</sub> is met when the 98<sup>th</sup> percentile 24-hour concentration, as determined in accordance with appendix N of 40 CFR 50, incorporated by reference in Section 243.108, is less than or equal to 65 µg/m<sup>3</sup>.

BOARD NOTE: This subsection (b) is derived from 40 CFR 50.7 (2012). The 2006 primary and secondary annual average and 24-hour NAAQS for PM 25 differs from the 1997 standards in that the 24-hour average concentration required by the 2006 standard is substantially lower (more stringent) than that for the 1997 standard. The Board has retained the 1997 standard in this subsection (b) because USEPA has retained the 1997 standard in 40 CFR 50.6.

- c) 2006 primary and secondary annual average Primary and Secondary Annual Average and 24-hour Hour NAAQS for PM<sub>2.5-2.5</sub>
  - The 2006 primary and secondary annual average NAAQS for PM<sub>2.5</sub> is 15.0 μg/m³, annual arithmetic mean concentration, and the 2006 primary and secondary 24-hour NAAQS for PM<sub>2.5</sub> is 35 μg/m³, 24-hour average concentration, measured in the ambient air as PM<sub>2.5</sub> by a method that fulfills either of the following requirements:
    - A) An FRM based on appendix L of 40 CFR 50, incorporated by reference in Section 243.108243.108, and designated by USEPA and listed in the List of Designated Methods, incorporated by reference in Section 243.108; or
    - B) An FEM designated by USEPA and listed in the List of Designated Methods, incorporated by reference in Section 243.108.
  - 2) The 2006 primary and secondary annual average NAAQS for PM<sub>2.5</sub> is met when the annual arithmetic mean concentration, as determined in accordance with appendix N of 40 CFR 50, incorporated by reference in Section 243.108, is less than or equal to 15.0 μg/m<sup>3</sup>.
  - The 2006 primary and secondary 24-hour NAAQS for PM<sub>2.5</sub> is met when the 98<sup>th</sup> percentile 24-hour concentration, as determined in accordance with appendix N of 40 CFR 50, incorporated by reference in Section 243.108, is less than or equal to 35 μg/m<sup>3</sup>.

BOARD NOTE: This subsection	n (c) is derived from 40 CFR 50.13 (2	2012).
-----------------------------	---------------------------------------	--------

(Source:	Amended at 37 Ill. Reg	, effective	)

### Section 243.122 Sulfur Oxides (Sulfur Dioxide)

- a) Primary Standards. The primary ambient air quality standards for sulfur oxides measured as sulfur dioxide are:
  - 1) An annual arithmetic mean concentration of 80 μg/m³ (0.03 ppm); and,
  - 2) A maximum 24-hour concentration, not to be exceeded more than once per year, of 365 μg/m³ (0.14 ppm).
- b) Secondary Standard. The secondary ambient air quality standard for sulfur oxidesmeasured as sulfur dioxide is a maximum 3-hour concentration not to be exceededmore than once per year of 1,300 μg/m³ (0.5 ppm).
- e) Measurement Method. For determining conformance with sulfur oxide air quality standards, sulfur oxides shall be measured as sulfur dioxide by the pararosaniline method described in 40 CFR 50, appendix A, (incorporated by reference in Section 243.108), or by an equivalent method of proof approved by the Agency.
- a) 1971 primary annual average Primary Annual Average and 24-hour NAAQS for sulfur oxides (as sulfur dioxide Sulfur Oxides (as Sulfur Dioxide (SO<sub>2</sub>)).
  - 1) The level of the 1971 primary annual average NAAQS for sulfur oxides is 0.030 ppm, not to be exceeded in a calendar year. The annual arithmetic mean must be rounded to three decimal places (fractional parts equal to or greater than 0.0005 ppm must be rounded up).
  - The level of the 1971 primary 24-hour NAAQS for sulfur oxides is 0.14 ppm, not to be exceeded more than once per calendar year. The 24-hour averages must be determined from successive non-overlapping 24-hour blocks starting at midnight each calendar day and must be rounded to two decimal places (fractional parts equal to or greater than 0.005 ppm must be rounded up).
  - 3) Sulfur oxides must be measured in the ambient air as SO<sub>2</sub> by the FRM described in appendix A-2 to 40 CFR 50, incorporated by reference in Section 243.108, or by an FEM designated by USEPA and listed in the List of Designated Methods, incorporated by reference in Section 243.108.

- To demonstrate attainment, the annual arithmetic mean and the second-highest 24-hour averages must be based upon hourly data that are at least 75 percent complete in each calendar quarter. A 24-hour block average must be considered valid if at least 75 percent of the hourly averages for the 24-hour period are available. In the event that only 18-, 19-, 20-, 21-, 22-, or 23-hour averages are available, the 24-hour block average must be computed as the sum of the available hourly averages using the number of hours (i.e., 18, 19, etc.) as the divisor. If less than 18-hour averages are available, but the 24-hour average would exceed the level of the standard when zeros are substituted for the missing values, subject to the rounding rule of subsection (b) of this Section, then, this must be considered a valid 24-hour average. In this case, the 24-hour block average must be computed as the sum of the available hourly averages divided by 24.
- The 1971 primary annual average and 24-hour NAAQS for sulfur oxides set forth in this subsection (a) remains applicable to all areas notwithstanding the promulgation of the 2010 primary one-hour NAAQS for sulfur oxides in subsection (c) of this Section. The Board will delete the 1971 primary annual average and 24-hour NAAQS for sulfur oxides set forth in this subsection (a) after fulfillment of the conditions recited by USEPA in corresponding 40 CFR 50.4(e).

BOARD NOTE: Corresponding 40 CFR 50.4(e) recites that the 1971 primary NAAQS for sulfur oxides remains effective in two types of areas for which USEPA has not yet approved an implementation plan for attainment with the 2010 primary one-hour NAAQS for sulfur oxides. The first type of area is one that USEPA had designated as non-attainment for that standard as of the effective date of the 2010 primary one-hour NAAQS for the 1971 primary NAAQS for sulfur oxides as of the effective date of the 2010 NAAQS. That date was August 23, 2010. See 75 Fed. Reg. 35520 (June 22, 2010). As of that date, USEPA had not designated any area in Illinois as non-attainment. See 40 CFR 81.314 (2010). The Board is unaware of any USEPA SIP call for any area of Illinois relative to the 1971 primary NAAQS for sulfur oxides. As of December 31, 2012, USEPA had not yet designated the attainment status of areas in Illinois. See 40 CFR 81.314 (2012). The Agency recommended that USEPA designate limited areas of Illinois as non-attainment with the 2010 primary one-hour NAAQS. See letter of June 2, 2011 from Laurel Kroack, Chief, Bureau of Air, Agency, to Cheryl A. Newton, Director, Office of the Air

and Radiation Division, USEPA Region 5 (available at http://www.epa.gov/designations//R5\_IL\_rec\_wtechanalysis.pdf). When the conditions of this subsection (a)(5) have been fulfilled, or USEPA has removed 40 CFR 50.4, the Board will remove the standard of this subsection (a) as obsolete.

- b) 1971 secondary three-hour Secondary Three-Hour NAAQS for sulfur oxides Sulfur Oxides (as SO<sub>2</sub>).
  - The level of the 1971 secondary three-hour NAAQS for sulfur oxides is 0.5 ppm, not to be exceeded more than once per calendar year. The three-hour averages must be determined from successive non-overlapping three-hour blocks starting at midnight each calendar day and must be rounded to one decimal place (fractional parts equal to or greater than 0.05 ppm must be rounded up).
  - Sulfur oxides must be measured in the ambient air as SO<sub>2</sub> by the FRM described in appendix A-2 to 40 CFR 50, incorporated by reference in Section 243.108, or by an FEM designated by USEPA and listed in the List of Designated Methods, incorporated by reference in Section 243.108.
  - 3) To demonstrate attainment, the second-highest three-hour average must be based upon hourly data that are at least 75 percent complete in each calendar quarter. A three-hour block average must be considered valid only if all three hourly averages for the three-hour period are available. If only one or two hourly averages are available, but the three-hour average would exceed the level of the standard when zeros are substituted for the missing values, subject to the rounding rule of subsection (b)(1) of this Section, then, this must be considered a valid three-hour average. In all cases, the three-hour block average must be computed as the sum of the hourly averages divided by three.

BOARD NOTE: This subsection (b) is derived from 40 CFR 50.5 (2012).

- c) 2010 primary one hour Primary One-Hour NAAQS for sulfur oxides Sulfur Oxides (as SO<sub>2</sub>).
  - 1) The level of the 2010 primary one-hour NAAQS for sulfur oxides is 75 ppb, measured in the ambient air as SO<sub>2</sub>.

- The 2010 one-hour primary NAAQS for sulfur oxides is met at an ambient air quality monitoring site when the three-year average of the annual (99<sup>th</sup> percentile) of the daily maximum one-hour average concentrations is less than or equal to 75 ppb, as determined in accordance with appendix T of 40 CFR 50, incorporated by reference in Section 243.108.
- The level of the 2010 one-hour primary NAAQS for sulfur oxides must be measured by an FRM based on appendix A-1 or A-2 of 40 CFR 50, incorporated by reference in Section 243.108, or by an FEM designated by USEPA and listed in the List of Designated Methods, incorporated by reference in Section 243.108.

BOARD NOTE: This subsection (c) is derived from 40 CFR 50.17 (2012). The 1971 primary NAAQS for SO<sub>2</sub> remains in effect until the federal conditions of 40 CFR 50.4(e) have been fulfilled, as outlined in subsection (a)(5) of this Section and the appended Board note.

(Source: Amended at 37 Ill. Reg. —	, effective	)
------------------------------------	-------------	---

#### Section 243.123 Carbon Monoxide

- a) Standards. The ambient air quality standards for carbon monoxide are:
  - 1) A maximum 8-hour concentration not to be exceeded more than once per year of 10 milligrams per cubic meter (9 ppm); and,
  - 2) A maximum 1-hour concentration not to be exceeded more than once per year of 40 milligrams per cubic meter (35 ppm).
- Measurement Method. For determining conformance with the carbon monoxide air quality standard, carbon monoxide shall be measured by the nondispersive infrared spectrometry technique as described in 40 CFR 50, App. C (1982), 36 Fed. Reg. 22,391, November 25, 1971, or by an equivalent method approved by the Agency.
- a) The 1971 eight-hour and one-hour primary NAAQS for carbon monoxide are as followfollows:

- 1) An eight-hour average concentration of 9 ppm (10 mg/m³), not to be exceeded more than once per year; and
- 2) A one-hour average concentration of 35 ppm (40 mg/m³), not to be exceeded more than once per year.
- b) The levels of carbon monoxide in the ambient air must be measured by a method that fulfills either of the following requirements:
  - An FRM based on appendix C of 40 CFR 50, incorporated by reference in Section 243.108, and designated by USEPA and listed in the List of Designated Methods, incorporated by reference in Section 243.108,243.108; or
  - 2) An FEM designated by USEPA and listed in the List of Designated Methods, incorporated by reference in Section 243.108.
- An eight-hour average concentration must be considered valid if at least 75 percent of the hourly average for the eight-hour period areis available. In the event that only six-hour (or seven-hour) averages are available, the eight-hour average must be computed on the basis of the hours available using six (or seven) as the divisor.
- d) When summarizing data for comparison with the standards, averages must be stated to one decimal place. Comparison of the data with the levels of the standards in ppm must be made in terms of integers with fractional parts of 0.5 or greater rounded up.

BOARD NOTE: This Section is derived from 40 CFR 50.8 (2012).

(Source: A	Amended at 37 Ill. Reg. —	, effective	)
------------	---------------------------	-------------	---

## Section 243.124 Nitrogen Oxides (Nitrogen Dioxide as Indicator)

- a) Standard. The ambient air quality standard for nitrogen dioxide is an annual arithmetic mean concentration of 100 micrograms per cubic meter (0.05 ppm).
- b) Measurement Method. For determining conformance with the nitrogen dioxide air quality standard, nitrogen dioxide shall be measured by the colorimetric

method as described in 36 Fed. Reg. 22,396, November 25, 1971, or by an equivalent method approved by the Agency.

- a) The level of the 1971 primary annual average NAAQS for nitrogen oxides is 53 ppb, annual average concentration, measured in the ambient air as nitrogen dioxide (NO<sub>2</sub>).
- b) The level of the 2010 primary one-hour NAAQS for nitrogen oxides is 100 ppb, one-hour average concentration, measured in the ambient air as NO<sub>2</sub>.
- c) The level of the 1971 secondary annual average NAAQS for nitrogen oxides is 0.053 ppm (100  $\mu$ g/m³), annual arithmetic mean concentration, measured in the ambient air as NO<sub>2</sub>.
- d) The levels of the standards in subsections (a) through (c) of this Section must be measured by:
  - 1) An FRM based on appendix F to 40 CFR 50, incorporated by reference in Section 243.108, and designated by USEPA and listed in the List of Designated Methods, incorporated by reference in Section 243.108; or
  - By a Federal FEM designated by USEPA and listed in the List of Designated Methods, incorporated by reference in Section 243.108.
- The 1971 primary annual average NAAQS for nitrogen oxides in subsection (a) of this Section is met when the annual average concentration in a calendar year is less than or equal to 53 ppb, as determined in accordance with Appendix appendix S of 40 CFR 50, incorporated by reference in Section 243.108243.108, for the annual standard.
- The 2010 one-hour primary NAAQS for nitrogen oxides in subsection (b) of this Section is met when the three-year average of the annual 98th percentile of the daily maximum one-hour average concentration is less than or equal to 100 ppb, as determined in accordance with Appendix S of 40 CFR 50, incorporated by reference in Section 243.108243.108, for the 1-hour standard.
- g) The 1971 secondary annual average NAAQS for nitrogen oxides in subsection (c) of this Section is attained when the annual arithmetic mean concentration in a calendar year is less than or equal to 0.053 ppm, rounded to three decimal places (fractional parts equal to or greater than 0.0005 ppm must be rounded up). To

### BOARDJCAR350243-1307316r01

## NOTICE OF PROPOSED AMENDMENTS

demonstrate attainment, an annual mean must be based upon hourly data that are at least 75 percent complete or upon data derived from manual methods that are at least 75 percent complete for the scheduled sampling days in each calendar quarter.

BOARD NOTE: This Section is derived from 40 CFR 50.11 (2012).

(Source:	Amended at 37 Ill.	Reg	, effective	)

### Section 243.125 8-Hour Ozone

- a) Standard. The primary and secondary ambient air quality standards for ozone are 0.075 ppm (parts per million) daily maximum 8-hour average concentration, measured and determined in accordance with subsection (b).
- Measurement Method. Ozone shall be measured by a federal equivalent method based on 40 CFR 50, appendix D and designated in accordance with 40 CFR 53 (incorporated by reference in Section 243.108) or an equivalent method designated in accordance with 40 CFR 53. The primary and secondary ambient air quality standards are met when the average of the annual fourth-highest daily maximum 8 hour average ozone concentration is less than or equal to 0.075 ppm, as determined using 40 CFR 50, appendix P (incorporated by reference in Section 243.108).
- a) 1979 <u>primary</u>Primary and <u>secondary one-hour</u>Secondary One-Hour NAAQS for <u>ozone</u>. Ozone
  - The level of the 1979 primary and secondary one-hour NAAQS for ozone measured by an FRM based on appendix D to 40 CFR 50, incorporated by reference in Section 243.108. and designated by USEPA and listed in the List of Designated Methods, incorporated by reference in Section 243.108, is 0.12 ppm (235 μg/m³). The NAAQS is attained when the expected number of days per calendar year with maximum hourly average concentrations above 0.12 ppm (235 μg/m³) is equal to or less than 1, as determined by appendix H to 40 CFR 50, incorporated by reference in Section 243.108.
  - 2) The 1979 primary and secondary one-hour NAAQS for ozone set forth in this subsection (a) will remain applicable to all areas notwithstanding the

promulgation of the 2008 eight-hour primary and secondary NAAQS for ozone set forth in subsection (b) of this Section. USEPA has stated in corresponding 40 CFR 50.9(b) that the one-hour primary and secondary NAAQS for ozone set forth in this subsection (a) will no longer apply to an area one year after the effective date of the designation of that area by USEPA pursuant to 42 UCSUSC 7407 for the 2008 eight-hour primary and secondary NAAQS for ozone. USEPA has codified the area designations and classifications with respect to the primary and secondary 1997 one-hour NAAQS and the 2008 primary and secondary NAAQS for ozone in 40 CFR 81.314.

BOARD NOTE: This subsection (a) is derived from 40 CFR 50.9 (2012). USEPA revoked the 1979 primary and secondary one-hour NAAQS for ozone for all areas in Illinois effective June 15, 2005. See 40 CFR 81.314 (table for one-hour NAAQS for ozone, note 3; 70 Fed. Reg. 44470, 75 (Aug. 3, 2005). USEPA-'s state implementation plan (SIP) regulations, however, provide that the State may first apply for modification of the SIP for the 1997 primary and secondary one-hour NAAQS for ozone eight years after the revocation, which is on or after June 15, 2013. See 40 CFR 51.905(e). Since there is no indication that USEPA has approved such a SIP modification, the Board has retained the 1979 primary and secondary one-hour NAAQS for ozone of 50 CFR 50.9.

- b) 1997 primary Primary and secondary eight-hour Secondary Eight-Hour NAAQS for ozone. Ozone
  - The 1997 hour primary and secondary eight-hour NAAQS for ozone, measured by <a href="mailto:aan">aan</a> FRM based on appendix D to 40 CFR 50, incorporated by reference in Section <a href="mailto:243.108">243.108</a>, and designated by USEPA and listed in <a href="mailto:the-List of Designated Methods">the-List of Designated Methods</a>, incorporated by reference in Section <a href="mailto:243.108">243.108</a>, is 0.08 ppm, daily maximum eight-hour average.
  - The 1997 primary and secondary eight-hour NAAQS for ozone is met at an ambient air quality monitoring site when the average of the annual fourth-highest daily maximum eight-hour average ozone concentration is less than or equal to 0.08 ppm, as determined in accordance with appendix I to 40 CFR 50, incorporated by reference in Section 243.108.
  - 3) USEPA has stated in corresponding 40 CFR 50.10(c) that the 1997 primary and secondary eight-hour NAAQS for ozone set forth in subsection (b)(1) of this Section will no longer apply to an area for

transportation conformity purposes one year after the effective date of USEPA designation of that area pursuant to 42 USC 7407 for the 2008 primary and secondary eight-hour NAAQS set forth for ozone in subsection (c)(1) of this Section. The 1997 primary and secondary eight-hour NAAQS for ozone set forth in this subsection (b) will remain applicable to all areas for all other purposes notwithstanding the 2008 primary and secondary eight-hour NAAQS for ozone set forth in subsection (c) of this Section or the USEPA designation of areas for that 2008 primary and secondary eight-hour NAAQS for ozone.

BOARD NOTE: USEPA has codified area designations and classifications with respect to the 1997 and 2008 primary and secondary NAAQS for ozone in 40 CFR 81.314. When USEPA has taken action and the conditions of subsection (b)(3) have been fulfilled, or USEPA has removed 40 CFR 50.9 or 50.10, the Board will remove obsolete 1997 primary and secondary one-hour or eight-hour NAAQS for ozone from subsections (a) and (b).

BOARD NOTE: This subsection (b) is derived from 40 CFR 50.10 (2012).

- c) 2008 primary Primary and secondary eight-hour Secondary Eight-Hour NAAQS for ozone. Ozone
  - The 2008 primary and secondary eight-hour NAAQS for ozone is 0.075 ppm, daily maximum eight-hour average, measured by an FRM based on appendix D to 40 CFR 50, incorporated by reference in Section 243.108, and designated by USEPA and listed in the List of Designated Methods, incorporated by reference in Section 243.108 or an FEM designated by USEPA and listed in the List of Designated Methods, incorporated by reference in Section 243.108.
  - The 2008 primary and secondary eight-hour NAAQS for ozone ambient air quality standards are met at an ambient air quality monitoring site when the three-year average of the annual fourth-highest daily maximum eight-hour average ozone concentration is less than or equal to 0.075 ppm, as determined in accordance with appendix P to 40 CFR 50, incorporated by reference in Section 243.108.

BOARD NOTE: This subsection (c) is derived from 40 CFR 50.15 (2012).

## BOARDJCAR350243-1307316r01

### NOTICE OF PROPOSED AMENDMENTS

(Source:	Amended at 37	' Ill. Reg	, effective		,
----------	---------------	------------	-------------	--	---

#### Section 243.126 Lead

- a) Standard. The primary and secondary ambient air quality standards for lead and its compounds measured as elemental lead are 0.15 µg/m³, maximum rolling three month average measured and determined over a three year period.
- Measurement Method. For determining conformance with the ambient air quality standards for lead and its compounds, lead and its compounds shall be measured as elemental lead by federal equivalent method based on 40 CFR 50 appendix G and designated in accordance with 40 CFR 53, or by an equivalent method designated in accordance with 40 CFR 53 (incorporated by reference in Section 243.108).. Compliance with the primary and secondary ambient air quality standards shall be determined in accordance with 40 CFR 50, appendix R (incorporated by reference in Section 243.108).
- a) 1978 primary and secondary quarterly average Primary and Secondary Quarterly
  Average NAAQS for lead. Lead
  - The 1978 primary and secondary quarterly average NAAQS for lead and its compounds, measured as elemental lead by an FRM based on appendix G to 40 CFR 50, incorporated by reference in Section 243.108, and designated by USEPA and listed in the List of Designated Methods, incorporated by reference in Section 243.108, or by an FEM designated by USEPA and listed in the List of Designated Methods, incorporated by reference in Section 243.108, is 1.5 micrograms per cubic meter, µg/m³ maximum arithmetic mean averaged over a calendar quarter.
  - The 1978 primary and secondary quarterly average NAAQS for lead set forth in this subsection (a) will remain applicable to all areas notwithstanding the 2008 primary and secondary quarterly average NAAQS for lead in subsection (b) of this Section. The 1978 primary and secondary quarterly average NAAQS for lead set forth in this subsection (a) will no longer apply to an area one year after the effective date of the designation of that area by USEPA pursuant to 42 USC 7407 for the 2008 primary and secondary three-month average NAAQS for lead set forth in subsection (b) of this Section; except that, for areas designated nonattainment for the 1978 primary and secondary quarterly average

NAAQS for lead set forth in this subsection (a) as of January 12, 2009, the 1978 primary and secondary NAAQS for lead set forth in this subsection (a) will apply until USEPA has approved an implementation plan for that area pursuant to 42 USC 7514 providing for attainment or maintenance of the 2008 primary and secondary three-month average NAAQS for lead set forth in subsection (b) of this Section.

BOARD NOTE: The Board substituted "January 12, 2009" for the open-ended language in corresponding 40 CFR 50.12(b) relative to the effective date of 40 CFR 50.16. January 12, 2009 is the effective date recited at 73 Fed. Reg. 66964 (Nov. 12, 2008). USEPA designated Granite City as nonattainment with the 2008 primary and secondary three-month average NAAQS for lead in 2010 and an area of Chicago in 2011. USEPA designated all other areas of Illinois for the 2008 primary and secondary three-month average NAAQS for lead in 2012. See 40 CFR 81.314 (area designations in Illinois); 76 Fed. Reg. 72097, 108 (Nov. 22, 2011) (effective December 31, 2011); 75 Fed. Reg. 71033, 42 (Nov. 22, 2010) (effective December 31, 2010). Thus, this subsection (a) has been obsolete since December 31, 2012.

BOARD NOTE: This subsection (a) is derived from 40 CFR 50.12 (2012).

- b) 2008 primary and secondary three month average Primary and Secondary Three-Month Average NAAQS for lead.Lead
  - The 2008 primary and secondary three-month average NAAQS for lead and its compounds is 0.15 μg/m³, arithmetic mean concentration over a three-month period, measured in the ambient air as lead by either of the following:
    - A) An FRM based on Appendix appendix G of 40 CFR 50, incorporated by reference in Section 243.108243.108, and designated by USEPA and listed in the List of Designated Methods, incorporated by reference in Section 243.108; or:
    - B) An FEM designated by USEPA and listed in the List of Designated Methods, incorporated by reference in Section 243.108.
  - 2) The 2008 primary and secondary three-month average NAAQS for lead are met when the maximum arithmetic three-month mean concentration

### ILLINOIS REGISTER

POLLUTION CONTROL

## BOARDJCAR350243-1307316r01

# NOTICE OF PROPOSED AMENDMENTS

for a three-year period, as determined in accordance with Appendix appendix R of 40 CFR 50, incorporated by reference in Section 243.108, is less than or equal to 0.15 µg/m<sup>3</sup>.

BOARD NOTE: This subsection	(b) is derived from 40 CFR 50.16 (2012).
(Source: Amended at 37 Ill. Reg	

### Section 243.APPENDIX A Rule into Section Table (Repealed) Appendix A Rule into Section Table

RULE	SECTION
<del>301</del>	<del>243.102</del>
<del>302</del>	<del>243.103</del>
<del>303</del>	<del>243.104</del>
<del>304</del>	Appendix C
<del>305</del>	<del>243.106</del>
<del>306</del>	<del>243.107</del>
<del>307</del>	<del>243.121</del>
<del>308</del>	<del>243.122</del>
<del>309</del>	Repealed
<del>310</del>	<del>243.123</del>
<del>311</del>	<del>243.124</del>
<del>312</del>	<del>243.125</del>
<del>313</del>	<del>243.126</del>

(Source: Repealed at 37 Ill. Reg. \_\_\_\_\_, effective \_\_\_\_\_\_)

## NOTICE OF PROPOSED AMENDMENTS

## Section 243.APPENDIX B Section into Rule Table (Repealed)

#### Section 243.APPENDIX B Section into Rule Table (Repealed) Appendix B Section into Rule Table

SECTION	RULE
<del>243.101</del>	
<del>243.102</del>	<del>301</del>
<del>243.103</del>	302
<del>243.104</del>	303
<del>243.106</del>	<del>305</del>
<del>243.107</del>	<del>306</del>
<del>243.121</del>	<del>307</del>
<del>243.122</del>	<del>308</del>
<del>243.123</del>	310
<del>243.124</del>	311
<del>243.125</del>	<del>312</del>
<del>243.126</del>	<del>313</del>

#### **ILLINOIS REGISTER**

POLLUTION CONTROL

BOARDJCAR350243-1307316r01

## NOTICE OF PROPOSED AMENDMENTS

Section 243. APPENDIX C Past Compliance Dates (Repealed)

Section 243.APPENDIX C Past Compliance Dates (Repealed)
Appendix C
Past Compliance Dates

Except as otherwise noted, compliance with this Part was required June 26, 1973.

(Source: Repealed at 37 Ill. Reg	, effective	)
----------------------------------	-------------	---

## NOTICE OF PROPOSED AMENDMENTS

# Section 243.TABLE A Schedule of Exceptional Event Flagging and Documentation Submission for New or Revised NAAQS

NAAQS (Level) Regulatory Citations  2006 24-hour PM <sub>2.5</sub> (35 μg/m³) Section 243.120(c)(1) 40 CFR 50.13(a) 71 Fed. Reg. 61144 (Oct. 17, 2006)	Air quality data collected for calendar year 2004-2006	Event flagging & initial description deadline  October 1, 2007	Detailed documentation submission deadline  April 15, 2008
2008 eight-hour ozone (0.075 ppm) Section 243.125(c)(1) 40 CFR 50.15(a) 73 Fed. Reg. 16436 (Mar. 27, 2008)	2005—2007 2008 2009	June 18, 2009 June 18, 2009 60 days after the end of the calendar quarter in which the event occurred or February 5, 2010, whichever date occurred first	June 18, 2009 June 18, 2009 60 days after the end of the calendar quarter in which the event occurred or February 5, 2010, whichever date occurred first
2010 one-hour nitrogen oxides (as NO <sub>2</sub> ) (100 ppb) Section 243.124(b) 40 CFR 50.11(b) 75 Fed. Reg. 6474 (Feb. 9, 2010)	2008 2009 2010	July 1, 2010 July 1, 2010 April 1, 2011	January 22, 2011 January 22, 2011 July 1, 2010
2010 one-hour sulfur oxides (as SO <sub>2</sub> ) (75 ppb) Section 243,122(c)(1) 40 CFR 17(a) 75 Fed. Reg. 35520 (June 22, 2010)	2008 2009 2010 2011	October 1, 2010 October 1, 2010 June 1, 2011 60 days after the end of the calendar quarter in which the event occurred or March 31,	June 1, 2011 June 1, 2011 June 1, 2011 60 days after the end of the calendar quarter in which the event occurred or March 31,

#### **ILLINOIS REGISTER**

**POLLUTION CONTROL** 

BOARDJCAR350243-1307316r01

## NOTICE OF PROPOSED AMENDMENTS

2012, whichever date occurred first

2012, whichever date occurred first

BOARD NOTE: Derived from table 1 to 40 CFR 50.14(c) (2012). USEPA noted that the information in this table of revised deadlines only applies to data that USEPA will use to establish the final initial designations for new or revised NAAQS. USEPA stated that the general schedule in this table applies for all other purposes, most notably, for data that USEPA will use for redesignations to attainment. Corresponding table 1 to 40 CFR 50.14(c)(2) cites the 2010 one-hour NAAQS for nitrogen oxides as "80-100 PPBppb, final level TBD" and the 2010 one-hour NAAQS for sulfur oxides as "80-100 PPBppb, final level TBD". The adopted 2010 one-hour NAAQS for NO<sub>x</sub> at 40 CFR 50.11(f) is 100 ppb and the adopted 2010 one-hour NAAQS for SO<sub>2</sub> is 75 ppb. The Board has used the actual NAAQS for these contaminants in this Table A. Further, corresponding table 1 to 40 CFR 50.14(c) includes endnotes "a" and "b" indicate" indicating whether dates for NO<sub>2</sub> and SO<sub>2</sub> are changed or unchanged, which the Board has omitted, since endnotes will serve no purpose in the Illinois regulations.

(Source:	Added at 37 Ill. Reg.	, effective	)
----------	-----------------------	-------------	---

Document comparison by Workshare Compare on Friday, May 24, 2013 1:48:33 PM\_\_\_\_

Input:	
Document 1 ID	file://I:\Input\Agency Rulemakings - Files Received\2013\may2013\35-243-Agency(issue22).docx
Description	35-243-Agency(issue22)
Document 2 ID	file://l:\Input\Agency Rulemakings - Files Received\2013\may2013\35-243-JCARr01(issue22).docx
Description	35-243-JCARr01(issue22)
Rendering set	Standard

Legend:	
Insertion	
Deletion-	
Moved from	
Moved to	***************************************
Style change	
Format change	
Moved deletion	
Inserted cell	Mark Street Street
Deleted cell	
Moved cell	PERMITTED AND THE PROPERTY OF
Split/Merged cell	
Padding cell	

Statistics:		
	Count	
Insertions	274	
Deletions	422	
Moved from	0	
Moved to	0	
Style change	0	
Format changed	0	
Total changes	696	



1 2 3 4 5		SUBCI	TITLE 35: ENVIRONMENTAL PROTECTION SUBTITLE B: AIR POLLUTION CHAPTER I: POLLUTION CONTROL BOARD HAPTER I: AIR QUALITY STANDARDS AND EPISO	DDES
6 7 8			PART 243 AIR QUALITY STANDARDS	CLERK'S OFFICE
9			SUBPART A: GENERAL PROVISIONS	MAY 30 2013
10				STATE OF ILLINOIS
11	Section			Pollution Control Board
12	243.101	Defini		
13	243.102		Preamble	
14	243.103		cability	
15	243.104		gradation (Repealed)	
16	<u>243.105</u>		uality Monitoring Data Influenced by Exceptional Events	
17	243.106		oring (Repealed)	
18	243.107		nce Conditions	
19	243.108	Incorp	orations by Reference	
20		CLIDD	DED CELLED ADD AND ACTUAL CONTROL CONTROL	
21		SUBPA	ART B: STANDARDS AND MEASUREMENT METH	ODS
22	a .:			
23	Section	D) (	1016	
24	243.120		and PM <sub>2.5</sub>	
25 26	243.121		ulates (Repealed)	
20 27	243.122 243.123		Oxides (Sulfur Dioxide)  1 Monoxide	
28	2 <del>4</del> 3.123 243.124			
20 29	243.124	_	en Oxides (Nitrogen Dioxide <u>as Indicator)</u> r-Ozone	
30	243.125	<del>o-riou</del> Lead	-Ozone	
31	243.120	Leau		
32	243.APPEND	IYΔ	Rule into Section Table (Repealed)	
33	243.APPEND		Section into Rule Table (Repealed)	
34	243.APPEND		Past Compliance Dates (Repealed)	
35	243.TABLE A		Schedule of Exceptional Event Flagging and Documenta	ation Submission
36			for New or Revised NAAQS	ation Submission
37				
38	AUTHORITY	: Imple	ementing Sections 7.2 and 10 and authorized by Section 2	27 of the
39			tion Act [415 ILCS 5/7.2, 10 and 27].	
40				
41	SOURCE: A	dopted a	s Chapter 2: Air Pollution, Part III: Air Quality Standar	ds, in R71-23, 4
42	PCB 191, file	d and ef	fective April 14, 1972; amended in R80-11, 46 PCB 125,	, at 6 Ill. Reg.
43	5804, effectiv	e April	22, 1982; amended in R82-12, at 7 Ill. Reg. 9906, effective	ve August 18,

44 45 46	1983; codified at 7 Ill. Reg. 13630; amended in R91-35 at 16 Ill. Reg. 8185, effective May 15, 1992; amended in R09-19 at 35 Ill. Reg. 18857, effective October 25, 2011; amended in R13-11 at 37 Ill. Reg, effective
47 48 49	SUBPART A: GENERAL PROVISIONS
50 51	Section 243.101 Definitions
52 53 54 55 56	For the purposes of this Part, terms listed below will have the meanings attributed to them in this Section. As used in this Part, all terms not defined in this Section will have the meaning given them by the Act; the CAA, incorporated by reference in Section 243.108; or 35 Ill. Adm. Code 201.102.
57 58	"Act" means the Environmental Protection Act [415 ILCS 5].
59	"Agency" means the Illinois Environmental Protection Agency.
60 61	"Ambient air" means that portion of the atmosphere, external to buildings, to
62 63	which the general public has access.
64 65	"Clean Air Act" or "CAA" means the federal Clean Air Act (42 USC 7401 et seq. as amended), incorporated by reference in Section 243.108.
66 67	"Exceedance of a NAAQS" means one occurrence of a measured or modeled
68	concentration that exceeds the specified concentration level of NAAQS for the
69 70	averaging period specified by the standard.
71 72	"Exceptional event" means an event that fulfills all of the following criteria:
73 74	The event affects air quality:
75 76	The event is not reasonably controllable or preventable;
77 78	The event is caused by human activity that is unlikely to recur at a particular location or a natural event; and
79	*
80 81	The event is determined by USEPA in accordance with 40 CFR 50.14 to be an exceptional event.
82 83	An "exceptional event" does not include any of the following:
84 85 86	Stagnation of air masses or meteorological inversions;
~~	

105 106

107 109

110 111

113 114

116 117

119

122

123

125

128

93

102 103 104

108

112

115

118

120 121

124

126 127

A meteorological event involving high temperatures or lack of precipitation; or

#### Air pollution relating to source noncompliance.

"Federal equivalent method" or "FEM" means a method for measuring the concentration of an air pollutant in the ambient air that USEPA has designated as an equivalent method pursuant to 40 CFR 53 and that is included in the List of Designated Methods, including later updates, as incorporated by reference in Section 243.108; the term "federal equivalent method" does not include a method for which USEPA has cancelled or superseded an equivalent method designation in accordance with 40 CFR 53.11 or 53.16, as reflected in the incorporation by reference in Section 243.108. BOARD NOTE: Derived from 40 CFR 50.1(f) (definition of "equivalent

method"), 50.11(d)(2) (parenthetical definition of "FEM"), and 53.1 (definition of "federal equivalent method"). The clause "including later updates" in this definition is intended to exclude methods canceled by USEPA pursuant to 40 CFR 53.11 or 53.16 for which the cancellation is included in the updates to the List of Designated Methods incorporated by reference in Section 243.108. A federal designation of an FEM becomes effective upon publication of a notice in the Federal Register. A federal cancellation of an FEM becomes effective upon deletion from the listing of FEMs or from an appendix to 40 CFR 50.

"Federal reference method" or "FRM" means a method of sampling and analyzing the ambient air for an air pollutant that USEPA has specified as a reference method in an appendix to 40 CFR 50, incorporated by reference in Section 243.108, or a method that USEPA has designated as a reference method pursuant to 40 CFR 53 and that is included in the List of Designated Methods, including later updates, incorporated by reference in Section 243.108; the term "federal reference method" does not include a method for which USEPA has cancelled or superseded a reference method designation in accordance with 40 CFR 53.11 or 53.16, as reflected in the incorporation by reference in Section 243.108. BOARD NOTE: Derived from 40 CFR 50.1(f) (definition of "reference method") and 53.1 (definition of "federal reference method"). The clause "including later updates" in this definition is intended to include methods canceled by USEPA pursuant to 40 CFR 53.11 or 53.16 for which the cancellation is included in the updates to the List of Designated Methods incorporated by reference in Section 243.108. A federal designation of an FRM becomes effective upon publication of a notice in the Federal Register. A federal cancellation of an FRM becomes effective upon deletion from the listing of FRMs or from an appendix to 40 CFR 50.

129	"Micrograms per cubic meter" or "µg/m3" means one millionth (10-6) of a gram of
130	a contaminant per cubic meter of ambient air, as measured and determined by the
131	methods prescribed for that contaminant.
132	BOARD NOTE: The Board added this definition and that for "milligrams per
133	liter".
134	
135	"Milligrams per cubic meter" or "mg/m3" means one thousandth (10-3) of a gram
136	of a contaminant per cubic meter of ambient air, as measured and determined by
137	the methods prescribed for that contaminant.
138	The state of the s
139	"National Ambient Air Quality Standard" or "NAAQS" means a standard
140	established by USEPA that applies to outdoor air throughout the United States.
141	BOARD NOTE: The Board added this definition, derived from the definition in
142	"Terms of Environment: Glossary, Abbreviations, and Acronyms" (December
143	1997), EPA 175-B-97-001, at p. 30. USEPA has codified the NAAQS at 40 CFR
144	50.
145	BOARD NOTE: The Board added this definition based on the definition in
146	"Terms of Environment: Glossary, Abbreviations, and Acronyms" (December
147	1997), document number EPA 175-B-97-001, USEPA, Office of
148	Communications, Education, and Public Affairs, at p. 30.
149	
150	"Natural event" means an event in which human activity plays little or no direct
151	causal role.
152	
153	"Parts per billion" or "ppb" means the ratio of the parts of a specified contaminant
154	to a billion parts of air by weight (1:10 <sup>-9</sup> ), as measured and determined by the
155	methods prescribed for that contaminant.
156	BOARD NOTE: The Board added this definition and that for "parts per million",
157	derived from the parentheticals in 40 CFR 50.4(a) and (b) and 50.17(a) and the
158	definition of "parts per billion (ppb)/parts per million (ppm)" in "Terms of
159	Environment: Glossary, Abbreviations, and Acronyms" (December 1997), EPA
160	175-B-97-001, at p. 34.
161	
162	"Parts per million" or "ppm" means the ratio of the parts of a specified
163	contaminant to a million parts of air by weight (1:10 <sup>-6</sup> ), as measured and
164	determined by the methods prescribed for that contaminant.
165	BOARD NOTE: The Board added this definition, derived from the parentheticals
166	in 40 CFR 50.4(a) and (b) and 50.17(a) and the definition of "parts per billion
67	(ppb)/parts per million (ppm)" in "Terms of Environment: Glossary,
.68	Abbreviations, and Acronyms" (December 1997), EPA 175-B-97-001, at p. 34.
.69	
70	"PM <sub>10</sub> " means particulate matter that has an aerodynamic diameter less than or
71	equal to a nominal 10 micrometers (µm).
	- 10 moromotos (μm).

172		BOARD NOTE: The Board added this definition, derived from the parenthetical
173		definition in 40 CFR 50.6(c).
174		
175		"PM2.5" means particulate matter that has an aerodynamic diameter less than or
176		equal to a nominal 2.5 micrometers (µm).
177		BOARD NOTE: The Board added this definition, derived from the parenthetical
178		definition in 40 CFR 50.7(a).
179		<u> </u>
180		"Traceable" means that a local standard has been compared and certified either
181		directly or via not more than one intermediate standard to
182		directly or via not more than one intermediate standard, to a primary standard,
183		such as a National Bureau of Standards Standard Reference Material (NBS SRM), or a USEPA (NBS approved Cortified Reference Material (NBS SRM)).
184		or a USEPA/NBS-approved Certified Reference Material (CRM).
185		"I ISEDA" means the United States Emilianus 1 B
186		"USEPA" means the United States Environmental Protection Agency.
187		BOARD NOTE: Derived from 40 CFR 50.1(c). The Board has used "USEPA"
188		in text where USEPA has used "Administrator", where action by USEPA is
189		clearly contemplated. Otherwise, the Board has retained the term" Agency" as defined in this Section.
190		defined if this Section.
191	ROARD NO	TE: Derived from 40 CER 50.1 (2012)
192	indicated.	TE: Derived from 40 CFR 50.1 (2012), except as otherwise more specifically
193	marcatea.	
194	<del>a)</del>	Event as stated in this Day 1 1 1 1 100
195	<del>u)</del>	Except as stated in this Part and unless a different meaning of a term is clear from
196		its context, the definitions of terms used in this Part shall be the same as those
197		used in the Environmental Protection Act [415 ILCS 5] (Act).
198	L	
198	<del>b)</del>	All terms that appear in this Part have the definitions specified by 35 Ill. Adm.
		Code 201 or 211.
200	(0	A 1.1
201	(Sour	ce: Amended at 37 Ill. Reg, effective)
202	G 4: 040 :	100 C
203	Section 243.	102 <u>Scope</u> Preamble
204		
205	<u>a)</u>	This Part sets forth the NAAQS adopted by USEPA under section 109 of the
206		CAA (42 USC 7409) and incorporated into this Part pursuant to 415 ILCS 5/7.2
207		and 10(H).
208		
209	<u>b)</u>	National primary ambient air quality standards (primary NAAQS) define levels of
210		air quality that USEPA has judged are necessary, with an adequate margin of
211		satety, to protect the public health. National secondary ambient air quality
212		standards (secondary NAAQS) define levels of air quality that USEPA has judged
213		necessary to protect the public welfare from any known or anticipated adverse
214		effects of a pollutant. These standards are subject to revision, and additional

215		primary and secondary NAAQS may be promulgated as USEPA deems necessary
216		to protect the public health and welfare.
217		
218	<u>c)</u>	The promulgation of primary and secondary NAAQS must not be considered in
219		any manner to allow significant deterioration of existing air quality in any portion
220		of this State.
221		
222	a)	Air quality standards are limits on atmospheric concentrations of air contaminants
223	,	established for the purpose of protecting public health and welfare. The levels of
224		air quality designated by the standards are designed to protect against injury to
225		human, plant or animal life and they are further intended to allow maximum
226		enjoyment of life and property consistent with the intent of the Act.
227		onjoyment of the did property consistent with the intelle of the Act.
228	<del>b)</del>	The first use of our air resources is to sustain life. Air entering the respiratory
229	•)	tract must not menace health. Therefore, the air quality standards set must, as a
230		minimum provide air which will not adversally effect at a large transfer at the set must, as a
231		minimum, provide air which will not adversely affect, through acute or chronic
232		symptoms, the health of the community. Adverse health effects include not only
233		the possible production and aggravation of disease, but also interference with
234		bodily functions. The standards have also taken into account soiling, corrosion, vegetation damage and other human effects.
235		vegetation damage and other numan effects.
236	e)	Primary ambient air avality standard 1 C 1 1 C 1 1 C 1
237	C)	Primary ambient air quality standards define levels of air quality which are
238		necessary, with an adequate margin of safety, to protect the public health.
239		Secondary ambient air quality standards define levels of air quality which are
240		necessary to protect the public welfare from any known or anticipated adverse
241		effects of a pollutant.
242	<del>d)</del>	The standards are well 1 The 1 The standards are the standards
243	<del>u)</del>	The standards are more than goals. They are legally enforceable limitations, and
244		any person causing or contributing to a violation of the standards is subject to
245		enforcement proceedings under the Act. The standards have also been designed
246		for use as a basis for the development of implementation plans by State and local
247		agencies for the abatement and control of pollutant emissions from existing
248		sources, and for the determination of air contaminant emission limitations to
249		insure that population and economic growth trends do not add to the region's air
250		pollution problems.
251	DOAD.	D NOTE: Device I for A0 CPD 50 0 (2010)
252	DUAR	D NOTE: Derived from 40 CFR 50.2 (2012).
253	(Ca	o. A 1. 1. 4.27 III. D
	(Source	e: Amended at 37 Ill. Reg, effective)
254	Contin- 040 44	0.00 A 30 3 030,
255	Section 243.10	03 Applicability
256	The second of	to all to December 1.
257	i ne standards	in this Part applyare applicable throughout the State of Illinois except as

The standards in this Part applyare applicable throughout the State of Illinois, except as

258 259	otherwise pro	ovided	in this Part.
260 261	(Sour	ce: A	mended at 37 Ill. Reg, effective)
262	Section 242	104 N	ondegradation (Repealed)
262 263	Section 245.	104 IN	ondegradation (Kepealed)
263 264	Essisting analy	iamt ai	n graditer that is better them the setablished surbised in sociliar at a dead and set al.
265			r quality that is better than the established ambient air quality standards at the
			on will be maintained in its present high quality. Such ambient air quality
266			d unless and until it is proved to the Illinois Environmental Protection Agency
267 268			hange is justifiable as a result of necessary economic and social development re with or become injurious to human health or welfare.
269 270	(Sour	ce: Re	epealed at 37 Ill. Reg, effective)
271			
272	Section 243.	105 A	ir Quality Monitoring Data Influenced by Exceptional Events
273			
274	<u>a)</u>	<u>Req</u> ı	<u>uirements</u>
275			
276		1)	The Agency may request USEPA to exclude from use in determinations
277			data showing an exceedance of an NAAQS that is directly due to an
278			exceptional event. The Agency must demonstrate to USEPA that the
279			event caused a specific air pollution concentration at a particular air
280			quality monitoring location.
281			
282		<u>2</u> )	A demonstration to justify data exclusion may include any reliable and
283			accurate data, but must demonstrate a clear causal relationship between
284			the measured exceedance of an NAAQS and the event in accordance with
285			subsection $(c)(3)(D)$ .
286			
287	<u>b)</u>		rminations by USEPA. USEPA has stated the criteria for making a
288		dete	rmination to exclude data as follow:
289			
290		<u>1)</u>	Exceptional Events. USEPA has stated that it will exclude data from use
291			in determinations of exceedance of an NAAQS when the Agency has
292			demonstrated that an exceptional event caused a specific air pollution
293			concentration in excess of one or more NAAQS at a particular air quality
294			monitoring location, and the Agency otherwise satisfies the requirements
295			of 40 CFR 50.14.
296			
297		<u>2</u> )	Fireworks Displays. USEPA has stated that it will exclude data from use
298			in determinations of exceedance of an NAAQS when the Agency has
299			demonstrated that emissions from fireworks displays caused a specific air
300			pollution concentration in excess of one or more NAAQS at a particular

301 302 303 304 305 306 307			require treated provid signifi includ	elity monitoring location, and the State otherwise satisfies the ements of 40 CFR 50.14. USEPA has stated that this data will be in the same manner as exceptional events under subsection (b)(1), ed the Agency has demonstrated that the use of fireworks is cantly integral to traditional national, ethnic or other cultural events, ing, but not limited to, July Fourth celebrations, that satisfy the ements of 40 CFR 50.14.
308		•		
309		<u>3)</u>		ibed Fires. USEPA has stated that it will exclude data from use in
310				inations of exceedance of an NAAQS when the Agency has
311				strated that emissions from prescribed fires caused a specific air
312				on concentration in excess of one or more NAAQS at a particular
313				lity monitoring location, and the Agency otherwise satisfies the
314			_	ements of 40 CFR 50.14, provided that the emissions are from
315			_	bed fires that USEPA determines meets the definition of
316				stional event" in Section 243.101, and provided that the Agency has
317				ed to USEPA that the State has adopted and is implementing a
318 319				Management Program (SMP) or the State has ensured that the
320				employed basic smoke management practices. If an exceptional
320				occurs using the basic smoke management practices approach, the
322				y must undertake a review of the State's approach to ensure public
323			of an S	is being protected and must include consideration of development
324			<u>01 all 3</u>	DIVIT.
325		DO AD	אחז	E: In each of corresponding 40 CFR 50.14(b)(1), (b)(2) and (b)(3),
326				E. In each of corresponding 40 CFR 30.14(b)(1), (b)(2) and (b)(3), EPA shall exclude data from use in determinations of
327				nd NAAQS violations." In the first person, "shall" is used more to
328				nt intent or to commit to future action. The Board has changed
329				"USEPA has stated that it will." Further, the Board has relied on
330				m "exceedance of an NAAOS".
331		the del	inica ici	in exceedance of all NAAQS.
332	<u>c)</u>	Schedi	ules and	Procedures
333	<u>v</u>	School	ares aria	Troccuties
334		<u>1)</u>	Public	Notification. The Agency or, when the Agency has delegated
335		<u>- 1</u>		ity pursuant to Section 4(g) or (r) of the Act, or, the Agency's
336				tee, must notify the public promptly whenever an event occurs or is
337			_	ably anticipated to occur that may result in the exceedance of an
338			NAAC	•
339			11111	<del></del>
340		<u>2)</u>	Flaggi	ng of Data
341		=	* ************************************	- <u>0</u>
342			<u>A)</u>	The Agency must notify USEPA of the State's intent to exclude
343			- <u>1</u>	one or more measured exceedances of an NAAQS as being due to

344			an exceptional event by placing a flag in the appropriate field for
345			the data record of concern that has been submitted to the federal air
346			quality system (AQS) database.
347			
348		<u>B)</u>	Flags placed on data in accordance with this Section must be
349			deemed informational only, and the data must not be excluded
350			from determinations with respect to an exceedance of an NAAQS
351			unless and until USEPA notifies the Agency of USEPA
352			concurrence following the Agency's submittal of a demonstration
353			pursuant to subsection (c)(3) by placing a concurrence flag in the
354			appropriate field for the data record in the AQS database.
355			
356		<u>C</u> )	Flags placed on data as being due to an exceptional event, together
357			with an initial description of the event, must be submitted to
358			USEPA not later than July 1 of the calendar year following the
359			year in which the flagged measurement occurred, except as
360			allowed under subsection (c)(2)(D) or (c)(2)(E).
361			
362		<u>D)</u>	This subsection (c)(2)(D) corresponds with 40 CFR
363		<del>-</del>	50.14(c)(2)(iv), which has expired by its own terms. This
364			statement maintains structural consistency with the federal
365			regulations.
366			
367		<u>E)</u>	This subsection (c)(2)(E) corresponds with 40 CFR 50.14(c)(2)(v),
368		<u>~</u> ,	which has expired by its own terms. This statement maintains
369			structural consistency with the federal regulations.
370			birdetara consistency with the rederat regulations.
371		<u>F)</u>	USEPA has stated that, when USEPA sets an NAAQS for a new
372		<u></u> /	pollutant or revises the NAAQS for an existing pollutant, USEPA
373			may revise or set a new schedule for flagging exceptional event
374			data, providing initial data descriptions, and providing detailed
375			data documentation in AQS for the initial designations of areas for
376			those NAAQS. Table A of this Part provides the existing schedule
377			for submission of flags with initial descriptions in AQS and
378			detailed documentation. These schedules apply for those data that
379			will or may influence the initial designation of areas for those
380			NAAQS. USEPA has stated that it will revise the table upon
381			which Table A is based as necessary to accommodate revised data
382			submission schedules for new or revised NAAQS.
383			Securitation Selectures for the World IVAAQS.
384	<u>3)</u>	Suhmi	ssion of Demonstrations
385	<u>)</u>	Buom	resion of Demonstrations
,,,,			

<u>A)</u>	When the Agency has flagged data as being due to an exceptional event and is requesting exclusion of the affected measurement data, the Agency must, after notice and opportunity for public comment, submit a demonstration to USEPA to justify data exclusion not later than the sooner of three years following the error of the calendar quarter in which the flagged concentration was recorded or 12 months prior to the date that a regulatory decision must be made by USEPA. The Agency must submit to USEPA to public comments it received, along with its demonstration.	<u>nd</u>
<u>B)</u>	This subsection (c)(3)(B) corresponds with 40 CFR 50.14(b)(3)(is which pertains only to a reporting period and opportunity to demonstrate exceptions that has passed. This statement maintains structural consistency with the federal regulations.	
<u>C)</u>	This subsection (c)(3)(C) corresponds with 40 CFR 50.14(b)(3)(iii), which pertains only to a reporting period and opportunity to demonstrate exceptional events that has passed in a provision that has expired by its own terms. This statement maintains structural consistency with the federal regulations.	<u>a</u>
<u>D)</u>	The demonstration to justify data exclusion must provide the following evidence:	
	<u>That the event satisfies the definition of "exceptional event set forth in Section 243.101;</u>	<u>.t"</u>
	ii) That there is a clear causal relationship between the measurement under consideration and the event that is claimed to have affected the air quality in the area;	
	iii) That the event is associated with a measured concentration in excess of normal historical fluctuations, including background; and	<u>1</u>
	iv) That there would have been no exceedance or violation but for the event.	<u>t</u>
<u>E)</u>	With the submission of the demonstration, the Agency must document that the public comment process was followed.	
BOARD NOTE: Der	ived from 40 CFR 50.14 (2012).	
	B) C) D)	event and is requesting exclusion of the affected measurement data, the Agency must, after notice and opportunity for public comment, submit a demonstration to USEPA to justify data exclusion not later than the sooner of three years following the er of the calendar quarter in which the flagged concentration was recorded or 12 months prior to the date that a regulatory decision must be made by USEPA. The Agency must submit to USEPA t public comments it received, along with its demonstration.  B) This subsection (c)(3)(B) corresponds with 40 CFR 50.14(b)(3)(i) which pertains only to a reporting period and opportunity to demonstrate exceptions that has passed. This statement maintain structural consistency with the federal regulations.  C) This subsection (c)(3)(C) corresponds with 40 CFR 50.14(b)(3)(iii), which pertains only to a reporting period and opportunity to demonstrate exceptional events that has passed in a provision that has expired by its own terms. This statement maintains structural consistency with the federal regulations.  D) The demonstration to justify data exclusion must provide the following evidence:  i) That the event satisfies the definition of "exceptional even set forth in Section 243.101;  ii) That there is a clear causal relationship between the measurement under consideration and the event that is claimed to have affected the air quality in the area;  iii) That the event is associated with a measured concentration in excess of normal historical fluctuations, including background; and  iv) That there would have been no exceedance or violation but for the event.

429	(Source: Added at 37 Ill. Reg, effective)
430	, chective
431	Section 243.106 Monitoring (Repealed)
432	<u> </u>
433	Pollution levels will be determined by fixed or mobile sampling stations beyond the premises on
434	which a source is located. Stations will be located according to the guidelines for established
435	monitoring networks as developed by the United States Environmental Protection Agency.
436	
437	(Source: Repealed at 37 Ill. Reg, effective)
438	
439	Section 243.107 Reference Conditions
440	
441	All measurements of air quality that are expressed as mass per unit volume (e.g., micrograms per
442	<u>cubic meter</u> , other than for particulate matter (except PM <sub>2.5</sub> ) standards contained in Section
443	243.120(b) and (c) and lead standards contained in Section 243.126(b) are corrected to a
444	reference temperature of 25° C, and to a reference pressure of 760 millimeters of mercury
445	(1013.2 millibars). Measurements of PM <sub>2.5</sub> , for purposes of comparison to the standards
446	contained in Section 243.120(b) and (c) and lead, measurements shall for purposes of
147	comparison to the standards contained in Section 243 126(b) must be reported based upon the
148	actual ambient air volume measured at the actual temperature and pressure at the monitoring site
149	during the measurement period.
150	
151	BOARD NOTE: Derived from 40 CFR 50.3 (2012).
152	
153	(Source: Amended at 37 Ill. Reg, effective)
154	
55	Section 243.108 Incorporations by Reference
56	
57	The following materials are incorporated by reference. These incorporations do not include any
58	later amendments or editions:
59	
60	Government Printing Office (GPO), 732 Capitol Street NW, Washington DC
61	20401 (telephone: 202-512-1800 or 866-512-1800; website: www.gpo.gov)
62	The following documents incorporated by reference are available from this
63	source:
64	
65	Appendix A-1 to 40 CFR 50 (2012) (Reference Measurement Principle
66	and Calibration Procedure for the Measurement of Sulfur Dioxide in the
67	Atmosphere (Ultraviolet Fluorescence Method)), referenced in Section
68	<u>243.122.</u>
69	

	JCAR330243-130/316r01
470	Appendix A-2 to 40 CFP 50 (2012) (Pagental Action 1)
471	Appendix A-2 to 40 CFR 50 (2012) (Reference Method for the
472	Determination of Sulfur Dioxide in the Atmosphere (Pararosaniline
473	Method)), referenced in Section 243.122.
474	Annondin D. A. 40 CED 50 (2012) (T. a.
475	Appendix B to 40 CFR 50 (2012) (Reference Method for the
476	Determination of Suspended Particulate Matter in the Atmosphere (High-
477	Volume Method)), referenced in appendix G to 40 CFR 50.
478	1. 0. 10.000
479	Appendix C to 40 CFR 50 (2012) (Reference Measurement Principle and
480	<u>Calibration Procedure for the Measurement of Carbon Monoxide in the</u>
	Atmosphere (Non-Dispersive Infrared Photometry)), referenced in Section
481	<u>243.123.</u>
482	
483	Appendix D to 40 CFR 50 (2012) (Reference Measurement Principle and
484	<u>Calibration Procedure for the Measurement of Ozone in the Atmosphere</u> )
485	referenced in Section 243.125.
486	<del>-</del>
487	Appendix F to 40 CFR 50 (2012) (Reference Measurement Principle and
488	Calibration Procedure for the Measurement of Nitrogen Dioxide in the
489	Atmosphere (Gas Phase Chemiluminescence)), referenced in Section
490	243.124.
491	
492	Appendix G to 40 CFR 50 (2012) (Reference Method for the
493	Determination of Lead in Suspended Particulate Matter Collected from
494	Ambient Air), referenced in Section 243.126.
495	Telepholog in Section 245.120.
496	Appendix H to 40 CFR 50 (2012) (Interpretation of the 1-Hour Primary
497	and Secondary National Ambient Air Quality Standards for Ozone),
498	referenced in Section 243.125.
499	responded in Section 243.123.
500	Annendix I to 40 CEP 50 (2012) (Intermedial)
501	Appendix I to 40 CFR 50 (2012) (Interpretation of the 8-Hour Primary and
502	Secondary National Ambient Air Quality Standards for Ozone), referenced in Section 243.125.
503	referenced in Section 243.123.
504	Annendix I to 40 CED 50 (2012) (B. C
505	Appendix J to 40 CFR 50 (2012) (Reference Method for the
506	Determination of Particulate Matter as PM <sub>10</sub> in the Atmosphere).
507	referenced in Section 243.120.
508	Annondia V 4- 40 GED 50 (0010) (7
509	Appendix K to 40 CFR 50 (2012) (Interpretation of the Primary and
510	Secondary National Ambient Air Quality Standards for Particulate
511	Matter), referenced in Section 243.120.
211	

512	Appendix L to 40 CFR 50 (2012) (Reference Method for the
513	<u>Determination of Fine Particulate Matter as PM<sub>2.5</sub> in the Atmosphere</u> )
514	referenced in Section 243.120.
515	
516	Appendix N to 40 CFR 50 (2012) (Interpretation of the Primary and
517	Secondary National Ambient Air Quality Standards for Particulate
518	Matter), referenced in Section 243.120.
519	
520	Appendix O to 40 CFR 50 (2012) (Reference Method for the
521	Determination of Coarse Particulate Matter as PM <sub>10-2.5</sub> in the
522	Atmosphere), referenced in appendix Q to 40 CFR 50 and for use in
523	federally required monitoring by the NCore system pursuant to 40 CFR
524	58.
525	<del></del>
526	Appendix P to 40 CFR 50 (2012) (Interpretation of the Primary and
527	Secondary National Ambient Air Quality Standards for Ozone).
528	referenced in Section 243.125.
529	and bootion 243.123.
530	Appendix Q to 40 CFR 50 (2012) (Reference Method for the
531	Determination of Lead in Particulate Matter as PM <sub>10</sub> Collected from
532	Ambient Air), referenced in appendix R to 40 CFR 50.
533	Experienced in appendix R to 40 CFR 50.
534	Annendix R to 40 CED 50 (2012) (Intermediate Col. 21 co.
535	Appendix R to 40 CFR 50 (2012) (Interpretation of the National Ambient
536	Air Quality Standards for Lead), referenced in Section 243.126.
537	Annendix S to 40 CED 50 (2012) (T.4
538	Appendix S to 40 CFR 50 (2012) (Interpretation of the Primary National
539	Ambient Air Quality Standards for Oxides of Nitrogen (Nitrogen
540	Dioxide)), referenced in Section 243.124.
541	Annendix T to 40 CED 50 (2012) (T
542	Appendix T to 40 CFR 58 (2012) (Interpretation of the Primary National
543	Ambient Air Quality Standards for Oxides of Sulfur (Sulfur Dioxide)),
544	referenced in Section 243.122.
545	Cloop Air Act 42 LIGO 7401
546	Clean Air Act, 42 USC 7401 et seq. (2011) (for definitions of terms only).
547	referenced in Section 243.102.
548	DOADD MOTE C
549	BOARD NOTE: Segments of the Code of Federal Regulations and the United
550	States Code are available for free download as PDF documents from the GPO
551	FDsys website: http://www.gpo.gov/fdsys/.
	TIOPDA N
552	USEPA, National Exposure Research Laboratory, Human Exposure &
553	Atmospheric Sciences Division (MD-D205-03), Research Triangle Park NC

554		27711. The following documents incorporated by reference are available from
555		this source:
556		
557		"List of Designated Reference and Equivalent Methods" (December 17,
558		2012) (referred to as "List of Designated Methods" and referenced in
559		Sections 243.101, 243.120, 243.122, 243.123, 243.124, 243.125, and
560		243.126.
561		This reference includes the Federal Register notices subsequent to
562		December 17, 2012 that updated the List of Designated Methods.
563		- Designated Methods.
564		BOARD NOTE: This document is available for free download as a PDF
565		document from the USEPA, Technology Transfer, Ambient Monitoring
566		Technology Information Center website: http://www.epa.gov/ttn/amtic/
567		criteria.html.
568		<del></del>
569	<del>a)</del>	Pararosaniline method, 40 CFR 50, appendix A (1982).
570	,	
571	<del>b)</del>	Non-dispersive infrared spectrometry technique, 40 CFR 50, appendix C (1982).
572	Ź	36 Fed. Reg. 22391, November 25, 1971.
573		5
574	e)	Colorimetric method, 36 Fed. Reg. 22396, November 25, 1971.
575	•	25, 1771.
576	<del>d)</del>	Ozone ethylene reaction method, 40 CFR 50, appendix D (1982), 36 Fed. Reg.
577	•	22392, November 25, 1971.
578		, , , , , , , , , , , , , , , , , , , ,
579	e)	Lead, 40 CFR 50, appendix G (2008).
580	ŕ	, 11 (2000).
581	£)	Reference method for the determination of particulate matter as PM <sub>10</sub> in the
582	•	atmosphere, 40 CFR 50, appendix J (1990).
583		, 11 (2550).
584	<del>g)</del>	Interpretation of the National Ambient Air Quality Standards (NAAQS) for
585		particulate matter, 40 CFR 50, appendix K, 73 Fed. Reg. 61144 (October 17,
586		<del>2006).</del>
587		
588	<del>h)</del>	Reference method for the determination of particulate matter as PM <sub>2.5</sub> in the
589		atmosphere, 40 CFR 50, appendix L, 73 Fed. Reg. 61144 (October 17, 2006).
590		, in the second 11, 2000).
591	<del>i)</del>	Interpretation of the NAAQS for PM <sub>2.5</sub> , 40 CFR 50, appendix N, 73 Fed. Reg.
592		1497 (January 9, 2008).
593		
594	<del>j)</del>	Interpretation of the NAAQS for O <sub>3</sub> , 40 CFR 50, appendix P, 73 Fed. Reg. 16436
595		(March 27, 2008).
596		

597	<del>k)</del>	The NAAQS for Lead; Final Rule, 40 CFR 50, 51, 53, and 58, 73 Fed. Reg.
598	,	66964 (November 12, 2008).
599		10000 (110 veilioer 12, 2006).
600	<del>1)</del>	Interpretation of the NAAQS for Lead, 40 CFR 50, appendix R, 73 Fed. Reg.
601	,	66964 (November 12, 2008).
602		7
603	(Sou	rce: Amended at 37 Ill. Reg, effective
604	`	one converge
605		SUBPART B: STANDARDS AND MEASUREMENT METHODS
606		THE THE STATE OF THE PROPERTY
607	Section 243.	120 PM <sub>10</sub> and PM <sub>2.5</sub>
608		213
609	<u>a)</u>	1987 Primary and Secondary 24-Hour NAAQS for PM <sub>10</sub>
610		
611		1) The level of the 1987 primary and secondary 24-hour NAAQS for PM <sub>10</sub> is
612		150 μg/m <sup>3</sup> , 24-hour average concentration. The 1987 primary and
613		secondary NAAQS for PM <sub>10</sub> is attained when the expected number of
614		days per calendar year with a 24-hour average concentration above 150
615		μg/m <sup>3</sup> , as determined in accordance with appendix K to 40 CFR 50,
616		incorporated by reference in Section 243.108, is equal to or less than one.
617		_
618		2) This subsection (a)(2) corresponds with 40 CFR 51.6(b), a provision
619		marked "reserved" by USEPA. This statement maintains structural
620		consistency with the corresponding federal regulation.
621		
622		3) For the purpose of determining attainment of the 1987 primary and
623		secondary 24-hour NAAOS for PM <sub>10</sub> , particulate matter must be measured
624		in the ambient air as $PM_{10}$ by a method that fulfills either of the following
625 626		requirements:
627		A) Process
628		A) An FRM based on appendix J to 40 CFR 50, incorporated
529		by reference in Section 243.108, and designated by USEPA
530		and listed in the List of Designated Methods, incorporated
531		by reference in Section 243.108; or
532		D) An EFM 1 1 11 YEAR
533		B) An FEM designated by USEPA and listed in the List of Designated
534		Methods, incorporated by reference in Section 243.108.
535		ROADD NOTE: This subsection (1)
536		BOARD NOTE: This subsection (a) is derived from 40 CFR 50.6
537		(2012). USEPA adopted 1997 primary NAAQS for PM <sub>10</sub> at 62 Fed. Reg. 38652
38		(July 18, 1997). As a result of a judicial vacatur, USEPA later removed the
		transitional provision relative to the 1987 NAAQS at 65 Fed. Reg. 80776 (Dec.

639		22, 2000) and the 1997 NAAQS at 69 Fed. Reg. 45595 (July 30, 2004). Thus, the
640		1987 primary and secondary NAAQS for PM <sub>10</sub> are included in this subsection (a).
641		are included in this subsection (a).
642	<u>b)</u>	1997 Primary and Secondary Annual Average and 24-Hour NAAQS for PM <sub>2.5</sub>
643		Timidal Average and 24-Hour NAAQS for PM <sub>2.5</sub>
644		1) The 1997 primary and secondary annual average NAAQS for PM <sub>2.5</sub> is
645		15.0 μg/m <sup>3</sup> , annual arithmetic mean concentration, and the 1997 primary
646		and secondary 24-hour NAAQS for PM <sub>2.5</sub> is 65 μg/m <sup>3</sup> , 24-hour average
647		concentration, measured in the ambient air as PM <sub>2.5</sub> by a method that
648		fulfills either of the following requirements:
649		and the state of t
650		A) An FRM based on appendix L of 40 CFR 50, incorporated by
651		reference in Section 243.108, and designated by USEPA and listed
652		in the List of Designated Methods, incorporated by reference in
653		Section 243.108; or
654		
655		B) An FEM designated by USEPA and listed in the List of Designated
656		Methods, incorporated by reference in Section 243.108.
657		
658		2) The 1997 primary and secondary annual average NAAQS for PM <sub>2.5</sub> is met
659		when the annual arithmetic mean concentration, as determined in
660		accordance with appendix N of 40 CFR 50, incorporated by reference in
661		Section 243.108, is less than or equal to 15.0 µg/m <sup>3</sup> .
662		
663		The 1997 primary and secondary 24-hour NAAQS for PM <sub>2.5</sub> is met when
664		the 96 percentile 24-nour concentration, as determined in accordance
665 666		with appendix N of 40 CFR 50, incorporated by reference in Section
667		243.108, is less than or equal to 65 $\mu$ g/m <sup>3</sup> .
668		DOADD MOTE THE
669		BOARD NOTE: This subsection (b) is derived from 40 CFR 50.7 (2012). The
670		2000 primary and secondary annual average and 24 hour NAAOS for DM
671		differs from the 1997 standards in that the 24-hour average concentration required
672		by the 2000 standard is substantially lower (more stringent) than that for the 1007
673		standard. The Board has retained the 1997 standard in this subsection (b) because
674		USEPA has retained the 1997 standard in 40 CFR 50.6.
675	<u>c)</u>	2006 Primary and Secondary
676	<u>~</u> /	2006 Primary and Secondary Annual Average and 24-Hour NAAQS for PM <sub>2.5</sub>
677		1) The 2006 primary and secondary annual average NA AOS for DM:
678		1) The 2006 primary and secondary annual average NAAQS for PM <sub>2.5</sub> is
679		15.0 μg/m <sup>3</sup> , annual arithmetic mean concentration, and the 2006 primary
680		and secondary 24-hour NAAQS for PM <sub>2.5</sub> is 35 μg/m <sup>3</sup> , 24-hour average concentration, measured in the ambient air as PM <sub>2.5</sub> by a method that
681		fulfills either of the following requirements:

600		
682		
683		A) An FRM based on appendix L of 40 CFR 50, incorporated by
684		reference in Section 243.108, and designated by USEPA and listed
685		in the List of Designated Methods, incorporated by reference in
686		Section 243.108; or
687		<u> </u>
688		B) An FEM designated by USEPA and listed in the List of Designated
689		B) An FEM designated by USEPA and listed in the List of Designated Methods, incorporated by reference in Section 243.108.
690		section 243.108.
691		2) The 2006 primary and secondary annual average NAAOS for DM.
692		
693		when the annual arithmetic mean concentration, as determined in
694		accordance with appendix N of 40 CFR 50, incorporated by reference in
695		Section 243.108, is less than or equal to 15.0 μg/m <sup>3</sup> .
696		The 2006 primary and secondary 24-hour NAAOS for PM is most related
697		
698		the 98 <sup>th</sup> percentile 24-hour concentration, as determined in accordance
699		with appendix N of 40 CFR 50, incorporated by reference in Section
700		243.108, is less than or equal to 35 $\mu$ g/m <sup>3</sup> .
701		ROARD NOTE: This subsection ( ): 1
702		BOARD NOTE: This subsection (c) is derived from 40 CFR 50.13 (2012).
703	<del>a)</del>	Standards The mineral 1
704	α)	Standards. The primary and secondary ambient air quality standards for PM <sub>10</sub> are
705		a maximum 24 hour average concentration of 150 µg/m³. The standards are
706		attained when the expected number of days per calendar year with a 24-hour
707		average concentration above 150 µg/m³ is equal to or less than one, as measured
708		and determined in accordance with subsection (b).
709	<del>b)</del>	Management Mad 1 B 1
710	<del>0)</del>	Measurement Method. For determining conformance with the PM <sub>10</sub> ambient air
711		quarry standards, PM <sub>10</sub> shall be measured by the method described in 40 CED 50
712		appendix J of all equivalent method designated purculant to 10 CED 52
713		(incorporated by reference in Section 243.108). The standards are attained when
714		the expected number of days per calendar year with a 24 hour average
715		concentration above 150 µg/m <sup>3</sup> is equal to or less than one, as determined in
716		accordance with 40 CFR 50, appendix K (incornerated by reference in Section
717		243.108).
718	۵)	C41. 1 m
719	e)	Standards. The primary and secondary ambient air quality standards for PM <sub>2.5</sub>
720		are:
720 721		1)
721		1) An annual arithmetic mean concentration of 15.0 μg/m³ and as measured
723		and determined in conformance with subsection (d).
123		• • •

724		<del>2)</del>	A maximum 24 hour concentration of 35µg/m³, at the 98th percentile
725		,	value and as measured and determined in a C
726			value, and as measured and determined in conformance with subsection (d).
727			(d).
728	<del>d)</del>	Med	Surament Mathod for DM
729	۵)	amb	isurement Method for PM <sub>2.5</sub> . For determining conformance with the PM <sub>2.5</sub>
730		40.0	vient air quality standards, PM <sub>2.5</sub> shall be measured by the method described in
731		52 (	FR 50, appendix L or an equivalent method designated pursuant to 40 CFR
732		eten	incorporated by reference in Section 243.108). Compliance with the
733		50	dards is determined using the methods and procedures described in 40 CFR
734		<del>30, t</del>	appendix N (incorporated by reference in Section 243.108).
735		1)	771
736		<del>1)</del>	The annual primary and secondary PM2.5 standards are met when the
737			annual arithmetic mean concentration, as determined in accordance with
737			40 CFR 50, appendix N, is less than or equal to 15.0 µg/m <sup>3</sup> .
736 739		<b>a</b> \	
739 740		<del>2)</del>	The 24 hour primary and secondary PM <sub>2.5</sub> standards are met when the 98 <sup>th</sup>
			percentile 24 hour concentration, as determined in accordance with 40
741			CFR 50, appendix N, is less than or equal to 35 µg/m <sup>3</sup> .
742	(0		
743	(Sou	rce: An	nended at 37 Ill. Reg, effective)
744			
745	Section 243.	122 St	ılfur Oxides (Sulfur Dioxide)
746			
747	<u>a)</u>	<u>1971</u>	Primary Annual Average and 24-Hour NAAQS for Sulfur Oxides (as Sulfur
748		<u>Diox</u>	ide (SO <sub>2</sub> ))
749			
750		<u>1)</u>	The level of the 1971 primary annual average NAAQS for sulfur oxides is
751			0.050 ppm, not to be exceeded in a calendar year. The annual arithmetic
752			mean must be rounded to three decimal places (fractional parts equal to or
753			greater than 0.0005 ppm must be rounded up).
754			<u> </u>
755		<u>2)</u>	The level of the 1971 primary 24-hour NAAQS for sulfur oxides is 0.14
756			ppm, not to be exceeded more than once per calendar year. The 24-hour
757			averages must be determined from successive non-overlapping 24-hour
758			blocks starting at midnight each calendar day and must be rounded to two
759			decimal places (fractional parts equal to or greater than 0.005 ppm must be
760			rounded up).
761			
762		<u>3)</u>	Sulfur oxides must be measured in the ambient air as SO <sub>2</sub> by the FRM
763		<del></del>	described in appendix A-2 to 40 CFR 50, incorporated by reference in
764			Section 243.108, or by an FEM designated by USEPA and listed in the
765			List of Designated Methods, incorporated by reference in Section 243.108.
766			

- To demonstrate attainment, the annual arithmetic mean and the second-highest 24-hour averages must be based upon hourly data that are at least 75 percent complete in each calendar quarter. A 24-hour block average must be considered valid if at least 75 percent of the hourly averages for the 24-hour period are available. In the event that only 18-, 19-, 20-, 21-, 22-, or 23-hour averages are available, the 24-hour block average must be computed as the sum of the available hourly averages using the number of hours (i.e., 18, 19, etc.) as the divisor. If less than 18-hour averages are available, but the 24-hour average would exceed the level of the standard when zeros are substituted for the missing values, subject to the rounding rule of subsection (b), this must be considered a valid 24-hour average. In this case, the 24-hour block average must be computed as the sum of the available hourly averages divided by 24.
- The 1971 primary annual average and 24-hour NAAQS for sulfur oxides set forth in this subsection (a) remain applicable to all areas notwithstanding the promulgation of the 2010 primary one-hour NAAQS for sulfur oxides in subsection (c). The Board will delete the 1971 primary annual average and 24-hour NAAQS for sulfur oxides set forth in this subsection (a) after fulfillment of the conditions recited by USEPA in corresponding 40 CFR 50.4(e).

BOARD NOTE: Corresponding 40 CFR 50.4(e) recites that the 1971 primary NAAOS for sulfur oxides remains effective in two types of areas for which USEPA has not yet approved an implementation plan for attainment with the 2010 primary one-hour NAAQS for sulfur oxides. The first type of area is one that USEPA had designated as non-attainment for that standard as of the effective date of the 2010 primary one-hour NAAOS for the 1971 primary NAAOS for sulfur oxides as of the effective date of the 2010 NAAQS. That date was August 23, 2010. See 75 Fed. Reg. 35520 (June 22, 2010). As of that date, USEPA had not designated any area in Illinois as non-attainment. See 40 CFR 81.314 (2010). The Board is unaware of any USEPA SIP call for any area of Illinois relative to the 1971 primary NAAQS for sulfur oxides. As of December 31, 2012, USEPA had not yet designated the attainment status of areas in Illinois. See 40 CFR 81.314 (2012). The Agency recommended that USEPA designate limited areas of Illinois as non-attainment with the 2010 primary one-hour NAAQS. See letter of June 2, 2011 from Laurel Kroack, Chief, Bureau of Air, Agency, to Cheryl A. Newton, Director, Office of the Air and Radiation Division, USEPA Region 5 (available at http://www.epa.gov/so2designations/recletters/ R5 IL rec wtechanalysis.pdf). When the conditions of this subsection

809 810 811			(a)(5) have been fulfilled, or USEPA has removed 40 CFR 50.4, the Board will remove the standard of this subsection (a) as obsolete.
812 813	<u>b)</u>	<u>1971</u>	Secondary Three-Hour NAAQS for Sulfur Oxides (as SO <sub>2</sub> )
814 815		1)	The level of the 1971 secondary three-hour NAAQS for sulfur oxides is
816			0.5 ppm, not to be exceeded more than once per calendar year. The three-hour averages must be determined from successive non-overlapping three-
817 818			nour blocks starting at midnight each calendar day and must be rounded to
819			one decimal place (fractional parts equal to or greater than 0.05 ppm must be rounded up).
820			<u>se rounded up).</u>
821 822		<u>2)</u>	Sulfur oxides must be measured in the ambient air as SO <sub>2</sub> by the FRM
823			described in appendix A-2 to 40 CFR 50, incorporated by reference in
824 825			Section 243.108, or by an FEM designated by USEPA and listed in the List of Designated Methods, incorporated by reference in Section 243.108.
826		<u>3)</u>	
827		<u>≃</u> ,	To demonstrate attainment, the second-highest three-hour average must be based upon hourly data that are at least 75 percent complete in each
828			<u>calendar quarter.</u> A three-hour block average must be considered volid
829			only it all three nourly averages for the three-hour period are available. If
830 831			only one or two nourly averages are available, but the three-hour average
832			would exceed the level of the standard when zeros are substituted for the
833			missing values, subject to the rounding rule of subsection (b)(1) this must
834			be considered a valid three-hour average. In all cases, the three-hour
835			block average must be computed as the sum of the hourly averages divided by three.
836			
837		<u>BOAR</u>	D NOTE: This subsection (b) is derived from 40 CFR 50.5 (2012).
838			
839 840	<u>c)</u>	<u>2010 P</u>	rimary One-Hour NAAQS for Sulfur Oxides (as SO <sub>2</sub> )
841		<u>1)</u>	The level of the 2010
842		1)	The level of the 2010 primary one-hour NAAQS for sulfur oxides is 75
843			ppb, measured in the ambient air as $SO_2$ .
844		<u>2)</u>	The 2010 one-hour primary NAAQS for sulfur oxides is met at an ambient
845			air quality monitoring site when the three-year average of the annual (99th
846			percentile) of the daily maximum one-hour average concentrations is less
847			than or equal to 75 ppb, as determined in accordance with appendix T of
848			40 CFR 50, incorporated by reference in Section 243.108.
849 850			
851		<u>3)</u>	The level of the 2010 one-hour primary NAAQS for sulfur oxides must be measured by an FRM based on appendix A-1 or A-2 of 40 CFR 50,

852		incorporated by reference in Section 242 100				
853		incorporated by reference in Section 243.108, or by an FEM designated by				
854		USEPA and listed in the List of Designated Methods, incorporated by reference in Section 243.108.				
855	reference in Section 243.108.					
856		ROARD NOTE: This make at a contraction of the second				
857		BOARD NOTE: This subsection (c) is derived from 40 CFR 50.17 (2012). The				
858		12/1 primary IVAAQS for SQ2 remains in effect until the federal conditions. CAS				
859		CFR 50.4(e) have been fulfilled, as outlined in subsection (a)(5) and the appended Board note.				
860		Board Hote.				
861	<del>a)</del>	Primary Standards Ti				
862	<del>47</del>	Primary Standards. The primary ambient air quality standards for sulfur oxides				
863		measured as sulfur dioxide are:				
864		1) A 1 1 1 1				
865		1) An annual arithmetic mean concentration of 80 μg/m³ (0.03 ppm); and				
866						
867		A maximum 24-hour concentration, not to be exceeded more than once				
868		per year, of 365 μg/m <sup>3</sup> (0.14 ppm).				
869	1. \					
870	<del>b)</del>	Secondary Standard. The secondary ambient air quality standard for sulfur oxides				
870 871		measured as surfur dioxide is a maximum 3 hour concentration not to be avoided.				
		more than once per year of 1,300 µg/m³ (0.5 ppm).				
872						
873	<del>e)</del>	Measurement Method. For determining conformance with sulfur oxide air quality				
874		standards, surrur oxides shall be measured as sulfur dioxide by the negrous will				
875		method described in 40 CFK 50, appendix A (incorporated by reference in				
876		Section 243.108), or by an equivalent method of proof approved by the Agency.				
877						
878	(Source: Amended at 37 Ill. Reg, effective)					
879						
880	Section 243.1	123 Carbon Monoxide				
881						
882	<u>a)</u>	The 1971 eight-hour and one-hour primary NAAQS for carbon monoxide are as				
883		follows:				
884						
885		1) An eight-hour average concentration of 9 ppm (10 mg/m <sup>3</sup> ), not to be				
886		exceeded more than once per year; and				
887		per year, and				
888		2) A one-hour average concentration of 35 ppm (40 mg/m <sup>3</sup> ), not to be				
889		exceeded more than once per year.				
890		por jour.				
891	<u>b)</u>	The levels of carbon monoxide in the ambient air must be measured by a method				
892		that fulfills either of the following requirements:				
893		Total				

894		<u>1)</u>	An FRM based on appendix C of 40 CFR 50, incorporated by reference in
895		<del></del>	Section 243.108, and designated by USEPA and listed in the List of
896			Designated Methods, incorporated by USEPA and listed in the List of
897			Designated Methods, incorporated by reference in Section 243.108; or
898		<u>2)</u>	An FEM designated by LISEDA and live 1: 41 The second
899		=-	An FEM designated by USEPA and listed in the List of Designated Methods, incorporated by reference in Section 243.108.
900			extenses, meorporated by reference in Section 243.108.
901	<u>c)</u>	An e	ight-hour average concentration must be seen it.
902	<del></del>	perce	ent of the hourly average for the gight have in his in the considered valid if at least 75
903		that o	ent of the hourly average for the eight-hour period is available. In the event
904		must	be computed on the basis of the bours are it like eight-hour average
905		divis	be computed on the basis of the hours available using six (or seven) as the
906		<u></u>	<u> </u>
907	<u>d)</u>	When	1 Summarizing data for companies as 141 41
908		stated	summarizing data for comparison with the standards, averages must be
909		stand	I to one decimal place. Comparison of the data with the levels of the
910		greate	ards in ppm must be made in terms of integers with fractional parts of 0.5 or er rounded up.
911		Broatt	or rounded up.
912	BOAI	RD NO	TE: This Section is derived from 40 CFR 50.8 (2012).
913		1,0	123. This Section is derived from 40 CFR 50.8 (2012).
914	<del>a)</del>	Stand	ards. The ambient air quality standards for carbon monoxide are:
915	,	~	and an information an quarty standards for carbon monoxide are:
916		<del>1)</del>	A maximum & hour concentration not to be
917		- /	A maximum 8-hour concentration not to be exceeded more than once per year of 10 milligrams per cubic meter (9 ppm); and,
918			your or to minigrams per outlie meter (9 ppm); and,
919		<del>2)</del>	A maximum 1-hour concentration not to be exceeded more than once per
920		,	year of 40 milligrams per cubic meter (35 ppm).
921			y and to annual per enote meter (55 ppm).
922	<del>b)</del>	Measu	strement Method. For determining conformance with the carbon monoxide
923	·	air qua	dity standard, carbon monoxide shall be measured by the nondispersive
924		infrare	d spectrometry technique as described in 40 CFR 50, App. C (1982), 36
925		Fed. R	eg. 22,391, November 25, 1971, or by an equivalent method approved by
926		the Ag	enev.
927		J	
928	(Source	e: Ame	ended at 37 Ill. Reg, effective
929	·		tog, encenve
930	Section 243.12	24 Nitr	ogen Oxides (Nitrogen Dioxide as Indicator)
931			<del></del>
932	<u>a)</u>	The lev	vel of the 1971 primary annual average NAAQS for nitrogen oxides is 53
933		ppb, an	nual average concentration, measured in the ambient air as nitrogen
934		dioxide	$(NO_2)$ .
935			

936 937 938	<u>b</u> )	The level of the 2010 primary one-hour NAAQS for nitrogen oxides is 100 ppb, one-hour average concentration, measured in the ambient air as NO <sub>2</sub> .
939 940 941 942	<u>c)</u>	The level of the 1971 secondary annual average NAAQS for nitrogen oxides is $0.053$ ppm (100 $\mu$ g/m <sup>3</sup> ), annual arithmetic mean concentration, measured in the ambient air as NO <sub>2</sub> .
943 944	<u>d</u> )	The levels of the standards in subsections (a) through (c) must be measured by:
945 946 947 948		1) An FRM based on appendix F to 40 CFR 50, incorporated by reference in Section 243.108, and designated by USEPA and listed in the List of Designated Methods, incorporated by reference in Section 243.108; or
949 950 951		2) By a federal FEM designated by USEPA and listed in the List of Designated Methods, incorporated by reference in Section 243.108.
952 953 954 955 956	<u>e)</u>	The 1971 primary annual average NAAOS for nitrogen oxides in subsection (a) is met when the annual average concentration in a calendar year is less than or equal to 53 ppb, as determined in accordance with appendix S of 40 CFR 50, incorporated by reference in Section 243.108, for the annual standard.
957 958 959 960 961 962	Ð	The 2010 one-hour primary NAAQS for nitrogen oxides in subsection (b) is met when the three-year average of the annual 98 <sup>th</sup> percentile of the daily maximum one-hour average concentration is less than or equal to 100 ppb, as determined in accordance with appendix S of 40 CFR 50, incorporated by reference in Section 243.108, for the 1-hour standard.
963 964 965 966 967 968 969	<u>g)</u>	The 1971 secondary annual average NAAQS for nitrogen oxides in subsection (c) is attained when the annual arithmetic mean concentration in a calendar year is less than or equal to 0.053 ppm, rounded to three decimal places (fractional parts equal to or greater than 0.0005 ppm must be rounded up). To demonstrate attainment, an annual mean must be based upon hourly data that are at least 75 percent complete or upon data derived from manual methods that are at least 75 percent complete for the scheduled sampling days in each calendar quarter.
971 972 973	<del>a)</del>	Standard. The ambient air quality standard for nitrogen dioxide is an annual arithmetic mean concentration of 100 micrograms per cubic meter (0.05 ppm).
974 975 976 977 978	<del>b)</del>	Measurement Method. For determining conformance with the nitrogen dioxide air quality standard, nitrogen dioxide shall be measured by the colorimetric method as described in 36 Fed. Reg. 22,396, November 25, 1971, or by an equivalent method approved by the Agency.

979	(Source: Amended at 37 Ill. Reg, effective)
980	, effective
981	Section 243.125 8-Hour-Ozone
982	
983	a) 1979 Primary and Secondary One-Hour NAAQS for Ozone
984	secondary One-Hour NAAQS for Uzone
985	1) The level of the 1979 primary and secondary and 1
986	
987	measured by an FRM based on appendix D to 40 CFR 50, incorporated by reference in Section 243 108, and design at 11 MARCH 101 incorporated by
988	reference in Section 243.108, and designated by USEPA and listed in the
989	List of Designated Methods, incorporated by reference in Section 243.108, is 0.12 ppm (235 µg/m <sup>3</sup> ). The NAAQS is attained when the expected
990	number of days per calendar year with maximum hourly average
991	concentrations above 0.12 nm (225 / 3):
992	concentrations above 0.12 ppm (235 µg/m³) is equal to or less than 1, as determined by appendix H to 40 CER 50.
993	determined by appendix H to 40 CFR 50, incorporated by reference in Section 243.108.
994	
995	2) The 1979 primary and secondary one-hour NAAOS 6
996	2) The 1979 primary and secondary one-hour NAAQS for ozone set forth in this subsection (a) will remain applicable to all areas notwithstanding the
997	promulgation of the 2008 eight-hour primary and secondary NAAQS for
998	ozone set forth in subsection (b). USEPA has stated in corresponding 40
999	CFR 50.9(b) that the one-hour primary and secondary NAAOS for ozone set forth in this subsection (a) will a large set forth in this subsection (b) will a large stated in corresponding 40
1000	set forth in this subsection (a) will no longer apply to an area one year
1001	after the effective date of the designation of that area by USEPA pursuant
1002	to 42 USC 7407 for the 2008 eight-hour primary and secondary NAAQS
1003	for ozone. USEPA has codified the area designations and classifications
1004	with respect to the primary and secondary 1997 one-hour NAAQS and the
1005	2008 primary and secondary NAAQS for ozone in 40 CFR 81.314.
1006	that secondary typical for ozone in 40 CFR 81.314.
1007	BOARD NOTE: This subsection (a) is derived from 40 CFR 50.9 (2012).
1008	USEPA revoked the 1979 primary and secondary one-hour NAAQS for ozone for all areas in Illinois effective June 15, 2005. St. 10 GPD at 15 and
1009	all areas in Illinois effective June 15, 2005. See 40 CFR 81.314 (table for one-
1010	ESTATION TO OZUIC, HOLE 1. AL PER REG MAATO TE (A 2 200 c)
1011	Obli As state implementation plan (SIP) regulations however
1012	State may mist apply for modification of the SID for the 1007
1013	secondary one-nour INAAON for ozone eight years often the
1014	<u> </u>
1015	MARK ODDI A Has approved slich a SIP modification the Decart
1016	1979 primary and secondary one-hour NAAQS for ozone of 50 CFR 50.9.
1017	
1018	b) 1997 Primary and Secondary Eight-Hour NAAQS for Ozone
1019	
1020	1) The 1997 hour primary and secondary eight-hour NAAQS for ozone,
1021	measured by an FRM based on appendix D to 40 CFR 50, incorporated by
	by to 40 Cl R 30, incorporated by

1022 reference in Section 243.108, and designated by USEPA and listed in the 1023 List of Designated Methods, incorporated by reference in Section 243.108, 1024 is 0.08 ppm, daily maximum eight-hour average. 1025 1026 The 1997 primary and secondary eight-hour NAAOS for ozone is met at <u>2</u>) 1027 an ambient air quality monitoring site when the average of the annual 1028 fourth-highest daily maximum eight-hour average ozone concentration is 1029 less than or equal to 0.08 ppm, as determined in accordance with appendix 1030 I to 40 CFR 50, incorporated by reference in Section 243.108. 1031 1032 USEPA has stated in corresponding 40 CFR 50.10(c) that the 1997 <u>3)</u> 1033 primary and secondary eight-hour NAAQS for ozone set forth in 1034 subsection (b)(1) will no longer apply to an area for transportation 1035 conformity purposes one year after the effective date of USEPA 1036 designation of that area pursuant to 42 USC 7407 for the 2008 primary 1037 and secondary eight-hour NAAQS set forth for ozone in subsection (c)(1). 1038 The 1997 primary and secondary eight-hour NAAQS for ozone set forth in 1039 this subsection (b) will remain applicable to all areas for all other purposes 1040 notwithstanding the 2008 primary and secondary eight-hour NAAQS for 1041 ozone set forth in subsection (c) or the USEPA designation of areas for 1042 that 2008 primary and secondary eight-hour NAAQS for ozone. 1043 1044 BOARD NOTE: USEPA has codified area designations and 1045 classifications with respect to the 1997 and 2008 primary and secondary 1046 NAAQS for ozone in 40 CFR 81.314. When USEPA has taken action and 1047 the conditions of subsection (b)(3) have been fulfilled, or USEPA has 1048 removed 40 CFR 50.9 or 50.10, the Board will remove obsolete 1997 1049 primary and secondary one-hour or eight-hour NAAQS for ozone from 1050 subsections (a) and (b). 1051 1052 BOARD NOTE: This subsection (b) is derived from 40 CFR 50.10 (2012). 1053 1054 2008 Primary and Secondary Eight-Hour NAAQS for Ozone <u>c)</u> 1055 1056 The 2008 primary and secondary eight-hour NAAQS for ozone is 0.075 1) 1057 ppm, daily maximum eight-hour average, measured by an FRM based on 1058 appendix D to 40 CFR 50, incorporated by reference in Section 243.108, 1059 and designated by USEPA and listed in the List of Designated Methods, incorporated by reference in Section 243.108, or an FEM designated by 1060 1061 USEPA and listed in the List of Designated Methods, incorporated by 1062 reference in Section 243.108. 1063

1064		<u>2)</u>	The 2008 primary and account to the same state of the same state o
1065		=4	The 2008 primary and secondary eight-hour NAAQS for ozone ambient
1066			air quality standards are met at an ambient air quality monitoring air
1067			when the unee-year average of the annual fourth-highest doily mani-
1068			organi-nour average ozone concentration is less than or agual to 0.075
1069			as determined in accordance with appendix P to 40 CFR 50 incompanied
1070			by reference in Section 243.108.
1071		DO A D	D Morro missis a second
1072		DUAK	D NOTE: This subsection (c) is derived from 40 CFR 50.15 (2012).
1073	<del>a)</del>		
1074	<del>u )</del>	0.075 -	d. The primary and secondary ambient air quality standards for ozone are
1075		,	pin (parts but mitther faith maximim v have access
1076		measure	ed and determined in accordance with subsection (b).
1077	<del>b)</del>		
1078	<del>9</del> 7	40 CED	ement Method. Ozone shall be measured by a reference method based on
1079		TO CLIC	. 50, appendix 15 and designated in accordance with 40 OFD so
1080		(meorbe	rated by reference in Section 242 100) or an agricultural
1081		designa	to in accordance with an Cho 53. The miner is 1
1082		ar quai	by standards are filet when the average of the opposed for the constant
1083			The Carolina average the concentration to look the carolina to the care
1084		<del>us ucteri</del> <del>243.108</del>	Three using, to Crit Ju. annendix P (incorporated by reference in Co.
1085	7	<del>~13.108</del>	<del>,</del>
1086	(Source	· Amon	dod at 27 III D
1087	(Source	. Amen	ded at 37 Ill. Reg, effective)
1088	<b>Section 243.12</b> 6	6 Lead	
1089		o Leau	
1090	<u>a</u> ) 1	1978 Pri	mary and Secondary Ossats 1
1091	<del></del>		mary and Secondary Quarterly Average NAAQS for Lead
1092	1	<u>)</u> T	the 1978 primary and secondary and secondary
1093	_		the 1978 primary and secondary quarterly average NAAQS for lead and
1094		G	s compounds, measured as elemental lead by an FRM based on appendix
1095		de	to 40 CFR 50, incorporated by reference in Section 243.108, and esignated by USEPA and listed in the List of Designated Methods,
1096		in	scorporated by reference in Section 243.108, or by an FEM designated by
097		Ū	SEPA and listed in the List of Designated Methods, incorporated by
.098		re	ference in Section 243.108, is 1.5 μg/m <sup>3</sup> , maximum arithmetic mean
099		av	veraged over a calendar quarter.
100			
101	<u>2</u> )	) <u>Ti</u>	ne 1978 primary and secondary quarterly average NAAQS for lead set
102		<u>fo</u>	rth in this subsection (a) will remain applicable to all areas
103		no	twithstanding the 2008 primary and secondary quarterly average
104		N	AAQS for lead in subsection (b). The 1978 primary and secondary
105		qu	arterly average NAAQS for lead set forth in this subsection (a) will no
106		<u>lor</u>	nger apply to an area one year after the effective date of the designation
			die effective date of the designation

			00111030243-1307310101
1107			of that area by USEPA pursuant to 42 USC 7407 C
1108			of that area by USEPA pursuant to 42 USC 7407 for the 2008 primary and
1109			secondary three-month average NAAQS for lead set forth in subsection  (b): except that, for areas decision
1110			(b); except that, for areas designated nonattainment for the 1978 primary
1111			and secondary quarterly average NAAQS for lead set forth in this
1112			subsection (a) as of January 12, 2009, the 1978 primary and seconds
1113			NAAQS 101 lead set forth in this subsection (a) will apply well tigen.
1114			has approved an implementation plan for that area pursuant to 42 LICO
			7514 providing for attainment or maintenance of the 2000 minutes at
1115			secondary three-month average NAAQS for lead set forth in subsection
1116			(b).
1117			
1118			BOARD NOTE: The Board substituted "January 12, 2009" for the open-
1119			ended language in corresponding 40 CFR 50.12(b) relative to the effective
1120			date of 40 CFR 50.16. January 12, 2009 is the effective date recited at 73
1121			Fed Reg 66964 (Nov. 12, 2009) HGEPA in effective date recited at 73
1122			Fed. Reg. 66964 (Nov. 12, 2008). USEPA designated Granite City as
1123			nonattainment with the 2008 primary and secondary three-month average
1124			NAAQS for lead in 2010 and an area of Chicago in 2011. USEPA
1125			designated all other areas of Illinois for the 2008 primary and secondary
1126			three-month average NAAOS for lead in 2012. See 40 CFR 81.314 (area
1127			designations in Illinois); 76 Fed. Reg. 72097, 108 (Nov. 22, 2011)
1128			(effective December 31, 2011): 75 Fed Reg 71033 42 (Nov. 22, 2010)
1129			this subsection (a) has been
1130			obsolete since December 31, 2012.
1131		DO A	DD MOTE MILLS
1132		<u> DU</u>	ARD NOTE: This subsection (a) is derived from 40 CFR 50.12 (2012).
1133	<u>b)</u>		
1134	<u>07</u>	<u> 2000</u>	Primary and Secondary Three-Month Average NAAQS for Lead
1135			
1136		<u>1)</u>	The 2008 primary and secondary three-month average NAAQS for lead
1137			and its compounds is 0.15 Hg/m <sup>2</sup> arithmetic mean concentration
1137			directional period, measured in the ambient air as lead by sith an acti
1138			following:
1140			
1140			A) An FRM based on appendix G of 40 CFR 50, incorporated by
			reference in Section 243.108, and designated by USEPA and listed
1142			in the List of Designated Methods, incorporated by reference in
1143			Section 243.108; or
1144			<u>—</u>
1145			B) An FEM designated by USEPA and listed in the List of Designated
1146			Methods, incorporated by reference in Section 243.108.
1147			_
1148		<u>2)</u>	The 2008 primary and secondary three-month average NAAQS for lead
1149			are met when the maximum arithmetic three-month mean concentration
			differentiation

1150		for a three-year period, as determined in accordance with appendix R of
1151		40 CFR 50, incorporated by reference in Section 243.108, is less than or
1152		equal to $0.15 \mu\text{g/m}^3$ .
1153		
1154		BOARD NOTE: This subsection (b) is derived from 40 CFR 50.16 (2012).
1155		======================================
1156	<del>a)</del>	Standard. The primary and secondary ambient air quality standards for lead and
1157	,	its compounds measured as elemental lead are 0.15 µg/m³, maximum rolling three
1158		month average measured and determined over a three-year period.
1159		mediated and determined over a three-year period.
1160	<del>b)</del>	Measurement Method. For determining conformance with the ambient air quality
1161	,	standards for lead and its compounds, lead and its compounds shall be measured
1162		as elemental lead by reference method based on 40 CFR 50, appendix G and
1163		designated in accordance with 40 CFR 53, or by an equivalent method designated
1164		in accordance with 40 CFR 53 (incorporated by reference in Section 243.108).
1165		Compliance with the primary and secondary ambient air quality standards shall be
1166		determined in accordance with 40 CFR 50, appendix R (incorporated by reference in Section 242, 100)
1167		in Section 243.108).
1168		
1169	(Sour	ce: Amended at 37 Ill. Reg, effective
1170	`	, checute

# 1171 Section 243.APPENDIX A Rule into Section Table (Repealed)

1173 1174

1175

RULE	SECTION
301 302 303 304 305 306 307 308 309 310 311 312 313	243.102 243.103 243.104 Appendix C 243.106 243.107 243.121 243.122 Repealed 243.123 243.124 243.125 243.126
(Source: Repealed at 37 Ill. Reg.	, effective)

## 1176 Section 243.APPENDIX B Section into Rule Table (Repealed)

<b>SECTION</b>	RULE	
<del>243.101</del>		
<del>243.102</del>	<del>301</del>	
<del>243.103</del>		
<del>243.104</del>		
<del>243.106</del>		
<del>243.107</del>		
<del>243.121</del>		
<del>243.122</del>		
<del>243.123</del>	<del>310</del>	
<del>243.124</del>	<del>311</del>	
<del>243.125</del>	<del>312</del>	
<del>243.126</del>	<del>313</del>	
(Source: Repealed at 37	III. Reg. ef	fective )
•	, 01	
	243.101 243.102 243.103 243.104 243.106 243.107 243.121 243.122 243.123 243.124 243.125 243.126	243.101 — 243.102 301 243.103 302 243.104 303 243.106 305 243.107 306 243.121 307 243.122 308 243.123 310 243.124 311 243.125 312 243.126 313

1181	Section 243.APPENDIX C Past Compliance Dates (Repealed)
1102	
1183	Except as otherwise noted, compliance with this Part was required June 26, 1973.
1101	
1185	(Source: Repealed at 37 Ill. Reg, effective
1186	

Section 243.TABLE A Schedule of Exceptional Event Flagging and Documentation Submission for New or Revised NAAQS

NAAQS (Level) Regulatory Citations  2006 24-hour PM <sub>2.5</sub> (35 μg/m³) Section 243.120(c)(1) 40 CFR 50.13(a) 71 Fed. Reg. 61144 (Oct. 17, 2006)	Air quality data collected for calendar year 2004-2006	Event flagging & initial description deadline  October 1, 2007	Detailed documentation submission deadline April 15, 2008
2008 eight-hour ozone (0.075 ppm) Section 243.125(c)(1) 40 CFR 50.15(a) 73 Fed. Reg. 16436 (Mar. 27, 2008)	2005-2007 2008 2009	June 18, 2009 June 18, 2009 60 days after the end of the calendar quarter in which the event occurred or February 5, 2010, whichever date occurred first	June 18, 2009 June 18, 2009 60 days after the end of the calendar quarter in which the event occurred or February 5, 2010, whichever date occurred first
2010 one-hour nitrogen oxides (as NO <sub>2</sub> ) (100 ppb) Section 243.124(b) 40 CFR 50.11(b) 75 Fed. Reg. 6474 (Feb. 9, 2010)	2008 2009 2010	July 1, 2010 July 1, 2010 April 1, 2011	January 22, 2011 January 22, 2011 July 1, 2010
2010 one-hour sulfur oxides (as SO <sub>2</sub> ) (75 ppb) Section 243.122(c)(1) 40 CFR 17(a) 75 Fed. Reg. 35520 (June 22, 2010)	2008 2009 2010 2011	October 1, 2010 October 1, 2010 June 1, 2011 60 days after the end of the calendar quarter in which the event occurred or March 31, 2012, whichever date occurred first	June 1, 2011 June 1, 2011 June 1, 2011 60 days after the end of the calendar quarter in which the event occurred or March 31, 2012, whichever date occurred first

1191	BOARD NOTE: Derived from table 1 to 40 CFR 50.14(c) (2012). USEPA noted that the
1192	information in this table of revised deadlines only applies to data that USEPA will use to
1193	establish the final initial designations for new or revised NAAQS. USEPA stated that the
1194	general schedule in this table applies for all other ways. USEPA stated that the
1195	general schedule in this table applies for all other purposes, most notably, for data that USEPA
1196	will use for redesignations to attainment. Corresponding table 1 to 40 CFR 50.14(c)(2) cites the
	2010 one-nour NAAQS for nitrogen oxides as "80-100 nph, final level TRD" and the 2010 and
1197	nour TVAAQS for sulfur oxides as "80-100 nph, final level TRD". The adopted 2010 and 1
1198	NAAQS for NO <sub>x</sub> at 40 CFR 50.11(1) is 100 ppb and the adopted 2010 one hour NAAQS for SQ
1199	is 75 ppb. The Board has used the actual NAAQS for these contaminants in this Table A.
1200	Further, corresponding table 1 to 40 CFR 50.14(c) includes endnotes "a" and "b" indicating
1201	whether dates for NO <sub>2</sub> and SO <sub>2</sub> are changed or analysis and "b" indicating
1202	whether dates for NO <sub>2</sub> and SO <sub>2</sub> are changed or unchanged, which the Board has omitted, since
1203	endnotes will serve no purpose in the Illinois regulations.
1203	(Course, Add. J., 27 III D
1207	(Source: Added at 37 Ill. Reg, effective)