

ILLINOIS POLLUTION CONTROL BOARD
July 17, 2013

RECEIVED
CLERK'S OFFICE

JUL 17 2013

STATE OF ILLINOIS
Pollution Control Board

ILLINOIS ENVIRONMENTAL)	
PROTECTION AGENCY,)	
)	
Complainant,)	
)	
v.)	AC 13-34
)	(Administrative Citation)
COLONIAL BRICK CO., INC., and)	
RODNEY N. BROWN, d/b/a BROWN)	
TRUCKING & READY MIX,)	
)	
Respondents.)	



ORIGINAL

HEARING OFFICER ORDER

On July 17, 2013, the parties participated in a telephone status conference with the hearing officer. Respondents hope to complete the site work soon.

The parties are directed to participate in a telephone status conference with the hearing officer at 2:30 p.m. on August 28, 2013. The status conference shall be initiated by the complainant.

IT IS SO ORDERED.

Carol Webb

Carol Webb
Hearing Officer
Illinois Pollution Control Board
1021 North Grand Avenue East
P.O. Box 19274
Springfield, Illinois 62794-9274
217/524-8509
Carol.webb@illinois.gov

CERTIFICATE OF SERVICE

It is hereby certified that true copies of the foregoing order were mailed, first class, on July 17, 2013, to each of the persons on the attached service list.

It is hereby certified that a true copy of the foregoing order was hand delivered to the following on July 17, 2013:

John T. Therriault
 Illinois Pollution Control Board
 James R. Thompson Center
 100 W. Randolph St., Ste. 11-500
 Chicago, Illinois 60601

Carol Webb

Carol Webb
 Hearing Officer
 Illinois Pollution Control Board
 1021 North Grand Avenue East
 P.O. Box 19274
 Springfield, Illinois 62794-9274
 217/524-8509
 Carol.Webb@illinois.gov

SERVICE LIST

AC 2013-034
 Michelle M. Ryan
 IEPA
 1021 North Grand Avenue East
 P.O. Box 19276
 Springfield, IL 62794-9276

AC 2013-034
 Robert M. Riffle
 Elias, Meginnes, Riffle & Seghetti, P.C.
 416 Main Street
 Suite 1400
 Peoria, IL 61602-1153

AC 2013-034
 Attn: Rodney N. Brown
 Rodney Brown Trucking & Ready Mix
 914 S. Market Street
 Knoxville, IL 61448-1298

AC 2013-034
 Phil Mumford, Rg. Agent
 Colonial Brick Co., Inc.
 2222 S. Halsted Street
 Chicago, IL 60608