BEFORE THE ILLINOIS POLLUTION CONTROL BOARD

| IN THE MATTER OF: |) | | |
|---------------------------------|-------|-------------------|-----|
| |) | | |
| WATER QUALITY STANDARDS AN | ۱D) | | |
| EFFLUENT LIMITATIONS FOR THE | E) | R08-9 (C) | |
| CHICAGO AREA WATERWAY SYS | TEM) | (Rulemaking – Wat | er) |
| AND LOWER DES PLAINES RIVER | :) | | |
| PROPOSED AMENDMENTS TO 35 I | LL.) | | |
| ADM. CODE 301, 302, 303 AND 304 |) | | |

NOTICE OF FILING

Mr. John T. Therriault Ms. Marie E. Tipsord TO: Hearing Officer Assistant Clerk of the Board Illinois Pollution Control Board 100 West Randolph Street Suite 11-500

> Chicago, Illinois 60601 (VIA ELECTRONIC MAIL)

Illinois Pollution Control Board 100 West Randolph Street Suite 11-500 Chicago, Illinois 60601

(VIA FIRST CLASS MAIL)

(SEE PERSONS ON ATTACHED SERVICE LIST)

PLEASE TAKE NOTICE that I have today filed with the Office of the Clerk of the Illinois Pollution Control Board the ILLINOIS ENVIRONMENTAL REGULATORY GROUP'S SUBDOCKET C SECOND NOTICE COMMENTS, a copy of which is herewith served upon you.

Respectfully submitted.

ILLINOIS ENVIRONMENTAL REGULATORY GROUP,

By: /s/ Alec M. Davis Dated: November 4, 2013 Alec M. Davis

Alec M. Davis General Counsel Illinois Environmental Regulatory Group 215 East Adams Street Springfield, Illinois 62701 (217) 522-5512

CERTIFICATE OF SERVICE

I, Alec M. Davis, the undersigned, hereby certify that I have served the attached ILLINOIS ENVIRONMENTAL REGULATORY GROUP'S SUBDOCKET C SECOND NOTICE COMMENTS upon:

Mr. John T. Therriault Assistant Clerk of the Board Illinois Pollution Control Board 100 West Randolph Street Suite 11-500 Chicago, Illinois 60601

via electronic mail November 4, 2013; and upon:

Ms. Marie E. Tipsord Hearing Officer Illinois Pollution Control Board 100 West Randolph Street Suite 11-500 Chicago, Illinois 60601

Matthew J. Dunn Thomas Shepherd Environmental Bureau North Office of the Attorney General State of Illinois 69 West Washington, Suite 1800 Chicago, Illinois 60602

Stefanie N. Diers Illinois Environmental Protection Agency 1021 North Grand Avenue East Post Office Box 19276 Springfield, Illinois 62794-9276

Roy M. Harsch Drinker, Biddle, & Reath, LLP 191 North Wacker Drive Suite 3700 Chicago, Illinois 60606-1698 Frederick M. Feldman Ronald M. Hill Margaret T. Conway Metropolitan Water Reclamation District 100 East Erie Street Chicago, Illinois 60611

Claire A. Manning Brown, Hay & Stephens, LLP 205 South Fifth Street Post Office Box 2459 Springfield, Illinois 62705-2459

Robert VanGyseghem City of Geneva 1800 South Street Geneva, Illinois 60134-2203

Jerry Paulsen Cindy Skrukrud Environmental Defenders of McHenry County 110 South Johnson Street, Suite 106 Woodstock, Illinois 60098

Keith I. Harley Elizabeth Schenkier Chicago Legal Clinic, Inc. 211 West Wacker Drive, Suite 750 Chicago, Illinois 60606

Frederick D. Keady Vermilion Coal Company 1979 Johns Drive Glenview, Illinois 60025

Mark Schultz
Navy Facilities and
Engineering Command
201 Decatur Avenue, Bldg. 1A
Great Lakes, Illinois 60088-2801

W.C. Blanton Husch Blackwell LLP 4801 Main Street, Suite 1000 Kansas City, Missouri 64112

James Eggen City of Joliet, Department of Public Work and Utilities 150 W. Jefferson Street Joliet, Illinois 60431

Kay Anderson American Bottoms RWTF One American Bottoms Road Sauget, Illinois 62201

Bob Carter
Bloomington Normal Water
Reclamation District
Post Office Box 3307
Bloomington, Illinois 61702-3307

Kenneth W. Liss Andrews Environmental Engineering 3300 Ginger Creek Drive Springfield, Illinois 62711 Bernard Sawyer
Thomas Granato
Metropolitan Water Reclamation District
6001 West Pershing Road
Cicero, Illinois 60650-4112

Lisa Frede Chemical Industry Council of Illinois 1400 East Touhy Avenue, Suite 110 Des Plaines, Illinois 60019-3338

Fredric P. Andes Erika K. Powers Barnes & Thornburg 1 North Wacker Drive, Suite 4400 Chicago, Illinois 60606

James L. Daugherty Thorn Creek Basin Sanitary District 700 West End Avenue Chicago Heights, Illinois 60411

Tracy Elzemeyer American Water Company 727 Craig Road St. Louis, Missouri 63141

Jack Darin Sierra Club 70 East Lake Street, Suite 1500 Chicago, Illinois 60601-7447

Cathy Hudzik
City of Chicago – Mayor's Office
of Intergovernmental Affairs
121 North LaSalle Street
City Hall – Room 406
Chicago, Illinois 60602

Stacy Meyers-Glen Openlands 25 East Washington Street, Suite 1650 Chicago, Illinois 60602

Albert Ettinger 53 West Jackson, Suite 1664 Chicago, IL 60604

Lyman C. Welch Alliance for the Great Lakes 17 N. State St., Suite 1390 Chicago, Illinois 60602

Ann Alexander Natural Resources Defense Council 2 North Riverside Plaza, Suite 2250 Chicago, Illinois 60606

Dr. Thomas J. Murphy 2325 North Clifton Street Chicago, Illinois 60614

Irina Dashevsky Jeffrey C. Fort Dentons US LLP 233 South Wacker Driver, Suite 7800 Chicago, Illinois 60606

Jessica Dexter Environmental Law and Policy Center 35 East Wacker Drive, Suite 1600 Chicago, IL 60601

Kristen Laughridge Susan Franzetti Nijman Franzetti LLP 10 South LaSalle Street, Suite 3600 Chicago, IL 60603

Tom Muth Fox Metro Water Reclamation 682 State Route 31 Oswego, Illinois 60543 Beth Steinhour 2021 Timberbrook Springfield, Illinois 62702

James Huff Huff & Huff, Inc. 915 Harger Road, Suite 330 Oak Brook, Illinois 60523

Irwin Polls
Ecological Monitoring and Assessment
3206 Maple Leaf Drive
Glenview, Illinois 60025

John Reichart American Water Company 727 Craig Road St. Louis, MO 63141

Vicky McKinley Evanston Environment Board 223 Grey Avenue Evanston, Illinois 60202

Olivia Dorothy Office of Lt. Governor Sheila Simon Room 414 State House Springfield, IL 62706

Susan Charles Thomas Dimond Ice Miller LLP 200 West Madison, Suite 3500 Chicago, IL 60606

Traci Barkley Prairie Rivers Network 1902 Fox Drive, Suite 6 Champaign, Illinois 61820

Katherine D. Hodge N. LaDonna Driver Matthew C. Read HODGE DWYER & DRIVER 3150 Roland Avenue Post Office Box 5776 Springfield, Illinois 62705-5776 Jared Policicchio
Chicago Department of Law
30 N LaSalle Street
Suite 900
Chicago, Illinois 60602

Kristy A.N. Bulleit Hunton & Williams LLC 1900 K Street, NW Washington, D.C. 20006

by depositing said documents in the United States Mail, postage prepaid, in Springfield, Illinois on November 4, 2013.

By: /s/ Alec M. Davis
Alec M. Davis

BEFORE THE ILLINOIS POLLUTION CONTROL BOARD

| IN THE MATTER OF: |) | |
|-----------------------------|----------|----------------------|
| |) | |
| WATER QUALITY STANDARDS A | AND) | |
| EFFLUENT LIMITATIONS FOR TI | HE) | R08-9 (C) |
| CHICAGO AREA WATERWAY SY | (STEM) | (Rulemaking - Water) |
| AND LOWER DES PLAINES RIVE | R:) | |
| PROPOSED AMENDMENTS TO 35 | 5 ILL.) | |
| ADM CODE 301 302 303 AND 30 | 4 | |

ILLINOIS ENVIRONMENTAL REGULATORY GROUP'S SUBDOCKET C SECOND NOTICE COMMENTS

NOW COMES the ILLINOIS ENVIRONMENTAL REGULATORY GROUP ("IERG") by and through its attorney, Alec M. Davis, and pursuant to the October 3, 2013 Proposed Second Notice Opinion and Order of the Board, hereby submits its comments in the above-captioned matter.

IERG is a not-for-profit Illinois corporation affiliated with the Illinois Chamber of Commerce. IERG is composed of fifty-one (51) member companies that are regulated by governmental agencies that promulgate, administer or enforce environmental laws, regulations, rules or other policies. A number of IERG member companies have facilities located along, and discharging to, the waterways subject to this rulemaking. Additionally, the precedent set in this rulemaking has the potential to affect IERG members state-wide. As such, IERG and its member companies have participated in this rulemaking, and IERG offers the following comments in support of many of the changes proposed by the Illinois Pollution Control Board ("Board") to its First-Notice proposal, as reflected by the Proposed Second Notice. IERG looks forward to continuing to work through the remaining outstanding issues that it has raised throughout this rulemaking in the Board's Subdocket D.

I. EXPLICIT JUSTIFICATION FOR THE USE ATTAINABILITY CONCLUSIONS

IERG is encouraged by the Board's addressing U.S. EPA's comments by explicitly detailing the aspects of the voluminous record in the rulemaking upon which it relied in analyzing the Use Attainability Analysis ("UAA") Factors 3, 4, and 5. Proposed Second Notice Opinion and Order, In the Matter of: Water Quality Standards and Effluent Limitations for the Chicago Area Waterway System and Lower Des Plaines River: Proposed Amendments to 35 Ill. Adm. Code 301, 302, 303 and 304, R08-9(C) at 36-41 (Ill.Pol.Control.Bd. October 3, 2013) (hereinafter rulemaking is cited as "R08-9(C)" and Opinion and Order cited and referred to as "Proposed Second Notice").

Regarding Factor 3, focusing on human caused conditions or sources of pollution that prevent attainment, the Board rightly recognizes that the completion of the Tunnel and Reservoir Plan ("TARP") is more than 15 years away. *Id.* at 37. Because the TARP is intended to provide water quality benefits necessary to bring the waterways subject to this rulemaking closer to full Clean Water Act uses, it seems obvious to conclude that those uses are not attainable at this time. The Board also properly identifies such human caused conditions as poor habitat quality and the electric fish barrier as providing adequate basis for concluding that UAA Factor 3 limits the attainability of many segments of the Chicago Area Waterway System ("CAWS") and Lower Des Plaines River ("LDPR"). *Id.* at 37-38. IERG would further suggest that, in light of the expansive testimony it has heard on the subject, the Board consider including reference to measures to impede the migration of invasive species as a recognized use of the segments where those activities are occurring.

Regarding Factor 4, focusing on the presence of dams, diversions, or other hydrologic modifications that prevent attainment, the Board is right to identify that U.S. EPA provided no contrary evidence to the Board's findings, and IERG agrees with the Board's conclusion that Factor 4 prevents the CAWS and LDPR from attaining the CWA fishable goal. *Id.* at 38-39.

Regarding Factor 5, focusing on physical conditions related to natural features of the water bodies that prevent attainment, the Board maintains its First-Notice position that Factor 5 limits the attainability of many segments of the CAWS and LDPR. *Id.* at 39-40. IERG agrees with the Board's characterization of the evidence in support of its conclusion as "overwhelming" and not merely based on low-flow impacts. *Id.* at 40.

II. REVISED DESIGNATION FOR THE UPPER DRESDEN ISLAND POOL

IERG supports the Board's decision to revise its First-Notice proposal to designate the Upper Dresden Island Pool ("UDIP") as General Use, and instead to create a UDIP-specific aquatic life use designation. *Id.* at 42-44. Although IERG does not necessarily agree with the Board's continued belief "that CWA aquatic life goal is attainable in UDIP" – particularly in light of apparently contradictory statements within the Board's opinion, including "the biologic condition in UDIP may not fully meet the CWA aquatic life goal" – the Board's decision does recognize and alleviate a number of concems that IERG had with including the UDIP among the General Use waters. *Id.* at 42 and 43. IERG suggests that one or more of the above-identified limitations on attainability are similarly applicable to the UDIP, and the Board should be mindful of that in proceeding to adopt standards to protect the UDIP aquatic life use in Subdocket D.

III. WATER QUALITY STANDARDS

There are a number of issues that remain unresolved as the Board proceeds to consider amendments to its rules in Subdocket D. For instance, as has been raised repeatedly by IERG in

this rulemaking, the Agency has proposed a chlorides standard that will be violated regularly if adopted by the Board. See Illinois Environmental Regulatory Group's Subdocket C Final Pre-First Notice Comments on Aquatic Life Use Designations, R08-9(C) (Ill.Pol.Control.Bd. March 5, 2012); Illinois Environmental Regulatory Group's Subdocket C First Notice Comments on Aquatic Life Use Designations, R08-9(C) at 6-11 (Ill.Pol.Control.Bd. July 1, 2013); and Illinois Environmental Regulatory Group's Response to Comments of the United States Environmental Protection Agency, R08-9(C) at 11-12 (Ill.Pol.Control.Bd. August 30, 2013). IERG remains convinced the chloride standards previously proposed for this rulemaking are simply not achievable or appropriate. IERG is encouraged, based on discussions with the Illinois EPA and as recognized by the Board in its Proposed Second Notice, that an alternate numeric chloride standard appropriate for these waters and achievable for the timeframe envisioned by this triennial review will be included within the Subdocket D proceedings. Proposed Second Notice at 51. In a similar fashion, IERG supports the Board's recognition at First Notice that issues relating to temperature will be resolved in Subdocket D. IERG looks forward to participating in that process.

IV. CONCLUSION

IERG has participated in this rulemaking because its member companies will be directly impacted by the proposed aquatic life use designations and corresponding water quality standards developed during this proceeding and because of its potential to have a precedential impact on its members state-wide. IERG is pleased to see that the Board addressed the comments of U.S. EPA through providing additional justification for its First-Notice decisions, rather than changing its findings. IERG also is encouraged that the Board chose to create a UDIP-specific aquatic life use classification to avoid the numerous complexities involved in

designating it as General Use. Finally, IERG reiterates its desire to find a solution to the outstanding issues in developing applicable water quality standards in the Board's Subdocket D.

IERG appreciates the opportunity to provide these comments. Thank you for your consideration.

Respectfully submitted,

ILLINOIS ENVIRONMENTAL REGULATORY GROUP,

Dated: November 4, 2013

By: /s/ Alec M. Davis
Alec M. Davis

Alec M. Davis General Counsel Illinois Environmental Regulatory Group 215 East Adams Street Springfield, Illinois 62701 (217) 522-5512