## BEFORE THE ILLINOIS POLLUTION CONTROL BOARD

VILLAGE OF HOMEWOOD,	)	
HOMEWOOD ILLINOIS	)	PCB 2016-014
	)	(Variance -Water)
Petitioner,	)	
	)	
v.	)	
	)	
ILLINOIS ENVIRONMENTAL PROTECTION	)	
AGENCY,	)	

## Respondent.

## **NOTICE OF FILING**

To: John Therriault, Assistant Clerk Illinois Pollution Control Board James R. Thompson Center 100 West Randolph, Suite 11-500 Chicago, Illinois 60601 Via Electronic Mail and First Class Mail Brad Halloran, Hearing Officer Illinois Pollution Control Board 1021 North Grand Avenue East Post Office Box 19274 Springfield, IL 62794

See Attached Service List

PLEASE TAKE NOTICE that I have today filed with the Office of the Pollution Control Board the <u>MOTION FOR EXTENSION OF TIME</u> for the Illinois Environmental Protection Agency, a copy of which is herewith served upon you.

Respectfully submitted,

ILLINOIS ENVIRONMENTAL PROTECTION AGENCY

By: /s/ Stefanie Diers Stefanie Diers Assistant Counsel Division of Legal Counsel

DATED: August 27, 2015 1021 N. Grand Ave. East P.O. Box 19276 Springfield, IL 62794-9276 (217) 782-5544

## BEFORE THE ILLINOIS POLLUTION CONTROL BOARD

VILLAGE OF HOMEWOOD, ) HOMEWOOD ILLINOIS PCB 2016-014 ) (Variance -Water) ) Petitioner, ) ) ) v. ) ILLINOIS ENVIRONMENTAL PROTECTION ) AGENCY, )

Respondent.

## MOTION FOR AN EXTENSION OF TIME TO FILE THE AGENCY'S RECOMMENDATION

The Illinois Environmental Protection Agency ("Illinois EPA" or "Agency"), by and through its attorney, hereby submits its Motion for an Extension of Time to file the Agency's Recommendation with respect to the Variance Petition filed by the Petitioner. In support thereof, the Illinois EPA states as follows:

1. On July 21, 2015, the Petitioner filed its Variance Petition from the chloride water quality standards recently adopted in R08-09.

2. Pursuant to the hearing officer Order issued on August 6, 2015, the Agency is to file its recommendation with respect to the variance petition on September 4, 2015.

3. Illinois EPA is currently reviewing the variance petition and also plans to have conversations with USEPA and the Petitioner before preparing its recommendation. Due to schedules and conversations needed with USEPA and the Petitioner, additional time is needed to finalize the Agency's recommendation.

4. The Agency has reached out to the Petitioner and they have advised Illinois EPA that they have no objection to the requested extension of time to file the Agency's recommendation.

5. The requested extension should not prejudice or harm any interested party.

WHEREFORE, the Illinois EPA respectfully requests the Illinois Pollution Control Board grant it's Motion for an Extension of Time for the Agency's recommendation and grant the Agency an additional 90 days from the September 4, 2015 deadline to file its recommendation with the Board. Therefore, the Agency's recommendation would be due on December 3, 2015.

Respectfully submitted,

By: /s/Stefanie N. Diers Stefanie N. Diers Assistant Counsel Division of Legal Counsel

Date: August 27, 2015

Illinois Environmental Protection Agency 1021 North Grand Avenue East P.O. Box 19276 Springfield, Illinois 62794-9276

## **CERTIFICATE OF SERVICE**

I, the undersigned, an attorney, state that I have served the attached the NOTICE OF FILING and MOTION FOR EXTENSION OF TIME for the Illinois Environmental Protection Agency upon the person to whom it is directed, by sending it electronic email to the hearing officer and mailing it by first-class mail from Springfield, Illinois, with sufficient postage affixed, to the following persons:

John Therriault, Assistant Clerk Brad Halloran, Hearing Officer Illinois Pollution Control Board James R. Thompson Center 100 West Randolph, Suite 11-500 Chicago, Illinois 60601-3218 Christopher J. Cummings, P.C. 2014 Hickory Road Suite 205 Homewood, Illinois 60430

Respectfully submitted,

# ILLINOIS ENVIRONMENTAL PROTECTION AGENCY

By: /s/ Stefanie Diers

Stefanie Diers Assistant Counsel Division of Legal Counsel

DATED: August 27, 2015

1021 N. Grand Ave. East P.O. Box 19276 Springfield, IL 62794-9276 (217) 782-5544