

July 2015

RECEIVED
CLERK'S OFFICE

AUG 28 2015

STATE OF ILLINOIS
Pollution Control Board

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

PC#236

Re: Case No. R15-21 (Rulemaking - Air)


Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.
- **Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy Ed Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and Ed Edwards plants are causing unsafe air in counties where XXX,XXX Illinoisans call home.. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name  Address 16515 W 103rd St Lockport IL
Phone _____ Email _____

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

237

Re: Case No. R15-21 (Rulemaking - Air)


Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.
- **Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy Ed Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and Ed Edwards plants are causing unsafe air in counties where XXX,XXX Illinoisans call home.. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,


 Name _____ Address 610 N. State St Lock Port
 Phone _____ Email _____

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

238

Re: Case No. R15-21 (Rulemaking - Air)

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.
- **Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy Ed Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and Ed Edwards plants are causing unsafe air in counties where XXX,XXX Illinoisans call home.. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name Janet Krawczyk Address 13320 S ~~Seton~~
 Phone 708 560 4420 Email janiekr1234@yahoo.com

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

239

Re: Case No. R15-21 (Rulemaking - Air)

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.
- **Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy Ed Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and Ed Edwards plants are causing unsafe air in counties where XXX,XXX Illinoisans call home.. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name Jodi Ulm Address 1022 Maple Ct. Lockport, IL 60441
Phone (815) 588-3488 Email itink05@comcast.net

July 2015
July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

240

Re: Case No. R15-21 (Rulemaking - Air)

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.
- **Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy Ed Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and Ed Edwards plants are causing unsafe air in counties where XXX,XXX Illinoisans call home.. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name Kim Rawson Address 14059 S Elm ST
Phone _____ Email Homer Gies Jr

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

241

Re: Case No. R15-21 (Rulemaking - Air)

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.
- **Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy Ed Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and Ed Edwards plants are causing unsafe air in counties where XXX,XXX Illinoisans call home.. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name Elizabeth Haberland Address 314 Wama St
 Phone 708 544 0465 Email ELIZABETH.haberland45@hotmail.com

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

242

Re: Case No. R15-21 (Rulemaking - Air)

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.
- **Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy Ed Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and Ed Edwards plants are causing unsafe air in counties where XXX,XXX Illinoisans call home.. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name

Julie Lisak

Address

420 E Vandalia Street, Apt B1
Edwardsville, IL

Phone

(708) 244-0840

Email

julielisak@outlook.com

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

243

Re: Case No. R15-21 (Rulemaking - Air)


Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.
- **Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy Ed Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and Ed Edwards plants are causing unsafe air in counties where XXX,XXX Illinoisans call home.. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name  Address 60 Columbia
 Phone 799-249-1381 Email _____

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

Re: Case No. R15-21 (Rulemaking - Air)

244

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.
- **Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy Ed Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and Ed Edwards plants are causing unsafe air in counties where XXX,XXX Illinoisans call home.. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name MARY BURWITZ Address 14116 HIGH RD, LOCKPORT
Phone 708 204-6924 Email bmer21gold@yahoo.com

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

Re: Case No. R15-21 (Rulemaking - Air)

245

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.
- **Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy Ed Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and Ed Edwards plants are causing unsafe air in counties where XXX,XXX Illinoisans call home.. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name Anna Lapsow Address 753 Provincetown Dr
Phone _____ Email lapsow@peaher.com

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

Re: Case No. R15-21 (Rulemaking - Air)

246

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non-Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.
- **Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy Ed Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and Ed Edwards plants are causing unsafe air in counties where XXX,XXX Illinoisans call home.. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name Martina Sanchez Address 351 S Western Boulevard
Phone 708-284-9965 Email Martina30@comcast.net

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

Re: Case No. R15-21 (Rulemaking - Air)

247

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.
- **Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy Ed Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and Ed Edwards plants are causing unsafe air in counties where XXX,XXX Illinoisans call home.. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name Maigan Van Houten Address 812 E Elm St, Streatic, IL
Phone 815 5799247 Email _____

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

Re: Case No. R15-21 (Rulemaking - Air)

248

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non-Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.
- **Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy Ed Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and Ed Edwards plants are causing unsafe air in counties where XXX,XXX Illinoisans call home.. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name Marsha Burnitz Address 14116 High Rd. Lockport, IL 60441
Phone 815-666-6129 Email mdburnitz@gmail.com

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

Re: Case No. R15-21 (Rulemaking - Air)

249

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.
- **Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy Ed Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and Ed Edwards plants are causing unsafe air in counties where XXX,XXX Illinoisans call home.. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Ronald Burnitz

Name RONALD BURNITZ Address 14116 HIGH RD. LOCKPORT IL 60451
Phone 815 666 4711 Email N/A

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

Re: Case No. R15-21 (Rulemaking - Air)

250

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.
- **Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy Ed Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and Ed Edwards plants are causing unsafe air in counties where XXX,XXX Illinoisans call home.. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name Joseph Burnitz Address 14116 High Rd. Lockport, IL
Phone _____ Email _____

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

Re: Case No. R15-21 (Rulemaking - Air)

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.
- **Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy Ed Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and Ed Edwards plants are causing unsafe air in counties where XXX,XXX Illinoisans call home.. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name Jeri Rigozi Address 1227 Will Dr. Lockport, IL
Phone 815-693-6860 Email JLR457@aol.com

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

Re: Case No. R15-21 (Rulemaking - Air)

25/2

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.
- **Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy Ed Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and Ed Edwards plants are causing unsafe air in counties where XXX,XXX Illinoisans call home.. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name James J. Jirka Address 1017 Korman Ln Solist IL 60437
 Phone 815 430 8356 Email jjirka@comcast.net

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

Re: Case No. R15-21 (Rulemaking - Air)

253

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.
- **Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy Ed Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and Ed Edwards plants are causing unsafe air in counties where XXX,XXX Illinoisans call home.. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name Karen A. Hernandez Address 6446 27th Pl Berwyn
Phone 773 9549816 Email karendostojewski@gmail.com

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

Re: Case No. R15-21 (Rulemaking - Air)

254

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.
- **Require NRG Energy's Powerton coal plant to comply with an *hourly* limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy Ed Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and Ed Edwards plants are causing unsafe air in counties where XXX,XXX Illinoisans call home.. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name Jane Brussel Address 13909 S. Marmann Ln. Homer Glen
Phone (408) 574-6027 Email jebrass@ilstu.edu IL, 60491

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

Re: Case No. R15-21 (Rulemaking - Air)

256

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.
- **Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy Ed Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and Ed Edwards plants are causing unsafe air in counties where XXX,XXX Illinoisans call home.. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name Margo Jedin Address 213 E. Madison, Villa Park, Ill
Phone _____ Email _____

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

Re: Case No. R15-21 (Rulemaking - Air)

256

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.
- **Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy Ed Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and Ed Edwards plants are causing unsafe air in counties where XXX,XXX Illinoisans call home.. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name ALEX SPENCER Address 1710 Springfield Rd, Bloomington IL
Phone _____ Email _____ 61701

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

Re: Case No. R15-21 (Rulemaking - Air)

257

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.
- **Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy Ed Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and Ed Edwards plants are causing unsafe air in counties where XXX,XXX Illinoisans call home.. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name Don Spencer Address 77 Linden Ave, Elmhurst, IL
 Phone _____ Email _____ 6/26

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

258

Re: Case No. R15-21 (Rulemaking - Air)

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.
- **Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy Ed Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and Ed Edwards plants are causing unsafe air in counties where XXX,XXX Illinoisans call home.. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name Andy Spencer Address 799 Linden Ave, Almhurst, Ill
Phone _____ Email _____ 60126

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

Re: Case No. R15-21 (Rulemaking - Air)

259

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.
- **Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy Ed Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and Ed Edwards plants are causing unsafe air in counties where XXX,XXX Illinoisans call home.. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name Claudia Gregory Address 803 Pettit Dr. Hudson, IL 61748
Phone _____ Email _____

July 2015

JULY 2015
11:00 AM

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

Re: Case No. R15-21 (Rulemaking - Air)

260

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non-Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.
- **Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy Ed Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and Ed Edwards plants are causing unsafe air in counties where XXX,XXX Illinoisans call home.. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name Mike Spencer Address 338 N. Ardmore Ave Apt A
Villa Park, IL
Phone _____ Email _____

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

Re: Case No. R15-21 (Rulemaking - Air)

261

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.
- **Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy Ed Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and Ed Edwards plants are causing unsafe air in counties where XXX,XXX Illinoisans call home.. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name Kate Spencer

Address 807 Westwood Ave, Joliet, IL 60435

Phone _____

Email _____

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

Re: Case No. R15-21 (Rulemaking - Air)

262

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.
- **Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy Ed Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and Ed Edwards plants are causing unsafe air in counties where XXX,XXX Illinoisans call home.. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name Christopher Spencer Address 804 Western Ave. Joliet 60435
Phone _____ Email _____

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

Re: Case No. R15-21 (Rulemaking - Air)

263

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.
- **Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy Ed Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and Ed Edwards plants are causing unsafe air in counties where XXX,XXX Illinoisans call home.. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name Clara Hughes Address 30 Hawthorne Blvd, Glen Ellyn, IL 60137
 Phone _____ Email _____

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

264

Re: Case No. R15-21 (Rulemaking - Air)

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.
- **Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy Ed Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and Ed Edwards plants are causing unsafe air in counties where XXX,XXX Illinoisans call home.. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name Roger Hughes Address 310 Hawthorne Blvd, Glen Ellyn
Phone _____ Email _____ 60137

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

Re: Case No. R15-21 (Rulemaking - Air)

265

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non-Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.
- **Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy Ed Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and Ed Edwards plants are causing unsafe air in counties where XXX,XXX Illinoisans call home.. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name Phillip Haberland Address 412 Addison Rd, Riverside, IL
Phone 708-983-3519 Email Busy Bright@yahoo.com

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

Re: Case No. R15-21 (Rulemaking - Air)

266

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.
- **Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy Ed Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and Ed Edwards plants are causing unsafe air in counties where XXX,XXX Illinoisans call home.. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name Jon Hume Address 2404 Riverwoods Ln. Bloomington, IL 61705
 Phone _____ Email _____

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

Re: Case No. R15-21 (Rulemaking - Air)

267

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.
- **Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy Ed Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and Ed Edwards plants are causing unsafe air in counties where XXX,XXX Illinoisans call home.. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name Melba Miland Address 412 Addison Rd
Phone 773-344-7595 Email melb2293@yahoo.com

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

268

Re: Case No. R15-21 (Rulemaking - Air)

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non-Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.
- **Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy Ed Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and Ed Edwards plants are causing unsafe air in counties where XXX,XXX Illinoisans call home.. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name Kristy Hume Address 2404 Riverviews Ln, Bloomington, IL
 Phone _____ Email _____ 61705

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

269

Re: Case No. R15-21 (Rulemaking - Air)

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non-Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.
- **Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy Ed Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and Ed Edwards plants are causing unsafe air in counties where XXX,XXX Illinoisans call home. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name Jackie Norris Address 4375. Van Buren St. Batavia, IL
 Phone _____ Email _____ 6050

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

270

Re: Case No. R15-21 (Rulemaking - Air)

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.
- **Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy Ed Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and Ed Edwards plants are causing unsafe air in counties where XXX,XXX Illinoisans call home.. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name Alana Fredler Address 4645. President, Carol Stream, ILL
Phone _____ Email _____

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

271/12e

Re: Case No. R15-21 (Rulemaking - Air)

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.
- **Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy Ed Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and Ed Edwards plants are causing unsafe air in counties where XXX,XXX Illinoisans call home.. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name Joan Marie Chapman Address 377 Hickory Lane, South Elgin IL 60179
Phone _____ Email _____

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

Re: Case No. R15-21 (Rulemaking - Air)

272

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.
- **Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy Ed Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and Ed Edwards plants are causing unsafe air in counties where XXX,XXX Illinoisans call home.. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name Jim Chapman Address 371 Hickory Lane, South Elgin, IL
Phone _____ Email 60177

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

Re: Case No. R15-21 (Rulemaking - Air)

273

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution; and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.
- **Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy Ed Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and Ed Edwards plants are causing unsafe air in counties where XXX,XXX Illinoisans call home.. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name MONICA FISCHER Address 18841 W. OLD PLANK Rd,
Phone 847-223-8586 Email MCFISCHER1231@Hotmail.com

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

274

Re: Case No. R15-21 (Rulemaking - Air)

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non-Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.
- **Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy Ed Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and Ed Edwards plants are causing unsafe air in counties where XXX,XXX Illinoisans call home.. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name MaryAnn Hauert Address 4497 N. Rohlfing Rd, Palatine, IL 60074
Phone _____ Email _____

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

Re: Case No. R15-21 (Rulemaking - Air)

275

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non-Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.
- **Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy Ed Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and Ed Edwards plants are causing unsafe air in counties where XXX,XXX Illinoisans call home.. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name Megan Dusland Address 2703 N 3853rd Sheridan IL
 Phone 815-579-8261 Email Megster1128@gmail.com

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

Re: Case No. R15-21 (Rulemaking - Air)

276

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.
- **Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy Ed Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and Ed Edwards plants are causing unsafe air in counties where XXX,XXX Illinoisans call home.. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name Dan Spencer Address 309 N. 76th St. Elmhurst Park
Phone _____ Email _____ IL

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

Re: Case No. R15-21 (Rulemaking - Air)

277

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non-Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.
- **Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy Ed Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and Ed Edwards plants are causing unsafe air in counties where XXX,XXX Illinoisans call home.. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name Tyler Bayles Address 2621 Sierra ave
Phone 815-546-8074 Email Bayles30@ajm.net

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

Re: Case No. R15-21 (Rulemaking - Air)

278

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect Will County communities and beyond.
- **Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy E.D. Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and E.D. Edwards plants are causing unsafe air in counties where 871,258 Illinoisans call home. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name Keith A. Rehr Address 16353 DEER RUN DR LOCKPORT
Phone 8158382595 Email Keith.rehr@yahoo.com

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

Re: Case No. R15-21 (Rulemaking - Air)

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

279

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect Will County communities and beyond.
- **Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy E.D. Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and E.D. Edwards plants are causing unsafe air in counties where 871,258 Illinoisans call home. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name Rita Carollo Address 408 Jefferson Parkport
Phone 8158386700 Email RAL08@YAHOO.COM