

Mary Beth Eck
5700 W 91st St
Oak Lawn, IL 60453-1513
(708) 229-1581

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynege ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynege and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,
Mary Beth Eck

Mike Hansen
874 Swan Ln
Deerfield, IL 60015-3671

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegey ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegey and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,
Mike Hansen

David Guran
1452 Oak Ave Apt 1s
Evanston, IL 60201-4230
(847) 868-8153

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,
David Guran

Sheryl Smetana
5104 N Leaside St
Mchenry, IL 60050-7764
(847) 497-9414

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,
Sheryl Smetana

Jan Tervydis
113 W Linden St Apt 2
Edwardsville, IL 62025-2000
(618) 659-1463

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,
Jan Tervydis

Ira Gerard
1440 Marleigh Ln
South Elgin, IL 60177-3049
(847) 289-0389

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynege ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynege and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,
Ira Gerard

Kevin Metcalf
509 N Prospect Manor Ave
Mt Prospect, IL 60056-2047
(847) 253-7644

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynege ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynege and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,
Kevin Metcalf

Ira Gerard
1440 Marleigh Ln
South Elgin, IL 60177-3049
(847) 289-0389

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,
Ira Gerard

April Velasquez
212 Briar Ln
North Aurora, IL 60542-1255
(630) 897-4006

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,
April Velasquez

ed willis
347 Sportmans Rd
Murphysboro, IL 62966-4071

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,
ed willis

Lawrence & Elizabeth Stange
1308 W 59th St
La Grange Highlands, IL 60525-3861
(708) 352-7013

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynege ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynege and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,
Lawrence & Elizabeth Stange

Richard Ricciotti
2323 Glenview Ave
Park Ridge, IL 60068-1704
(847) 338-6884

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegey ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegey and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,
Richard Ricciotti

Karen Young
10035 E Tanglewood Ct
Palos Park, IL 60464-1616
(708) 448-2952

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynege ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynege and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,
Karen Young

Steve Johnston
930 Prospect St
Dekalb, IL 60115-4269
(815) 756-5355

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,
Steve Johnston

Judy Dufficy
4025 Dobson St
Skokie, IL 60076-3720
(847) 675-3494

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,
Judy Dufficy

Jolinda C.
7910 W Birchdale Ave
Elmwood Park, IL 60707-1305

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the I-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,
Jolinda C.

Mehdie Vakili
216 Franklin St
Waukegan, IL 60085-4031
(847) 226-4957

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegey ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegey and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,
Mehdie Vakili

Samantha Maffeo
3934 W Estes Ave
Lincolnwood, IL 60712-1034

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,
Samantha Maffeo

Joanne Coleman
30w004 Laurel Ct
Warrenville, IL 60555-1044
(630) 876-8068

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,
Joanne Coleman

Tammi Dreier
830 Cardiff Ct
O Fallon, IL 62269-6863
(585) 507-1560

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,
Tammi Dreier

Kyle Freiler
690 Duane St
Glen Ellyn, IL 60137-4610
(630) 942-9482

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,
Kyle Freiler

Karen Snell
309 Shady Ln
Downers Grove, IL 60515-2202

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,
Karen Snell

Jane Hannemann
1525 W Rosemont Ave
Chicago, IL 60660-1322
(414) 771-3137

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,
Jane Hannemann

Lawrence Frey
219 W Washington St
Villa Park, IL 60181-2826
(630) 291-8075

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,
Lawrence Frey

Dale Wery
1251 Yorkshire Ln
Barrington, IL 60010-6524
(847) 540-5808

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,
Dale Wery

Mike & Claire Dennison
98 E 1300 Ave
Mulberry Grove, IL 62262-4009

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,
Mike & Claire Dennison

Jeanette Louis
13621 110th Ave
Orland Park, IL 60467-1203
(773) 419-9452

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,
Jeanette Louis

Julie Falco
1923 W Argyle St
Chicago, IL 60640-3307

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,
Julie Falco

Jim Scheffer
128 Bluff Ave
Grayslake, IL 60030-2311
(847) 752-8107

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,
Jim Scheffer

Tracie Gabrisko
217 Linden Oaks Ln
New Lenox, IL 60451-1197
(815) 485-5011

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,
Tracie Gabrisko

Cassandra Metz
741 Circle Dr
Roselle, IL 60172-1457

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,
Cassandra Metz

Kathy Martinez
197 Edgebrook Rd
Wood Dale, IL 60191-1945
(630) 766-0327

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,
Kathy Martinez

RogerW Coventry
7045 N 3350 East Rd
Chatsworth, IL 60921-8124
(815) 635-3634

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,
RogerW Coventry

Timur McPherson
525 S Cleveland Ave
Arlington Heights, IL 60005-2167

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,
Timur McPherson

Eunice Zavala
210 Fairlawn Dr
Round Lake Park, IL 60073-3113

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynege ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynege and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,
Eunice Zavala

Joyce Brown
244 E Railroad Ave
Genoa, IL 60135-1246
(815) 761-4471

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,
Joyce Brown

James McConkey
1475 Stonefield Dr
Dekalb, IL 60115-8901
(815) 899-9946

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynege ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynege and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,
James McConkey

Buzz Alpert
7220 N Keeler Ave
Lincolnwood, IL 60712-2021
(847) 845-4369

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynege ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynege and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,
Buzz Alpert

Nancy Rose
4739 N Artesian Ave
Chicago, IL 60625-2901

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,
Nancy Rose

Douglas Kowalewski
336 Hiawatha Dr
Lake IN The Hills, IL 60156-1421

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,
Douglas Kowalewski

Lisa Klepek
108 S Milton Ave
Glen Ellyn, IL 60137-6321

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,
Lisa Klepek

Joel Hofslund
632 Melrose Ln
Beecher, IL 60401-3612
(708) 946-6623

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,
Joel Hofslund

Denise Pretet
50 Abbey Ct
New Lenox, IL 60451-3565
(815) 462-9848

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,
Denise Pretet