

Leslie Johnson  
25 W 55th Pl  
Westmont, IL 60559-2334  
(630) 969-2107

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynege ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynege and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Leslie Johnson

Kevin Clark  
PO Box 5344  
Lansing, IL 60438-5344  
(708) 474-6860

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Kevin Clark

Carmilla Manzanet  
114 N Aberdeen St  
Chicago, IL 60607-0001  
(312) 725-2983

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Carmilla Manzanet

Kara Murray  
5302 N Winchester Ave # 2  
Chicago, IL 60640-1016

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Kara Murray

Barbara Fry  
3022 Edwards St  
Alton, IL 62002-4056  
(618) 465-7043

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Barbara Fry

Steve Glass  
1512 Anna Rd Apt 2  
Pekin, IL 61554-5189

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegey ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegey and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Steve Glass

Michelle Citron  
2148 W Summerdale Ave  
Chicago, IL 60625-1115

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynege ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynege and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Michelle Citron

Bradley Budnik  
10100 Old Orchard Ct Apt 2a  
Skokie, IL 60076-1056  
(847) 675-4660

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynege ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynege and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Bradley Budnik



Linda Kennedy  
1126 S Elmwood Ave  
Oak Park, IL 60304-2112  
(708) 848-8503

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Linda Kennedy

Janet Geiler  
103 E Scott St  
Tuscola, IL 61953-1834  
(217) 508-5932

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Janet Geiler

Janice Duplex  
1212 Heatherton Dr  
Naperville, IL 60563-2229  
(630) 579-9815

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Janice Duplex

Robert Rohdenburg  
3208 N Sheffield Ave Apt 303  
Chicago, IL 60657-7167

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegey ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegey and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Robert Rohdenburg

Sean Overton  
3029 N Troy St  
Chicago, IL 60618-6908

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegey ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegey and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Sean Overton

Ron Lichterman  
1801 Winthrop Rd  
Highland Park, IL 60035-3746  
(312) 243-7788

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegey ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegey and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Ron Lichterman

Allan Zegiel  
6711 Ayre Dr  
Mchenry, IL 60050-8066  
(815) 385-3047

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Allan Zegiel

Chris Kubiak  
43 Whites Pl  
Bloomington, IL 61701-1859

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynege ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynege and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Chris Kubiak



Mary Tazic  
239 8th Ave  
La Grange, IL 60525-6413

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Mary Tazic

John Pearson  
547 S Hillside Ave  
Elmhurst, IL 60126-3821  
(773) 248-4818

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
John Pearson

Greg Stawinoga  
1247 E 168th Pl  
South Holland, IL 60473-3151  
(708) 331-7091

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Greg Stawinoga

Steve Heissler  
901 Sheridan Rd  
Normal, IL 61761-4048

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynege ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynege and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Steve Heissler

000603

Carl Riggio  
2400 N Lakeview Ave Apt 3005  
Chicago, IL 60614-4885

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynege ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynege and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Carl Riggio

Sandra Cuprisin  
4733 N Kenton Ave  
Chicago, IL 60630-4021  
(773) 481-5986

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynege ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynege and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Sandra Cuprisin

Debra Diana  
207 Regency Dr Apt 548  
Bloomington, IL 60108-2145  
(630) 885-9446

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegey ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegey and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Debra Diana

Kelley Smith  
3215 W Altgeld St  
Chicago, IL 60647-2505

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynege ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynege and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Kelley Smith



Alfred Godinez  
15956 W Pope Blvd  
Lincolnshire, IL 60069-9675

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegey ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegey and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Alfred Godinez

Verena Owen  
421 Ravine Dr  
Winthrop Harbor, IL 60096-1333  
(847) 872-1707

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Verena Owen

Kathy Schneider  
834 W Bauer Rd  
Naperville, IL 60563-1136  
(630) 355-9350

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Kathy Schneider

Jonathan Beck  
3655 Foster St  
Evanston, IL 60203-1122

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Jonathan Beck

Ronda White  
2308 Halsted Rd  
Rockford, IL 61103-2854  
(779) 770-1704

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Ronda White

Jonathan Beck  
3655 Foster St  
Evanston, IL 60203-1122

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Jonathan Beck

James Vogel  
231 S Villa Ave Apt 1d  
Villa Park, IL 60181-2941  
(630) 935-5384

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynege ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynege and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
James Vogel

Geoffrey Greer  
400 N Cuyler Ave  
Oak Park, IL 60302-2305  
(708) 383-4940

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynege ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynege and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Geoffrey Greer



Howard Nye  
420 N Euclid Ave  
Oak Park, IL 60302-2112  
(708) 386-7474

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynege ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynege and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Howard Nye

Maria Whelan  
317 N Derbyshire Ave  
Arlington Heights, IL 60004-6331  
(847) 253-6502

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Maria Whelan

Joseph Naidnur  
12225 N Woodcrest Dr  
Dunlap, IL 61525-9569  
(630) 329-0785

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Joseph Naidnur

Stephen Anderson  
1000 Springfield Ave  
Deerfield, IL 60015-3031  
(847) 945-8913

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Stephen Anderson

Stephen H Cross  
501 N Elm St  
Mount Prospect, IL 60056-2120  
(847) 253-2936

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegey ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegey and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Stephen H Cross

Larry Brown  
209 Matterhorn Ct  
Glen Carbon, IL 62034-1326  
(618) 288-7063

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegey ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegey and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Larry Brown

Dixie Martin  
1164 W Marietta St  
Decatur, IL 62522-1579  
(217) 422-2083

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynege ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynege and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Dixie Martin

Kim Ziegler  
200 N River Ln Unit 105  
Geneva, IL 60134-1473  
(630) 208-1251

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Kim Ziegler



Shannon Sharp  
4513 E 18th Rd  
Leland, IL 60531-9798

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Shannon Sharp

Patricia Martinez  
1209 Maple St  
Lake IN The Hills, IL 60156-1130  
(224) 241-8146

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Patricia Martinez

Lisa Parks  
670 Tanglewood Ct  
Lake Forest, IL 60045-2638

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. RI5-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Lisa Parks

Martin Jordan  
11070 Campbell Cemetery Rd  
Loami, IL 62661-3155  
(312) 968-0988

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Martin Jordan

Diane Ross  
32w640 Hecker Dr  
Dundee, IL 60118-3233

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Diane Ross

Kerry Kuhn  
419 Springsouth Rd  
Schaumburg, IL 60193-3547  
(847) 812-6303

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Kerry Kuhn