BEFORE THE ILLINOIS POLLUTION CONTROL BOARD

)	
)	
)	PCB 2018-058
)	(Thermal Demonstration – Water)
)	
)	
))))

NOTICE OF FILING

To:

Don Brown, Clerk of the Board	Joanne Olson
Illinois Pollution Control Board	Dawn Hollis
James R. Thompson Center, Suite 11-500	Illinois Environmental Protection Agency
100 W. Randolph Street	1021 N. Grand Avenue East
Chicago, IL 60601	P.O. Box 19276
don.brown@illinois.gov	Springfield, IL 62794-9276
	joanne.olson@illinois.gov
	dawn.hollis@illinois.gov
	_
Eric Lohrenz	
Virginia Yang	
Illinois Department of Natural Resources	
One Natural Resources Way	
Springfield, IL 62702-1271	
eric.lohrenz@illinois.gov	
virginia.yang@illinois.gov	

PLEASE TAKE NOTICE that I have today electronically filed with the Office of the Clerk of the Pollution Control Board Petitioner, Midwest Generation, LLC's Certification of Publication, a copy of which is herewith served upon you.

Dated: February 6, 2018 MIDWEST GENERATION, LLC

By: /s/ Susan M. Franzetti_

Susan M. Franzetti Vincent R. Angermeier NIJMAN FRANZETTI LLP 10 South LaSalle Street Suite 3600 Chicago, IL 60603 (312) 251-5590

CERTIFICATE OF SERVICE

The undersigned, an attorney, certifies that a true copy of the foregoing Notice of Filing and Petitioner, Midwest Generation, LLC's Certification of Publication was electronically filed on February 6, 2018 with the following:

Don Brown, Clerk of the Board Illinois Pollution Control Board James R. Thompson Center, Suite 11-500 100 W. Randolph Street Chicago, IL 60601 don.brown@illinois.gov

and that a true copy was mailed via U.S. Postal Service on February 6, 2018 to the parties listed on the foregoing Service List.

Dated: February 6, 2018 /s/ Susan M. Franzetti

Susan M. Franzetti Vincent R. Angermeier Nijman Franzetti LLP 10 S. LaSalle Street, Suite 3600 Chicago, IL 60603 (312) 251-5590

BEFORE THE ILLINOIS POLLUTION CONTROL BOARD

MIDWEST GENERATION, LLC)	
Petitioner,)	
v.)	PCB 2018-058
ILLINOIS ENVIRONMENTAL)	(Thermal Demonstration – Water)
PROTECTION AGENCY)	
Respondent.)	

CERTIFICATION OF PUBLICATION

MIDWEST GENERATION, LLC, by its attorneys, certifies that notice of the Petition to Approve Alternative Thermal Effluent Limitations was published in The *Herald-News* on January 31, 2018. A copy of the published notice is attached.

Dated: February 6, 2018 MIDWEST GENERATION, LLC

By: /s/ Susan M. Franzetti_____

Susan M. Franzetti Vincent R. Angermeier NIJMAN FRANZETTI LLP 10 South LaSalle Street Suite 3600 Chicago, IL 60603 (312) 251-5590

Certificate of the Publisher

The Herald-News

Description: THERMAL EFFLUENT LIMIT. 1502591

NIJMAN FRANZETTI LLP 10 S LASALLE STREET SUITE 3600 CHICAGO IL 60603

Shaw Media certifies that it is the publisher of The Herald-News. The Herald-News is a secular newspaper, has been continuously published daily for more than fifty (50) weeks prior to the first publication of the attached notice, is published in the City of Joliet, County of Will, State of Illinois, is of general circulation throughout that county and surrounding area, and is a newspaper as defined by 715 ILCS 5/5.

A notice, a true copy of which is attached, was published 1 time(s) in The Herald-News, namely one time per week for one successive week(s). Publication of the notice was made in the newspaper, dated and published on 01/31/2018

This notice was also placed on a statewide public notice website as required by 5 ILCS 5/2.1.

In witness, Shaw Media has signed this certificate by J. Tom Shaw, its publisher, at Joliet, Illinois, on 31st day of January, A.D. 2018

Shaw Media By:

J. Tom Shaw, Publisher

Account Number 10178475

Amount \$133.30

PUBLIC NOTICE

On January 28, 2010, Michael December, Lit stad o to Appore Themel Unicions with Contel Board Cocket No. 2018-058. Without Generation is needing collective efficiel brokens for its win Chanty Generaling Station, located in Will County of 523 E 133th Street, Romeroling Station, located in Will County of 523 E 135th Street, Romeroling 1, 60446, parsuated to 35 E. Adm. Code 5 304,141 (c), Southern St. Rein of the Clean Woller Ad one 35 E. Adm. Code Part 106, Subpair K. Will County Generating Station proclums documents, for receiving station proclums and stationary for receiving stations. purposes, the facility draws water from the Chicago Scottory and Ship Carra, uses it to cheese heat and that discharges his heather water back into the const. National Consisten to positing alternate thermal limitations in less of the limitations and forth in 25 H. Adm. Code 55 202.408(c)-(0, (0) unit Once \$6 202.408(c)-(h) (n) and the mixing-zook equipments in 25 th. Adm. Code \$ 302.102(b)(d). Specifically, Michael Greeches, sequents the today-maximum temperature of the Will County Connecting Status's discharge sited maximum temperature of the Will County Connecting Status's discharge sited maximum temperature of the Will County Connecting Status's discharge sited maximum temperature of the Will County of February, 757' in March, 207' in April, 257' in March, 207' in April, 257' in Maximum temperature of the April, 257' in Maximum temperature of the Miximum temperature of the Miximum temperature of the time in a colorator year. At no firm the definition to the section of the Miximum temperature of the Miximum year. At no time shall the water famparities exceed the medicum find by more from 1.7% (2°F). Also, the Station's moving zone must maintain a zone of passage of 50% or greater at all times.

Michiest Generalion, LLC is booked of 604 Carregle Corins, Princeton, NJ 08540, Jay person This course a public hearing to be held in the above-described our mest in the storm-described proceeding by thing a hearing request with the Blook Parhiton Control Board within 21 days after the date of the publication of the notice. The hearing request should street, indicate the decided mander. for the proceeding, as found in this notice, and be filed with the Clerk of the Board, Illinois Pollution Control Board, 100 W. Randolph Street, Suite 11-500, Chicago, Illinois 60601.

(Published in the Herald-News January 31, 2018)1502591