





**PROOF OF SERVICE**

The undersigned attorney certifies, under penalties of perjury pursuant to 735 ILCS 5/1-109, that he caused a copy of the foregoing **Appearance** to be served via electronically and First Class Mail, postage paid, for 100 Park Avenue, Rockford, Illinois 61101, on the 25<sup>th</sup> day of July, 2018 to the persons listed on the attached SERVICE LIST.

By: /s/ Richard S. Porter

Richard S. Porter

One of Its Attorneys



BEFORE THE ILLINOIS POLLUTION CONTROL BOARD  
OF THE STATE OF ILLINOIS

<b>IN THE MATTER OF:</b>	)	
	)	
<b>MIDWEST MARINE TERMINALS, LLC,</b>	)	
	)	
<b>Petitioner,</b>	)	<b>PCB No. 2019-_____ ; and</b>
	)	<b>PCB No. 2016-14, 2016-15, 2016-16</b>
<b>v.</b>	)	<b>2016-17, 2016-18, 2016-20, 2016-21,</b>
	)	<b>2016-22, 2016-23, 2016-25, 2016-26,</b>
<b>ILLINOIS ENVIRONMENTAL</b>	)	<b>2016-27, 2016-29, 2016-30, 2016-31,</b>
<b>PROTECTION AGENCY,</b>	)	<b>2016-33</b>
	)	
<b>Respondent.</b>	)	

**MOTION TO CONSOLIDATE**

NOW COMES, Petitioner, MIDWEST MARINE TERMINALS, LLC, by and through its attorneys, HINSHAW & CULBERTSON LLP, and as and for its Motion to Consolidate, states as follows:

Petitioner, MIDWEST MARINE TERMINALS, LLC owns and operates a facility at 11701 South Torrence Avenue, Chicago, Illinois which may be impacted by the Watershed, Waterbody, Waterbody Segment Time Limited Water Quality Standard (“TLWQS”) referenced on the attached individual submittal form. Petitioner has begun a proceeding with its Individual Submittal in Support of the Joint Petition for Chloride Time-Limited Water Quality Standard for the Defined Chicago Area Water System/Des Plaines River Watershed, a copy of which accompanies this Motion to Consolidate. Petitioner hereby motions to consolidate this Individual Submittal with the pending TLWQS for the defined Chicago Area Waterway System / Des Plaines River Watershed matters.

WHEREFORE, Petitioner, Midwest Marine Terminals, LLC, petitions to consolidate this matter with the pending TLWQS for the Defined Chicago Area Waterway System / Des Plaines River Watershed matters - docket numbers: PCB 2016-14, PCB 2016-15, PCB 2016-16, PCB

2016-17, PCB 2016-18, PCB 2016-20, PCB 2016-21, PCB 2016-22, PCB 2016-23, PCB 2016-25, PCB 2016-26, PCB 2016-27, PCB 2016-29, PCB 2016-30, PCB 2016-31, PCB 3016-33.

Dated: July 25, 2018

Respectfully submitted,

**On behalf of MIDWEST MARINE  
TERMINALS, LLC**

/s/ Richard S. Porter

Richard S. Porter  
One of Its Attorneys

Richard S. Porter ARDC 6209751  
rporter@hinshawlaw.com  
HINSHAW & CULBERTSON LLP  
100 Park Avenue  
P.O. Box 1389  
Rockford, IL 61105-1389  
815-490-4900

**PROOF OF SERVICE**

The undersigned attorney certifies, under penalties of perjury pursuant to 735 ILCS 5/1-109, that he caused a copy of the **Individual Submittal in Support of the Joint Petition for Chloride Time-Limited Water Quality Standard for the Defined Chicago Area Water System / Des Plaines River Watershed and Motion to Consolidate** to be served via electronically and First Class Mail, postage paid, for 100 Park Avenue, Rockford, Illinois 61101, on the 25<sup>th</sup> day of July, 2018 to the persons listed on the attached SERVICE LIST.

By: /s/ Richard S. Porter  
Richard S. Porter  
One of Its Attorneys

**ILLINOIS POLLUTION CONTROL BOARD**

Docket Numbers: PCB 2016-14, PCB 2016-15, PCB 2016-16, PCB 2016-17, PCB 2016-18,  
PCB 2016-20, PCB 2016-21, PCB 2016-22, PCB 2016-23, PCB 2016-25, PCB 2016-26,  
PCB 2016-27, PCB 2016-29, PCB 2016-30, PCB 2016-31, PCB 2016-33  
(Time-Limited Water Quality Standard) (Consolidated)

*Watershed, Waterbody, Waterbody Segment Time Limited Water Quality Standard (TLWQS)*  
Individual Submittal

This Individual Submittal supplements the Joint Submittal in Support of Petition for Chloride Time-Limited Water Quality Standard for the Defined Chicago Area Waterway System/Des Plaines River Watershed (Joint Submittal), submitted in the above-referenced docket numbers. The Joint Submittal incorporated by reference, together with this Individual Submittal, satisfies the requirements of 35 IAC Part 014, Subpart E for each Facility.

An Individual Submittal must be made for each Facility discharging to either the Chicago Area Waterway System or Lower Des Plaines River that seeks to be covered by the TLWQS in this Docket.

This Individual Submittal must be made no later than July 26, 2018 for continued coverage (or initial coverage for new petitioners) under the current stay of effectiveness of the chlorides standards, found in 35 IAC 302.407(g)(2) and (g)(3).

**Individual Discharger Information**

1. Facility Name of Individual Discharger: Midwest Marine Terminals LLC
2. Owner/Operator of Facility: Midwest Marine Terminals LLC
3. Address of Facility: 11701 South Torrence Avenue, Chicago, IL 60617
4. Contact Information for Facility's Responsible Official:  
Name: Michael Saldarelli Title: Dir. of Environmental Compliance  
Mailing Address: 19001 Old Lagrange Road, Suite 300, Mokena, IL 60448  
Phone Number: 708-326-4591 Email: michaelsaldarelli@ozinga.com
5. Permit Number of Facility (include both NPDES Permits and MS4 Permits that may be affected by the TLWQS): ILR006553
6. Are there any pending permit applications filed with Illinois Environmental Protection Agency that do not appear as part of the Joint Submittal's Appendices 5 and 6?  
     Yes  No  
If Yes, provide the application number for the pending permit(s): \_\_\_\_\_



7. Facility discharges to the:      Chicago Area Waterway System (CAWS)  
   Lower Des Plaines River (LDPR)
8. Select Category of Facility:  
    POTW    Community with CSO Outfalls    Industrial Source    MS4  
    Illinois Department of Transportation/Tollway    Salt Storage Facility

**Location of Individual Discharger**

9. Each Individual Submittal must provide the specific location information for the facility seeking coverage under the TLWQS. Select the location of the discharge from the facility from the list below:

The CAWS includes the following reaches:

- Chicago River,    North Branch of the Chicago River,  
 South Branch of the Chicago River,    Chicago Sanitary and Ship Canal,  
 Cal-Sag Channel,    Grand Calumet River,    Lake Calumet,  
 Lake Calumet Connecting Channel,    Calumet and Little Calumet Rivers, and  
 North Shore Channel

The LDPR includes the following areas:

- Des Plaines River from the Kankakee River to the Will County Line,  
 Hickory Creek,    Union Ditch,    Spring Creek,    Marley Creek, and  
 East Branch of Marley Creek

10. The specific discharge locations for the Facility are:

- a. Outfall number(s): 1
- b. General description of outfall location:  
Stormwater drain on the eastern portion of the site.
- c. Outfall(s) appears on CAWS or LDPR list of Discharge Points (Joint Submittal Appendices 5 and 6):    Yes    No

**TLWQS Requirements**

11. Can the Facility achieve compliance with the chlorides standard by the compliance date?  
*(Only facilities that cannot achieve compliance are eligible for coverage by the TQLWS.)*  
 Yes    No

12. (Optional) As referenced in Chapter 2 of the Joint Submittal, an Individual Discharger may provide supplemental information regarding any circumstances unique to the Facility regarding its inability to comply with the chlorides standard by the compliance date, including the nature and extent of the present or anticipated failure to meet the water quality standards and facts supporting that compliance with the water quality standards regulation cannot be achieved by any required compliance date.

---

---

---

---

13. Has any prior variance applied to the discharge from this Facility? \_\_\_ Yes  No

If yes, please identify the variance providing similar relief, including any Illinois Pollution Control Board docket number issued to the Individual Discharger, watershed, water body, waterbody segment, and if known, the Individual Discharger's predecessors.

---

---

**Facility-Specific TLQWS Requirements**

14. The Facility agrees to implement all of the BMPs included for the Industrial Category (from #8, above) for the Facility that are specified for implementation in snow/deicing practices in Chapter 2 of the Joint Submittal.

15. Identify any past or currently in-use Best Management Practice(s) (BMPs) at the Facility for minimizing the discharge of chlorides.

The facility covers salt storage piles and performs deicing practices only on an as-needed basis.

---

---

16. Will any additional BMPs, beyond those included for the Category of the Facility for implementation in snow/deicing practices in Chapter 2 of the Joint Submittal, be implemented?  Yes \_\_\_ No

If Yes, describe any additional BMPs:

The use of aqueous calcium chloride will be used as possible.

---

---

17. By six (6) months after the effective date of the TLWQS, each Facility covered by the TLWQS must have a Pollutant Minimization Plan (PMP) that contains specific details as to how the BMPs will be implemented and include measurements and sampling protocols, frequency, and recordkeeping and reporting obligations, including appropriate elements from the documentation procedures identified in Appendix 54 of the Joint Submittal. Chapter 9 of the Joint Submittal describes these requirements in more detail.

Has the Facility already developed a PMP to address its discharge of chlorides?

Yes  No

If Yes, what is the date of the Pollutant Minimization Plan (PMP)? 1/20/2019

If the Facility has not already developed the described PMP, does the Facility agree to develop the described PMP no later than six (6) months after the effective date of the TLWQS?  Yes  No


**Certification**

*I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.*

Name & Official Title (Type or Print)

Michael J. Saldarelli Jr

Signature



Date Signed

7/23/2018