

**BEFORE THE ILLINOIS POLLUTION CONTROL BOARD**

<b>VILLAGE OF HOMEWOOD, HOMEWOOD</b>	)	
<b>ILLINOIS, VILLAGE OF ORLAND PARK,</b>	)	
<b>ORLAND PARK ILLINOIS, VILLAGE OF</b>	)	
<b>MIDLOTHIAN, MIDLOTHIAN ILLINOIS,</b>	)	
<b>VILLAGE OF TINLEY PARK, TINLEY PARK</b>	)	<b>PCB 16-14 (Homewood)</b>
<b>ILLINOIS, EXXONMOBIL OIL CORPORATION,</b>	)	<b>PCB 16-15 (Orland Park)</b>
<b>VILLAGE OF WILMETTE, CITY OF COUNTRY</b>	)	<b>PCB 16-16 (Midlothian)</b>
<b>CLUB HILLS, COUNTRY CLUB HILLS</b>	)	<b>PCB 16-17 (Tinley Park)</b>
<b>ILLINOIS, NORAMCOCHICAGO, INC., FLINT</b>	)	<b>PCB 16-18 (ExxonMobil)</b>
<b>HILLS RESOURCES JOLIET, LLC, CITY OF</b>	)	<b>PCB 16-20 (Wilmette)</b>
<b>EVANSTON, VILLAGE OF SKOKIE, ILLINOIS</b>	)	<b>PCB 16-21 (Country Club Hills)</b>
<b>DEPARTMENT OF TRANSPORTATION,</b>	)	<b>PCB 16-22 (Noramco-Chicago)</b>
<b>METROPOLITAN WATER RECLAMATION</b>	)	<b>PCB 16-23 (Flint Hills Resources)</b>
<b>DISTRICT OF GREATER CHICAGO, VILLAGE</b>	)	<b>PCB 16-25 (Evanston)</b>
<b>OF RICHTON PARK, VILLAGE OF</b>	)	<b>PCB 16-26 (Skokie)</b>
<b>LINCOLNWOOD, and CITY OF OAK FOREST,</b>	)	<b>PCB 16-27 (IDOT)</b>
<b>OAK FOREST ILLINOIS,</b>	)	<b>PCB 16-29 (MWRDGC)</b>
	)	<b>PCB 16-30 (Richton Park)</b>
<b>Petitioners,</b>	)	<b>PCB 16-31 (Lincolnwood)</b>
	)	<b>PCB 16-33 (Oak Forest)</b>
<b>v.</b>	)	<b>(Time-Limited Water Quality</b>
	)	<b>Standard)</b>
<b>ILLINOIS ENVIRONMENTAL PROTECTION</b>	)	<b>(Consolidated)</b>
<b>AGENCY,</b>	)	
	)	
<b>Respondent.</b>	)	

**NOTICE OF FILING**

To: See Attached Service List

**PLEASE TAKE NOTICE** that on July 26, 2018, the VILLAGE OF CHANNAHON electronically filed with the Office of the Clerk of the Illinois Pollution Control Board an **Individual Submittal (NPDES Permit) in Support of Petition for Chloride Time-Limited Water Quality Standard for the Defined Chicago Area Water System / Des Plaines River Watershed**, a copy of which is hereby served upon you.

Dated: July 26, 2018

**VILLAGE OF CHANNAHON**

By: /s/ Marron Mahoney  
One of Its Attorneys

Marron Mahoney - 6293279  
Mahoney, Silverman & Cross, LLC  
822 Infantry Drive, Suite 100  
Joliet, IL 60435  
(815) 730-9500  
[mmahoney@msclawfirm.com](mailto:mmahoney@msclawfirm.com)

**PROOF OF SERVICE**

The undersigned attorney certifies, under penalties of perjury pursuant to 735 ILCS 5/1-109, that he caused a copy of the foregoing **Individual Submittal (NPDES Permit) in Support of Petition for Chloride Time-Limited Water Quality Standard for the Defined Chicago Area Water System / Des Plaines River Watershed**, to be served via First Class Mail, postage paid, from 822 Infantry Drive, Suite 100, Joliet, IL 60435 on the 26<sup>th</sup> day of July, 2018 to:

See Attached Service List

/s/ Marron Mahoney

One of Its Attorneys

SERVICE LIST

Bradley P. Halloran  
Hearing Officer  
Illinois Pollution Control Board  
James R. Thompson Center, Suite 11-500  
100 W. Randolph Street  
Chicago, IL 60601

PCB 2016-014@  
Sara Terranova  
IEPA  
1021 North Grand Avenue East  
P.O. Box 19276  
Springfield, IL 62794-9276

PCB 2016-014@  
Stefanie N. Diers  
IEPA  
1021 North Grand Avenue East  
P.O. Box 19276  
Springfield, IL 62794-9276

PCB 2016-015@  
Dennis Walsh  
Klein, Thorpe & Jenkins  
15010 S. Ravinia Avenue  
Suite 17  
Orland Park, IL 60477

PCB 2016-016@  
David J. Freeman  
Robbins, Schwartz, Nicholas,  
Lifton & Taylor, Ltd  
631 E. Boughton Road  
Suite 200  
Bolingbrook, IL 60440

PCB 2016-017@  
Dennis Walsh  
Klein, Thorpe & Jenkins  
15010 S. Ravinia Avenue  
Suite 17  
Orland Park, IL 60477

PCB 2016-020@  
Dennis Walsh  
Tressler, LLP  
233 S. Wacker Drive  
22<sup>nd</sup> Floor  
Chicago, IL 60606

PCB 2016-014@  
Christopher J. Cummings  
Christopher J. Cummings, P.C.  
2014 Hickory Road  
Suite 205  
Homewood, IL 60430

PCB 2016-014@  
Albert Ettinger  
Law Firm of Albert Ettinger  
53 W. Jackson  
Suite 1664  
Chicago, IL 60604

PCB 2016-015@  
E. Kenneth Friker  
Klein, Thorpe & Jenkins  
15010 S. Ravinia Avenue  
Suite 17  
Orland Park, IL 60477

PCB 2016-016@  
Peter Murphy  
11800 S. 75<sup>th</sup> Avenue  
Suite 101  
Palos Heights, IL 60463

PCB 2016-018@  
Katherine D. Hodge  
Heplerbroom, LLC  
4340 Acer Grove Drive  
Springfield, IL 62711

PCB 2016-021@  
Amber M. Samuelson  
Rosenthal, Murphey, Coblentz  
& Donahue  
30 N. LaSalle Street, Suite 1624  
Chicago, IL 60602

PCB 2016-021@  
Peter D. Coblentz  
Rosenthal, Murphey, Coblentz  
& Donahue  
30 N. LaSalle Street, Suite 1624  
Chicago, IL 60602

PCB 2016-023@  
Katherine D. Hodge  
Heplerbroom, LLC  
4340 Acer Grove Drive  
Springfield, IL 62711

PCB 2016-025@  
David Stoneback, Director  
City of Evanston  
555 Lincoln St.  
Evanston, IL 60201

PCB 2016-025@  
Lindsey Ott  
City of Evanston  
555 Lincoln St.  
Evanston, IL 60201

PCB 2016-026@  
Melanie Pettway  
Village of Skokie  
5127 Oakton Street  
Skokie, IL 60077

PCB 2016-027@  
Matthew D. Dougherty  
Special Assistant Attorney General  
Illinois Dept. of Transportation  
2300 S. Dirksen Parkway  
Springfield, IL 62764

PCB 2016-029@  
Fredric P. Andes  
Barnes & Thornburg  
1 N. Wacker Drive  
Suite 4400  
Chicago, IL 60606

PCB 2016-022@  
John P. Antonopoulos  
Antonopoulos & Virtel, PC  
15419 127<sup>th</sup> Street  
Suite 100  
Lemont, IL 60439

PCB 2016-023@  
Joshua Houser  
Heplerbroom, LLC  
4340 Acer Grove Drive  
Springfield, IL 62711

PCB 2016-025@  
Mario Treto  
Corporation Counsel  
City of Evanston Law Department  
2100 Ridge Road  
Evanston, IL 60201

PCB 2016-026@  
James G. McCarthy  
Village of Skokie  
5127 Oakton Street  
Skokie, IL 60077

PCB 2016-026@  
Michael M. Lorge  
Village of Skokie  
5127 Oakton Street  
Skokie, IL 60077

PCB 2016-029@  
Margaret T. Conway  
Metropolitan Water Reclamation  
District  
100 E. Erie Street  
Chicago, IL 60611

PCB 2016-030@  
Amber M. Samuelson  
Rosenthal, Murphey, Coblentz  
& Donahue  
30 N. LaSalle Street, Suite 1624  
Chicago, IL 60602

PCB 2016-030@  
Peter D. Coblentz  
Rosenthal, Murphey Coblentz  
& Donahue  
30 N. LaSalle Street, Suite 1624  
Chicago, IL 60602

PCB 2016-031@  
Hart M. Passman  
Holland & Knight LLC  
131 S. Dearborn Street  
30<sup>th</sup> Floor  
Chicago, IL 60603

PCB 2016-033@  
Richard Rinchich  
Director of Public Works  
City of Oak Forest  
15440 S. Central Avenue  
Oak Forest, IL 60452

PCB 2016-033@  
Erin K. Lavery  
Klein, Thorpe & Jenkins, Ltd.  
20 N. Wacker Drive  
Suite 1660  
Chicago, IL 60606

PCB 2016-031@  
Andrew N. Fiske  
Holland & Knight LLC  
131 S. Dearborn Street  
30<sup>th</sup> floor  
Chicago, IL 60603

PCB 2016-031@  
Steven M. Elrod  
Holland & Knight LLC  
131 S. Dearborn Street  
30<sup>th</sup> Floor  
Chicago, IL 60603

PCB 2016-033@  
Dennis G. Walsh  
Klein, Thorpe & Jenkins, Ltd.  
20 N. Wacker Drive  
Suite 1660  
Chicago, IL 60606

PCB 2016-033@  
Scott F. Uhler  
Klein, Thorpe & Jenkins, Ltd.  
20 N. Wacker Drive  
Suite 1660  
Chicago, IL 60606

**ILLINOIS POLLUTION CONTROL BOARD**

Docket Numbers: PCB 2016-14, PCB 2016-15, PCB 2016-16, PCB 2016-17, PCB 2016-18,  
PCB 2016-20, PCB 2016-21, PCB 2016-22, PCB 2016-23, PCB 2016-25, PCB 2016-26,  
PCB 2016-27, PCB 2016-29, PCB 2016-30, PCB 2016-31, PCB 2016-33  
Time-Limited Water Quality Standard) (Consolidated)

*Individual Submittal in Support of Petition for Chloride Time-Limited Water Quality Standard  
("TLWQS") for the Defined Chicago Area Water System/Des Plaines River Watershed*

This Individual Submittal supplements the Joint Submittal in Support of Petition for Chloride Time-Limited Water Quality Standard for the Defined Chicago Area Waterway System/Des Plaines River Watershed ("Joint Submittal"), submitted in the above-referenced docket numbers. The Joint Submittal incorporated by reference, together with this Individual Submittal, satisfies the requirements of 35 IAC Part 104, Subpart E for each Facility.

An Individual Submittal must be made for each permitted Facility discharging to a reach in the Watershed defined by the Joint Submittal that seeks to be covered by the TLWQS in this Docket.

This Individual Submittal must be made no later than July 26, 2018 for continued coverage (or initial coverage for new petitioners) under the current stay of effectiveness of the chlorides standards, found in 35 IAC 302.407(g)(2) and (g)(3).

Note: Discharges to General Use waters in the Watershed, which are subject to the chlorides standards in 35 IAC 302.208(g), can participate in the TLWQS, but the stay does not apply to those discharges.

**Individual Discharger Information**

1. Facility Name of Individual Discharger: Village of Channahon STP
2. Owner/Operator of Facility: Village of Channahon
3. Address of Facility: 26221 S. Blackberry Lane, Channahon, IL 60410
4. Contact Information for Facility's Responsible Official:  
Name: Edward S Dolezal Title: Director of Public Works  
Mailing Address: 24555 S Navajo Drive, Channahon, IL 60410  
Phone Number: 815-467-6644 Email: edolezal@channahon.org
5. Permit Number of Facility (include both National Pollutant Discharge Elimination System ("NPDES") Permits and Municipal Separate Storm Sewer System ("MS4") Permits that may be affected by the TLWQS): IL0069906

6. Are there any pending permit applications filed with Illinois Environmental Protection Agency that do not appear as part of the Joint Submittal's Appendices 5 and 6?  
 Yes  No

If Yes, provide the application number for the pending permit(s): \_\_\_\_\_

7. Select Category of Facility:

Publicly Owned Treatment Works ("POTW")     Industrial Source  
 Illinois Department of Transportation/Illinois Tollway     Salt Storage Facility  
 Community with Combined Sewer Overflow ("CSO") Outfalls     MS4

**Location of Individual Discharger**

8. Each Individual Submittal must provide the specific location information in the Watershed for the Facility seeking coverage under the TLWQS. Select the location of the discharge from the Facility from the list below:

The Chicago Area Waterway System ("CAWS") includes the following reaches:

Chicago River,  North Branch of the Chicago River,  
 South Branch of the Chicago River,  Chicago Sanitary and Ship Canal,  
 Cal-Sag Channel,  Grand Calumet River,  Lake Calumet,  
 Lake Calumet Connecting Channel,  Calumet and Little Calumet Rivers, and  
 North Shore Channel

The Lower Des Plaines River ("LDPR") includes the following areas:

Des Plaines River from the Kankakee River to the Will County Line,  
 Hickory Creek,  Union Ditch,  Spring Creek,  Marley Creek, and  
 East Branch of Marley Creek

9. The specific discharge locations for the Facility are:

a. Outfall number(s): 001

- b. General description of outfall location:

The outfall is to the Desplaines River near Moose Island.

The outfall is an 18" diameter pipe. See Attached Exhibit A for general location.

- c. Outfall(s) appears on CAWS or LDPR list of Discharge Points (Joint Submittal Appendices 5 and 6):  Yes  No

**TLWQS Requirements**

10. Has any prior variance applied to the discharge from this Facility?  Yes  No

If yes, please identify the variance providing similar relief, including any Illinois Pollution Control Board docket number issued to the Individual Discharger, watershed, water body, waterbody segment, and if known, the Individual Discharger's predecessors.

---

---

**Facility-Specific TLWQS Requirements**

11. The Facility agrees to implement all of the Best Management Practices ("BMPs") included for the POTW Category (from #8, above) for the Facility that are specified for implementation in snow/deicing practices in Chapter 2 of the Joint Submittal.

12. Identify any past or currently in-use BMPs at the Facility for minimizing the discharge of chlorides.

1) Salt stored on pad undercover. 2) Spreading equipment is calibrated annually

3) Quantity of salt used per storm is tracked

---

13. Will any additional BMPs, beyond those included for the Category of the Facility for implementation in snow/deicing practices in Chapter 2 of the Joint Submittal, be implemented?  Yes  No

If Yes, describe any additional BMPs:

---

---

14. By six (6) months after the effective date of the TLWQS, each Facility covered by the TLWQS must have a Pollutant Minimization Plan (PMP) that contains specific details as to how the BMPs will be implemented and includes appropriate elements from the documentation procedures identified in Appendix 54 of the Joint Submittal. Chapter 9 of the Joint Submittal describes these requirements in more detail.

Has the Facility already developed a PMP to address its discharge of chlorides?

Yes  No

If Yes, what is the date of the PMP? \_\_\_\_\_

If the Facility has not already developed the described PMP, does the Facility agree to develop the described PMP no later than six (6) months after the effective date of the TLWQS?

Yes  No



**Certification**

*I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.*

Name & Official Title (Type or Print)

Edward S Dolezal/Dir of Public Works


Signature

Edward S Dolezal

Date Signed

7/24/18






EXHIBIT A



**ILLINOIS EPA  
BUREAU OF WATER  
2017**

SOURCE INFORMATION  
Watershed boundaries created by combining data from Three Rivers Manufacturers Association and existing Illinois EPA data. WAD Hydrography obtained from the USGS. County boundaries obtained from the IDES. and MFCIS data from Illinois EPA. WRP Data: Copyright © 2012 ERI, DeKalb, NORTON Sources: ERI, HERE, DeKalb. Map compiled and created by the Illinois EPA, Groundwater Section, March 2017.

**Legend**

-  WRP
-  Proposed Watersheds
-  Stream
-  County Boundary
-  Water Body

