

Electronic Filing: Received, Clerk's Office 2/14/2019 P.C. #3404

From: [Peter Ayres \(peter_yrs@yahoo.com\) Sent You a Personal Message](mailto:peter_yrs@yahoo.com)
To: [Brown, Don](#)
Subject: [External] Dynegy-Vistra Proposed rule change, case number R2018-20.
Date: Thursday, February 14, 2019 10:20:05 AM

Dear IL Pollution Control Board Assistant Clerk,

At this point, we have come a long way in getting our air cleaner. I notice even in the city of Chicago and suburbs. There have been less ozone alerts the past few years compared to 20 years ago. We can't afford to cut back on pollution rules. They need to continue to be made stricter or eliminate allowing companies to pollute all together. Air, water and ground. We can't have it any more. Do not weaken any rules that are in place that protect our air, water and land

Dear Clerk Brown:

Please accept my comment on the Dynegy-Vistra Proposed rule change, case number R2018-20.

I am writing in solidarity with communities members who are rightly concerned about their air quality worsening under the current proposal. While the PCB made changes to Dynegy-Vistra's request, those changes do not go far enough and ultimately still allow Dynegy-Vistra to increase its dangerous coal pollution by 40%. These changes to state air protections are unnecessary and the current MPS rate-based standard should be kept in place.

No Illinois community, like Peoria, should be a sacrifice zone with uncontrolled plants. Instead of weakening air regulations, Illinois should be leading in environmental health protections for our residents by strengthening existing rules like the MPS to require polluting coal plants to install modern pollution controls.

Thank you for this opportunity to comment,

Sincerely,

Peter Ayres
25W640 Indian Hill Woods
Naperville, IL 60563
peter_yrs@yahoo.com
(630) 505-9695

This message was sent by KnowWho, as a service provider, on behalf of an individual associated with Sierra Club. Please contact Dave Simon at core.help@sierraclub.org or (415) 977-5500 for more information.