ILLINOIS POLLUTION CONTROL BOARD July 31, 2006

BROADUS OIL,)	
Petitioner,)	
V.)) PCB 04-31	
v.) PCB 05-43	
ILLINOIS ENVIRONMENTAL) (UST Appea	1)
PROTECTION AGENCY,)	
)	
Respondent	j	

HEARING OFFICER ORDER

Due to a conflict with the hearing officer's schedule, the telephonic status conference scheduled for August 3, 2006, is hereby cancelled and is reschedule to the date and time noted below.

The parties or their legal representatives are directed to participate in a telephonic status conference with the hearing officer on August 17, 2006, at 9:30 a.m. The telephonic status conference must be initiated by the petitioner, but each party is nonetheless responsible for its own appearance. At the status conference, the parties must be prepared to discuss the status of the above-captioned matter and their readiness for hearing.

IT IS SO ORDERED.

Bradley P. Halloran Hearing Officer

Illinois Pollution Control Board

James R. Thompson Center, Suite

11-500

100 W. Randolph Street

Chicago, Illinois 60601

312.814.8917

CERTIFICATE OF SERVICE

It is hereby certified that true copies of the foregoing order were mailed, first class, on July 31, 2006, to each of the persons on the attached service list.

It is hereby certified that a true copy of the foregoing order was hand delivered to the following on July 31, 2006:

Dorothy M. Gunn Illinois Pollution Control Board James R. Thompson Center 100 W. Randolph St., Ste. 11-500 Chicago, Illinois 60601

Bradley P. Halloran

Hearing Officer

Illinois Pollution Control Board

James R. Thompson Center, Suite 11-500

100 W. Randolph Street

Chicago, Illinois 60601

312.814.8917

PCB 2004-031 John Kim IEPA 1021 North Grand Avenue East P.O. Box 19276 Springfield, IL 62794-9276 PCB 2004-031 Melanie A. Jarvis IEPA 1021 North Grand Avenue East P.O. Box 19276 Springfield, IL 62794-9276

PCB 2004-031 Stephen F. Hedinger Hedinger Law Office 2601 South Fifth Street Springfield, IL 62703 PCB 2004-031 Steven Broadus Broadus Oil Corporation 201 Danny's Drive Suite 5 Streator, IL 61364