

ILLINOIS POLLUTION CONTROL BOARD
December 22, 2006


ESTATE OF WILLIAM EGGERT,)	
)	
Petitioner,)	
)	
v.)	PCB 07-22
)	(UST Appeal)
ILLINOIS ENVIROMENTAL PROTECTION)	
AGENCY,)	
)	
Respondent.)	

HEARING OFFICER ORDER

On December 20, 2006, the petitioner informed the hearing officer that it appears a settlement has been reached but that further discussions are needed.

The parties or their legal representatives are directed to participate in a telephonic status conference on January 8, 2007, at 9:30 a.m. The status conference must be initiated by the petitioner, but each party is nonetheless responsible for its own appearance. At the status conference, the parties must be prepared to discuss the status of the above-captioned matter and their readiness for hearing. If, however, a motion to voluntarily dismiss the above-captioned matter prior to the next status conference, the conference will be cancelled without further notice.

IT IS SO ORDERED.




Bradley P. Halloran
Hearing Officer
Illinois Pollution Control Board
James R. Thompson Center, Suite 11-500
100 W. Randolph Street
Chicago, Illinois 60601
312.814.8917

CERTIFICATE OF SERVICE

It is hereby certified that true copies of the foregoing order were mailed, first class, on December 22, 2006, to each of the persons on the attached service list.

It is hereby certified that a true copy of the foregoing order was hand delivered to the following on December 22, 2006:

Dorothy M. Gunn
Illinois Pollution Control Board
James R. Thompson Center
100 W. Randolph St., Ste. 11-500
Chicago, Illinois 60601

A handwritten signature in black ink, reading "Bradley P. Halloran", is written over a solid horizontal line.

Bradley P. Halloran
Hearing Officer
Illinois Pollution Control Board
100 W. Randolph Street, Suite 11-500
Chicago, Illinois 60601
(312) 814-8917

PCB 2007-022
IEPA
1021 North Grand Avenue East
P.O. Box 19276
Springfield, IL 62794-9276

PCB 2007-022
Sidney Margolis
123 West Madison Street
Suite 606
Chicago, IL 60602