NOTICE OF PROPOSED AMENDMENTS

1) Heading of the Part: Water Quality Standards

2) Code Citation: 35 Ill. Adm. Code 302

3) <u>Section Numbers</u>:

Proposed Action:

302.102

Amend

302.208 Amend



- 4) <u>Statutory Authority</u>: Implementing Section 13 and authorized by Sections 11(b) and 27 of the Environmental Protection Act [415 ILCS 5/13, 11(b), and 27]
- A Complete Description of the Subjects and Issues Involved: For a more detailed discussion of these amendments, see the Board's September 20, 2007, opinion and order in docket R07-9: Triennial Review of Sulfate and Total Dissolved Solids Water Quality Standards: Proposed Amendments to 35 Ill. Adm. Code 302.102(b)(6), 302.102(b)(8), 302.102(b)(10), 302.208(g), 309.103(c)(3), 405.109(b)(2)(A), 409.109(b)(2)(B), 406.100(d); Repealer of 35 Ill. Adm. Code 406.203, 406.209, and Part 407; and Proposed New 35 Ill. Adm. Code 302.208(h). The amendments in this rulemaking propose changes to Parts 302, 309, 405, 406, and the repeal of Part 407 and the amendments to all of the Parts in this rulemaking should be read jointly. This rulemaking is intended to fulfill the requirement of the Federal Water Pollution Control Act, 33 USC §1251-1387, also known as the Clean Water Act (CWA), that states must triennially revise and update water quality standards to ensure that standards are protective of public health and welfare, enhance the quality of water and promote the purposes of the CWA. This update is known as a triennial water quality standards review.

Specifically, the amendments to Part 302 propose deletion of the existing general use water quality standards for sulfate and total dissolved solids and the addition of two acute aquatic toxicity criterion equations for sulfate at specified ranges of hardness and chlorides in the proposed new Section 302.208(h). These equations allow for the calculation of site-specific sulfate standards based on water quality characteristics. In addition, the proposal includes a numeric chronic sulfate standard of 2000 mg/L applicable to areas where water is withdrawn or accessed for livestock watering. The amendments to Section 302.102 propose to allow mixing in certain low flow streams where adequate upstream dilution exists in the receiving stream at the time of discharge. However, the amendments allow mixing in no more than 50% of the flow for streams where the dilution ratio is less than 3 to 1.

6) <u>Published studies or reports, and sources of underlying data, used to compose this rulemaking</u>: The regulatory proposal included the Illinois EPA's Technical Support

NOTICE OF PROPOSED AMENDMENTS

document, included with the Illinois EPA's original filing in this rulemaking, that relied on several published studies and reports. Copies of the reports that the Illinois EPA relied upon are available for review with the Pollution Control Board and are listed below.

Goodfellow, W.L., L.W. Ausley, D.T. Burton, D.L. Denton, P.B. Dorn, D.R. Grothe, M.A. Heber, T.J. Norberg-King, and J.H. Rodgers, Jr. 2000. Major ion toxicity in effluents: a review with permitting recommendations. Environmental Toxicology and Chemistry, 19:175-182.

Mount, D.R., D.D. Gulley, J.R. Hackett, T.D. Garrison, and J.M. Evans. 1997. Statistical models to predict the toxicity of major ions to Ceriodaphnia dubia, Daphnia magna and Pimephales promelas (Fathead Minnows). Environmental Toxicology and Chemistry, 16(10): 2009-2019.

Soucek, D.J. 2004a. Effects of hardness, chloride, and acclimation on the acute toxicity of sulfate to freshwater invertebrates. Illinois Natural History Survey. Final Report submitted to Illinois Environmental Protection Agency and Illinois Coal Association.

Soucek, D.J. 2004b. Effects of water quality on acute and chronic toxicity of sulfate to freshwater bivalves, Ceriodaphnia dubia, and Hyalella azteca. Illinois Natural History Survey. First Quarterly Report submitted to U.S. Environmental Protection Agency, Region 5.

Soucek, D.J. 2005a. Effects of water quality on acute and chronic toxicity of sulfate to freshwater bivalves, Ceriodaphnia dubia, and Hyalella azteca. Illinois Natural History Survey. Second Quarterly Report submitted to U.S. Environmental Protection Agency, Region 5.

Soucek, D.J. 2005b. Effects of water quality on acute and chronic toxicity of sulfate to freshwater bivalves, Ceriodaphnia dubia, and Hyalella azteca. Illinois Natural History Survey. Third Quarterly Report submitted to U.S. Environmental Protection Agency, Region 5.

Soucek, D.J. 2006. Effects of water quality on acute and chronic toxicity of sulfate to freshwater bivalves, Ceriodaphnia dubia, and Hyalella azteca. Illinois Natural History Survey. Final Report submitted to U.S. Environmental Protection Agency, Region 5. CP96543701-0.

American Public Health Association. 1989. Standard Methods for the Examination of

NOTICE OF PROPOSED AMENDMENTS

Water and Wastewater, 17th ed., Washington, D.C.

عالي

McKee, J.E. and H.W. Wolf 1963. Water Quality Criteria, 2nd ed., The Resources Agency of California, California State Water Quality Control Board, Sacramento, CA. Publication No. 3-A, p. 548.

Weeth, H.J. and D.L. Capps. 1972. Tolerance of growing cattle for sulfate water. Journal of Animal Science. 34(2): 256-260.

Loneragan, G.H., J.J. Wagner, D.H. Gould, F.B. Garry, and M.A. Thoren, 2001, Effects of water sulfate concentration on performance, water intake, and carcass characteristics of feedlot steers. Journal of Animal Science, 79:2941-2948.

Braul, L. and B. Kirychuk. 2001. Water Quality and Cattle. Prairie Farm Rehabilitation Office, Agriculture and Agri-Food Canada. Publication ENH- 1 11-2001-10.

Patterson, H.H., P.S. Johnson, E.H. Ward, and R.N. Gates. 2004. Effects of sulfates in water on performance of cow-calf pairs. Proceedings, Western Section, American Society of Animal Science. 55: 265-268.

Patterson, H.H., P.S. Johnson, T.R. Patterson, D.B. Young, and R. Haigh. 2002. Effects of water quality on performance and health of growing steers. Proceedings, Western Section, American Society of Animal Science. 53: 217-220.

- 7) Will this rulemaking replace any emergency rulemaking currently in effect? No
- 8) Does this rulemaking contain an automatic repeal date? No
- 9) Does this rulemaking contain incorporations by reference? No
- 10) Are there any other proposed rulemakings pending on this Part? No
- 11) <u>Statement of Statewide Policy Objectives</u>: This proposed rule does not create or enlarge a State mandate, as defined in Section 3(b) of the State Mandates Act [30 ILCS 805/3(b)].
- Time, Place, and Manner in which interested persons may comment on this proposed rulemaking: The Board will accept written public comment on this proposal for 45 days after the date of publication in the *Illinois Register*. Comments should reference Docket R07-9 and be addressed to:

NOTICE OF PROPOSED AMENDMENTS

Clerk's Office Illinois Pollution Control Board 100 W. Randolph St., Suite 11-500 Chicago, IL 60601

Interested persons may request copies of the Board's opinion and order by calling the Clerk's office at 312-814-3620, or may download copies from the Board's Web site at www.ipcb.state.il.us.

For more information contact hearing officer Marie Tipsord at 312/814-4925 or email at tipsordm@ipcb.state.il.us.

13) <u>Initial Regulatory Flexibility Analysis</u>:

- A) Types of small businesses, small municipalities and not for profit corporations affected: The amendments in this rulemaking could affect any small business, small municipality, and not-for-profit organization that has a permit to discharge wastes to waters of the State.
- B) Reporting, bookkeeping or other procedures required for compliance: The proposed amendments do not add any additional reporting or recordkeeping requirements beyond what is already established in the Board's rules.
- C) <u>Types of Professional skills necessary for compliance</u>: No professional skills beyond those currently required by the existing state and federal water pollution control regulations applicable to affected sources will be required.
- 14) Regulatory Agenda on which this rulemaking was summarized: July 2007

The full text of the Proposed Amendments begins on the next page:

```
PART 302
WATER QUALITY STANDARDS
SUBPART A: GENERAL WATER QUALITY PROVISIONS
Section
           Definitions
302.100
           Scope and Applicability
302.101
302.102
           Allowed Mixing, Mixing Zones and ZIDs
           Stream Flows
302.103
           Main River Temperatures
302.104
           Antidegradation
302.105
SUBPART B: GENERAL USE WATER QUALITY STANDARDS
Section
           Scope and Applicability
302.201
302.202
           Purpose
           Offensive Conditions
302.203
302.204
           рΗ
302.205
           Phosphorus
302.206
           Dissolved Oxygen
          Radioactivity
302.207
          Numeric Standards for Chemical Constituents
302.208
          Fecal Coliform
302.209
           Other Toxic Substances
302.210
302.211
           Temperature
           Total Ammonia Nitrogen
302.212
302.213
           Effluent Modified Waters (Ammonia) (Repealed)
SUBPART C: PUBLIC AND FOOD PROCESSING WATER SUPPLY STANDARDS
Section
           Scope and Applicability
302.301
302.302
           Algicide Permits
           Finished Water Standards
302.303
302.304
           Chemical Constituents
           Other Contaminants
302.305
302.306
          Fecal Coliform
302.307
           Radium 226 and 228
SUBPART D: SECONDARY CONTACT AND
INDIGENOUS AQUATIC LIFE STANDARDS
Section
302.401
           Scope and Applicability
302.402
           Purpose
302.403
           Unnatural Sludge
302.404
           рΗ
302.405
           Dissolved Oxygen
302.406
          Fecal Coliform (Repealed)
           Chemical Constituents
302.407
302.408
           Temperature
```

TITLE 35: ENVIRONMENTAL PROTECTION

SUBTITLE C: WATER POLLUTION

CHAPTER I: POLLUTION CONTROL BOARD

```
Cyanide
302.409
302.410
            Substances Toxic to Aquatic Life
SUBPART E: LAKE MICHIGAN BASIN WATER QUALITY STANDARDS
Section
302.501
           Scope, Applicability, and Definitions
302.502
           Dissolved Oxygen
302.503
           рН
302.504
           Chemical Constituents
302.505
           Fecal Coliform
302.506
           Temperature
302.507
           Thermal Standards for Existing Sources on January 1, 1971
302.508
           Thermal Standards for Sources Under Construction But Not In
Operation on January 1, 1971
302.509
        Other Sources
302.510
           Incorporations by Reference
302.515
           Offensive Conditions
302.520
           Regulation and Designation of Bioaccumulative Chemicals of Concern
(BCCs)
302,521
          Supplemental Antidegradation Provisions for Bioaccumulative
Chemicals of Concern (BCCs)
302.525
          Radioactivity
302.530
           Supplemental Mixing Provisions for Bioaccumulative Chemicals of
Concern (BCCs)
302.535
           Ammonia Nitrogen
302.540
           Other Toxic Substances
302.545
           Data Requirements
302.550
           Analytical Testing
302.553
           Determining the Lake Michigan Aquatic Toxicity Criteria or Values -
General Procedures
           Determining the Tier I Lake Michigan Acute Aquatic Toxicity
302.555
Criterion (LMAATC): Independent of Water Chemistry
          Determining the Tier I Lake Michigan Basin Acute Aquatic Life
302.560
Toxicity Criterion (LMAATC): Dependent on Water Chemistry
302.563
           Determining the Tier II Lake Michigan Basin Acute Aquatic Life
Toxicity Value (LMAATV)
           Determining the Lake Michigan Basin Chronic Aquatic Life Toxicity
302.565
Criterion (LMCATC) or the Lake Michigan Basin Chronic Aquatic Life Toxicity
Value (LMCATV)
           Procedures for Deriving Bioaccumulation Factors for the Lake
302.570
Michigan Basin
302.575
           Procedures for Deriving Tier I Water Quality Criteria and Values in
the Lake Michigan Basin to Protect Wildlife
302.580
           Procedures for Deriving Water Quality Criteria and Values in the
Lake Michigan Basin to Protect Human Health - General
           Procedures for Determining the Lake Michigan Basin Human Health
Threshold Criterion (LMHHTC) and the Lake Michigan Basin Human Health Threshold
Value (LMHHTV)
           Procedures for Determining the Lake Michigan Basin Human Health
302.590
Nonthreshold Criterion (LMHHNC) or the Lake Michigan Basin Human Health
Nonthreshold Value (LMHHNV)
           Listing of Bioaccumulative Chemicals of Concern, Derived Criteria
302.595
and Values
```

SUBPART F: PROCEDURES FOR DETERMINING WATER QUALITY CRITERIA

```
Section
           Scope and Applicability
302.601
           Definitions
302.603
           Mathematical Abbreviations
302.604
           Data Requirements
302.606
           Determining the Acute Aquatic Toxicity Criterion for an Individual
302.612
Substance - General Procedures
302.615
           Determining the Acute Aquatic Toxicity Criterion - Toxicity
Independent of Water Chemistry
302.618
           Determining the Acute Aquatic Toxicity Criterion - Toxicity
Dependent on Water Chemistry
           Determining the Acute Aquatic Toxicity Criterion - Procedure for
Combinations of Substances
           Determining the Chronic Aquatic Toxicity Criterion for an Individual
302.627
Substance - General Procedures
           Determining the Chronic Aquatic Toxicity Criterion - Procedure for
302.630
Combinations of Substances
           The Wild and Domestic Animal Protection Criterion
302.633
302.642
           The Human Threshold Criterion
           Determining the Acceptable Daily Intake
302.645
           Determining the Human Threshold Criterion
302.648
           The Human Nonthreshold Criterion
302.651
302.654
           Determining the Risk Associated Intake
302.657
           Determining the Human Nonthreshold Criterion
           Stream Flow for Application of Human Nonthreshold Criterion
302.658
302.660
           Bioconcentration Factor
302.663
           Determination of Bioconcentration Factor
302.666
           Utilizing the Bioconcentration Factor
           Listing of Derived Criteria
302.669
```

302_APPENDIX A References to Previous Rules

302_APPENDIX B Sources of Codified Sections

302.APPENDIX C Maximum total ammonia nitrogen concentrations allowable for certain combinations of pH and temperature

302. TABLE A pH-Dependent Values of the AS (Acute Standard)
302. TABLE B Temperature and pH-Dependent Values of the CS (Chronic Standard) for
Fish Early Life Stages Absent

302.TABLE C Temperature and pH-Dependent Values of the CS (Chronic Standard) for Fish Early Life Stages Present

AUTHORITY: Implementing Section 13 and authorized by Sections 11(b) and 27 of the Environmental Protection Act [415 ILCS 5/13, 11(b), and 27]...

SOURCE: Filed with the Secretary of State January 1, 1978; amended at 2 Ill. Reg. 44, p. 151, effective November 2, 1978; amended at 3 Ill. Reg. 20, p. 95, effective May 17, 1979; amended at 3 Ill. Reg. 25, p. 190, effective June 21, 1979; codified at 6 Ill. Reg. 7818; amended at 6 Ill. Reg. 11161, effective September 7, 1982; amended at 6 Ill. Reg. 13750, effective October 26, 1982; amended at 8 Ill. Reg. 1629, effective January 18, 1984; peremptory amendments at 10 Ill. Reg. 461, effective December 23, 1985; amended at R87-27 at 12 Ill. Reg. 9911, effective May 27, 1988; amended at R85-29 at 12 Ill. Reg. 12082, effective July 11, 1988; amended in R88-1 at 13 Ill. Reg. 5998, effective April 18, 1989; amended in R88-21(A) at 14 Ill. Reg. 2899, effective February 13, 1990; amended in R88-21(B) at 14 Ill. Reg. 11974, effective July 9, 1990; amended in R94-1(A) at 20 Ill. Reg. 7682, effective May 24, 1996; amended in R94-1(B) at 21 Ill. Reg. 370, effective December 23, 1996; expedited correction at 21 Ill. Reg. 6273, effective December 23, 1996; amended in R97-25 at 22 Ill.

Reg. 1356, effective December 24, 1997; amended in R99-8 at 23 Ill. Reg. 11249, effective August 26, 1999; amended in R01-13 at 26 Ill. Reg. 3505, effective February 22, 2002; amended in R02-19 at 26 Ill. Reg. 16931, effective November 8, 2002; amended in R02-11 at 27 Ill. Reg. 166, effective December 20, 2002; amended in R07-921 at 3130 Ill. Reg. 4919, effective March 1, 2006; amended in R07-9 at 31 Ill. Reg. , effective _____.

SUBPART A: GENERAL WATER QUALITY PROVISIONS

Section 302.102 Allowed Mixing, Mixing Zones and ZIDs

- a) Whenever a water quality standard is more restrictive than its corresponding effluent standard, or where there is no corresponding effluent standard specified at 35 Ill. Adm. Code 304, an opportunity shall be allowed for compliance with 35 Ill. Adm. Code 304.105 by mixture of an effluent with its receiving waters, provided the discharger has made every effort to comply with the requirements of 35 Ill. Adm. Code 304.102.
- b) The portion, volume and area of any receiving waters within which mixing is allowed pursuant to subsection (a) shall be limited by the following:
- 1) Mixing must be confined in an area or volume of the receiving water no larger than the area or volume which would result after incorporation of outfall design measures to attain optimal mixing efficiency of effluent and receiving waters. Such measures may include, but are not limited to, use of diffusers and engineered location and configuration of discharge points.
- 2) Mixing is not allowed in waters which include a tributary stream entrance if such mixing occludes the tributary mouth or otherwise restricts the movement of aquatic life into or out of the tributary.
- 3) Mixing is not allowed in water adjacent to bathing beaches, bank fishing areas, boat ramps or dockages or any other public access area.
- 4) Mixing is not allowed in waters containing mussel beds, endangered species habitat, fish spawning areas, areas of important aquatic life habitat, or any other natural features vital to the well being of aquatic life in such a manner that the maintenance of aquatic life in the body of water as a whole would be adversely affected.
- 5) Mixing is not allowed in waters which contain intake structures of public or food processing water supplies, points of withdrawal of water for irrigation, or watering areas accessed by wild or domestic animals.
- 6) Mixing must allow for a zone of passage for aquatic life in which water quality standards are met. However, a zone of passage is not required in receiving streams that have zero flow for at least seven consecutive days recurring on average in nine years out of ten.
- 7) The area and volume in which mixing occurs, alone or in combination with other areas and volumes of mixing, must not intersect any area of any body of water in such a manner that the maintenance of aquatic life in the body of water as a whole would be adversely affected.
- 8) The area and volume in which mixing occurs, alone or in combination with other areas and volumes of mixing must not contain more than 25% of the cross-sectional area or volume of flow of a stream except for those streams where the

dilution ratio is less than 3:1. The area and volume in which mixing occurs, alone or in combination with other areas and volumes of mixing, must not contain more than 25% of the cross-sectional arearea or volume of flow of a stream except for those streams where the dilution ratio is less than 3:1. In streams where the dilution ratio is less than 3:1. In streams where the dilution ratio is less than 3:1, other than streams that have a zero flow for at least seven consecutive days recurring on average in nine years out of ten, the volume in which mixing occurs, alone or in combination with other volumes of mixing, must not contain more than 50% of the volume flow. Mixing is not allowed in receiving waters which have a zero minimum seven day low flow which occurs once in ten years.

- 9) No mixing is allowed where the water quality standard for the constituent in question is already violated in the receiving water.
- 10) No body of water may be used totally for mixing of single outfall or combination of outfalls, except as provided in Section 302.102(b)(6).
- 11) Single sources of effluents which have more than one outfall shall be limited to a total area and volume of mixing no larger than that allowable if a single outfall were used.
- 12) The area and volume in which mixing occurs must be as small as is practicable under the limitations prescribed in this subsection, and in no circumstances may the mixing encompass a surface area larger than 26 acres.
- c) All water quality standards of this Part must be met at every point outside of the area and volume of the receiving water within which mixing is allowed. The acute toxicity standards of Sections 302.208 and 302.210 must be met within the area and volume within which mixing is allowed, except as provided in subsection (e).
- d) Pursuant to the procedures of Section 39 of the Act and 35 Ill. Adm. Code 309, a person may apply to the Agency to include as a condition in an NPDES permit formal definition of the area and volume of the waters of the State within which mixing is allowed for the NPDES discharge in question. Such formally defined area and volume of allowed mixing shall constitute a "mixing zone" for the purposes of 35 Ill. Adm. Code: Subtitle C. Upon proof by the applicant that a proposed mixing zone conforms with the requirements of Section 39 of the Act, this Section and any additional limitations as may be imposed by the Clean Water Act (CWA) (33 U.S.CUSC 1251 et seq.), the Act or Board regulations, the Agency shall, pursuant to Section 39(b) of the Act, include within the NPDES permit a condition defining the mixing zone.
- e) Pursuant to the procedures of Section 39 of the Act and 35 Ill. Adm. Code 309, a person may apply to the Agency to include as a condition in an NPDES permit a ZID as a component portion of a mixing zone. Such ZID shall, at a minimum, be limited to waters within which effluent dispersion is immediate and rapid. For the purposes of this subsection, "immediate" dispersion means an effluent's merging with receiving waters without delay in time after its discharge and within close proximity of the end of the discharge pipe, so as to minimize the length of exposure time of aquatic life to undiluted effluent, and "rapid" dispersion means an effluent's merging with receiving waters so as to minimize the length of exposure time of aquatic life to undiluted effluent. Upon proof by the applicant that a proposed ZID conforms with the requirements of Section 39 of the Act and this Section, the Agency shall, pursuant to Section 39 (b) of the Act, include within the NPDES permit a condition defining the ZID.

- f) Pursuant to Section 39 of the Act and 35 Ill. Adm. Code 309.103, an applicant for an NPDES permit shall submit data to allow the Agency to determine that the nature of any mixing zone or mixing zone in combination with a ZID conforms with the requirements of Section 39 of the Act and of this Section. A permittee may appeal Agency determinations concerning a mixing zone or ZID pursuant to the procedures of Section 40 of the Act and 35 Ill. Adm. Code 309.181.
- g) Where a mixing zone is defined in an NPDES permit, the waters within that mixing zone, for the duration of that NPDES permit, shall constitute the sole waters within which mixing is allowed for the permitted discharge. It shall not be a defense in any action brought pursuant to 35 Ill. Adm. Code 304.105 that the area and volume of waters within which mixing may be allowed pursuant to subsection (b) is less restrictive than the area or volume or waters encompassed in the mixing zone.
- h) Where a mixing zone is explicitly denied in a NPDES permit, no waters may be used for mixing by the discharge to which the NPDES permit applies, all other provisions of this Section notwithstanding.
- i) Where an NPDES permit is silent on the matter of a mixing zone, or where no NPDES permit is in effect, the burden of proof shall be on the discharger to demonstrate compliance with this Section in any action brought pursuant to 35 Ill. Adm. Code 304.105.

(Source:	Amended	at	31	Ill.	Reg.		effective	
----------	---------	----	----	------	------	--	-----------	--

SUBPART B: GENERAL USE WATER QUALITY STANDARDS

Section 302.208 Numeric Standards for Chemical Constituents

- a) The acute standard (AS) for the chemical constituents listed in subsection (e) shall not be exceeded at any time except as provided in subsection (d).
- b) The chronic standard (CS) for the chemical constituents listed in subsection (e) shall not be exceeded by the arithmetic average of at least four consecutive samples collected over any period of at least four days, except as provided in subsection (d). The samples used to demonstrate attainment or lack of attainment with a CS must be collected in a manner that assures an average representative of the sampling period. For the metals that have water quality based standards dependent upon hardness, the chronic water quality standard will be calculated according to subsection (e) using the hardness of the water body at the time the metals sample was collected. To calculate attainment status of chronic metals standards, the concentration of the metal in each sample is divided by the calculated water quality standard for the sample to determine a quotient. The water quality standard is attained if the mean of the sample quotients is less than or equal to one for the duration of the averaging period.
- c) The human health standard (HHS) for the chemical constituents listed in subsection (f) shall not be exceeded when the stream flow is at or above the harmonic mean flow pursuant to Section 302.658 nor shall an annual average, based on at least eight samples, collected in a manner representative of the sampling period, exceed the HHS except as provided in subsection (d).
- d) In waters where mixing is allowed pursuant to Section 302.102, the following apply:

- 1) The AS shall not be exceeded in any waters except for those waters for which the Agency has approved a zone of initial dilutions (ZID) pursuant to Section 302.102.
- 2) The CS shall not be exceeded outside of waters in which mixing is allowed pursuant to Section 302.102.
- 3) The HHS shall not be exceeded outside of waters in which mixing is allowed pursuant to Section 302.102.
- e) Numeric Water Quality Standards for the Protection of Aquatic Organisms

```
ConstituentSTORET NumberAS (µg/L)CS (µg/L)Arsenic
(trivalent,
dissolved) 2268036022680
360 X 1.0*=360190 X 1.0*=190Cadmium
(dissolved) 01025exp[A
\exp A + B \ln (H) + X \{1.138672 - [(lnH)(0.041838)]\} *, where A=-2.918 and
B=1.128 \frac{\exp{A\exp{A}} + Bln(H)}{X} \{1.101672 - [(lnH)(0.041838)]\}*, where A=-3.490 and
B=0.7852Chromium
(hexavalent, total) 010321611Chromium (trivalent, dissolved) 80357
exp[AexpA+Bln(H)] X 0.316*,
where A=3.688 and B=0.8190\exp[AexpA+Bln(H)] \times 0.860*,
where A=1.561 and B=0.8190Copper
(dissolved) 01040 \frac{\exp[A\exp A + B \ln(H)]}{x} 0.960*,
where A=-1.464 and B=0.9422\frac{\exp[A\exp A+Bln(H)]}{\ln A} \times 0.960*_{-1}
where A=-1.465 and B=0.8545Cyanide 0071822 5.2 00718225.2 Lead
(dissolved) 01049 exp[A
expA+Bln(H)+ X {1.46203-[(lnH)(0.145712)]}*,
where A=-1.301 and B=1.273 \frac{exp[AexpA+Bln(H)]}{} X {1.46203-[(lnH)(0.145712)]}*,
where A=-2.863 and B=1.273Mercury (dissolved)71890 2.6 X 0.85*=2.21.3 X
0.85 \pm 1.1Nickel (dissolved) 01065 \frac{exp[AexpA]}{AexpA} + Bln(H) + X 0.998 *,
where A=0.5173 and B=0.8460exp[AexpA+Bln(H)] \times 0.997*,
where A=-2.286 and B=0.8460TRC5006001911Zinc (dissolved)01090exp[AexpA+Bln(H)] X
0.978*,
where A=0.9035 and B=0.8473 \frac{Exp[AexpA+Bln(H)]}{Exp[AexpA+Bln(H)]} \times 0.986*,
where A=-0.8165 and
B=0.8473Benzene781244200860Ethylbenzene7811315014Toluene781312000600Xylene(s)815
where: \mu g/L = \text{microgram per } \frac{1 + (-1)^2}{1 + (-1)^2} = \text{base natural logarithms}
raised to the x- power, ln(H) = natural logarithm of Hardness (STORET 00900),
and * = conversion factor multiplier for dissolved metals
            Numeric Water Quality Standard for the Protection of Human Health
```

ConstituentSTORET Number($\mu g/L$) Mercury $\frac{719000.012}{719000.012}$ Benzene78124310 where: $\mu g/L$ = micrograms per liter

g) Concentrations of the following chemical constituents shall not be exceeded except in waters for which mixing is allowed pursuant to Section 302.102.

Constituent UnitSTORET

- h) The following concentrations for sulfate must not be exceeded except in receiving waters for which mixing is allowed pursuant to Section 302.102:
- 1) At any point where water is withdrawn or accessed for purposes of livestock watering, the average of sulfate concentrations must not exceed 2,000 mg/L when measured at a representative frequency over a 30 day period.
- 2) The results of the following equations provide sulfate water quality standards in mg/L for the specified ranges of hardness (in mg/L as CaCO3) and chloride (in mg/L) and must be met at all times:
- A) If the hardness concentration of receiving waters is greater than or equal to 100 mg/L but less than or equal to 500 mg/L, and if the chloride concentration of waters is greater than or equal to 25 mg/L but less than or equal to 500 mg/L, then:
- C = [1276.7 + 5.508 (hardness) 1.457 (chloride)] * 0.65

Where, where:

C = sulfate concentration

B) If the hardness concentration of waters is greater than or equal to 100 mg/L but less than or equal to 500 mg/L, and if the chloride concentration of waters is greater than or equal to 5 mg/L but less than 25 mg/L, then:

```
C = [-57.478 + 5.79 \text{ (hardness)} + 54.163 \text{ (chloride)}] * 0.65
```

Wherewhere:

C = sulfate concentration

- 3) The following sulfate standards must be met at all times when hardness (in mg/L as CaCO3) and chloride (in mg/L) concentrations other than specified in (h)(2) are present:
- A) If the hardness concentration of waters is less than 100 mg/L or chloride concentration of waters is less than 5 mg/L, the sulfate standard is 500 mg/L.
- B) If the hardness concentration of waters is greater than 500 mg/L and the chloride concentration of waters is 5 mg/L or greater, the sulfate standard is 2,000 mg/L.
- C) If the combination of hardness and chloride concentrations of existing waters are not reflected above in subsection (h)(3)(A) or (B), the sulfate standard will be determined on a case-by-case basis in conjunction with an applicable NPDES permitting process.

(Source:	Amended a	at 31	Ill.	TITIMOTO	REGISTER	effective	
NOTICE OF	PROPOSED	-AMENI	MENT				

POLLUTION CONTROL BOARD

Document comparison done by DeltaView on Thursday, September 27, 2007 1:17:06 PM

Input:	
Document 1	file://I:/Input/35-302-Agency(issue40).doc
Document 2	file://I:/Input/35-302-r01(issue 40).doc
Rendering set	Standard

Legend:	
Insertion	
Deletion	
Moved from	
Moved to	
Style change	
Format change	
Moved deletion	
Inserted cell	
Deleted cell	
Moved cell	
Split/Merged cell	
Padding cell	

Statistics:	
	Count
Insertions	50
Deletions	61
Moved from	0
Moved to	0
Style change	0
Format changed	0
Total changes	111



1		TITLE 35: ENVIRONMENTAL PROTECTION
2		SUBTITLE C: WATER POLLUTION
3		CHAPTER I: POLLUTION CONTROL BOARD
4		CIMA IBICI. I OBBOTION CONTROL BOTIND
5		PART 302
6		WATER QUALITY STANDARDS
7		
8		SUBPART A: GENERAL WATER QUALITY PROVISIONS
9		
10	Section	
11	302.100	Definitions
12	302.101	Scope and Applicability
13	302.102	Allowed Mixing, Mixing Zones and ZIDs
14	302.103	Stream Flows
15	302.104	Main River Temperatures
16	302.105	Antidegradation
17		
18		SUBPART B: GENERAL USE WATER QUALITY STANDARDS
19		
20	Section	
21	302.201	Scope and Applicability
22	302.202	Purpose
23	302.203	Offensive Conditions
24	302.204	pН
25	302.205	Phosphorus
26	302.206	Dissolved Oxygen
27	302.207	Radioactivity
28	302.208	Numeric Standards for Chemical Constituents
29	302.209	Fecal Coliform
30	302.210	Other Toxic Substances
31	302.211	Temperature
32	302.212	Total Ammonia Nitrogen
33	302.213	Effluent Modified Waters (Ammonia) (Repealed)
34		(
35	SUBPA	ART C: PUBLIC AND FOOD PROCESSING WATER SUPPLY STANDARDS
36		
37	Section	
38	302.301	Scope and Applicability
39	302.302	Algicide Permits
40	302.303	Finished Water Standards
41	302.304	Chemical Constituents
42	302.305	Other Contaminants
43	302.306	Fecal Coliform

44 45	302.307	Radium 226 and 228
43 46		SUBPART D: SECONDARY CONTACT AND
47		INDIGENOUS AQUATIC LIFE STANDARDS
48		INDIGENOUS AQUATIC EIFE STANDARDS
49	Section	
50	302.401	Scope and Applicability
51	302.402	Purpose
52	302.403	Unnatural Sludge
53	302.404	pH
54	302.405	Dissolved Oxygen
55	302.406	Fecal Coliform (Repealed)
56	302.407	Chemical Constituents
57	302.408	Temperature
58	302.409	Cyanide
59	302.410	Substances Toxic to Aquatic Life
60		•
61	SUI	BPART E: LAKE MICHIGAN BASIN WATER QUALITY STANDARDS
62		· ·
63	Section	
64	302.501	Scope, Applicability, and Definitions
65	302.502	Dissolved Oxygen
66	302.503	pH
67	302.504	Chemical Constituents
68	302.505	Fecal Coliform
69	302.506	Temperature
70	302.507	Thermal Standards for Existing Sources on January 1, 1971
71	302.508	Thermal Standards for Sources Under Construction But Not In Operation on
72		January 1, 1971
73	302.509	Other Sources
74	302.510	Incorporations by Reference
75	302.515	Offensive Conditions
76	302.520	Regulation and Designation of Bioaccumulative Chemicals of Concern (BCCs)
77	302.521	Supplemental Antidegradation Provisions for Bioaccumulative Chemicals of
78		Concern (BCCs)
79	302.525	Radioactivity
80	302.530	Supplemental Mixing Provisions for Bioaccumulative Chemicals of Concern
81	202 525	(BCCs)
82	302.535	Ammonia Nitrogen
83	302.540	Other Toxic Substances
84	302.545	Data Requirements
85	302.550	Analytical Testing
86	302.553	Determining the Lake Michigan Aquatic Toxicity Criteria or Values – General

87		Procedures
88	302.555	Determining the Tier I Lake Michigan Acute Aquatic Toxicity Criterion
89		(LMAATC): Independent of Water Chemistry
90	302.560	Determining the Tier I Lake Michigan Basin Acute Aquatic Life Toxicity
91		Criterion (LMAATC): Dependent on Water Chemistry
92	302.563	Determining the Tier II Lake Michigan Basin Acute Aquatic Life Toxicity Value
93		(LMAATV)
94	302.565	Determining the Lake Michigan Basin Chronic Aquatic Life Toxicity Criterion
95		(LMCATC) or the Lake Michigan Basin Chronic Aquatic Life Toxicity Value
96		(LMCATV)
97	302.570	Procedures for Deriving Bioaccumulation Factors for the Lake Michigan Basin
98	302.575	Procedures for Deriving Tier I Water Quality Criteria and Values in the Lake
99		Michigan Basin to Protect Wildlife
100	302.580	Procedures for Deriving Water Quality Criteria and Values in the Lake Michigan
101		Basin to Protect Human Health – General
102	302.585	Procedures for Determining the Lake Michigan Basin Human Health Threshold
103		Criterion (LMHHTC) and the Lake Michigan Basin Human Health Threshold
104		Value (LMHHTV)
105	302.590	Procedures for Determining the Lake Michigan Basin Human Health
106		Nonthreshold Criterion (LMHHNC) or the Lake Michigan Basin Human Health
107		Nonthreshold Value (LMHHNV)
108	302.595	Listing of Bioaccumulative Chemicals of Concern, Derived Criteria and Values
109	G*****	
110	SUBPAR	RT F: PROCEDURES FOR DETERMINING WATER QUALITY CRITERIA
111	a .·	
112	Section	0 1 4 1' 1'1',
113	302.601	Scope and Applicability
114	302.603	Definitions Methodological Althonoristics
115	302.604	Mathematical Abbreviations
116	302.606	Data Requirements
117	302.612	Determining the Acute Aquatic Toxicity Criterion for an Individual Substance – General Procedures
118 119	302.615	
	302.013	Determining the Acute Aquatic Toxicity Criterion – Toxicity Independent of Water Chemistry
120 121	302.618	
121	302.016	Determining the Acute Aquatic Toxicity Criterion – Toxicity Dependent on Water Chemistry
123	302.621	Determining the Acute Aquatic Toxicity Criterion – Procedure for Combinations
123	302.021	of Substances
125	302.627	Determining the Chronic Aquatic Toxicity Criterion for an Individual Substance –
126	502.021	General Procedures
127	302.630	Determining the Chronic Aquatic Toxicity Criterion – Procedure for
128	502.050	Combinations of Substances
129	302.633	The Wild and Domestic Animal Protection Criterion
147	J 02.0JJ	The The and Domestic Limital Librorion Citorion

130	302.642 The Human Threshold Criterion
131	302.645 Determining the Acceptable Daily Intake
132	302.648 Determining the Human Threshold Criterion
133	302.651 The Human Nonthreshold Criterion
134	302.654 Determining the Risk Associated Intake
135	302.657 Determining the Human Nonthreshold Criterion
136	302.658 Stream Flow for Application of Human Nonthreshold Criterion
137	302.660 Bioconcentration Factor
138	302.663 Determination of Bioconcentration Factor
139	302.666 Utilizing the Bioconcentration Factor
140	302.669 Listing of Derived Criteria
141	
142	302.APPENDIX A References to Previous Rules
143	302.APPENDIX B Sources of Codified Sections
144	302.APPENDIX C Maximum total ammonia nitrogen concentrations allowable for certain
145	combinations of pH and temperature
146	302.TABLE A pH-Dependent Values of the AS (Acute Standard)
147	302.TABLE B Temperature and pH-Dependent Values of the CS (Chronic Standard)
148	for Fish Early Life Stages Absent
149	302.TABLE C Temperature and pH-Dependent Values of the CS (Chronic Standard)
150	for Fish Early Life Stages Present
151	
152	AUTHORITY: Implementing Section 13 and authorized by Sections 11(b) and 27 of the
153	Environmental Protection Act [415 ILCS 5/13, 11(b), and 27].
154	
155	SOURCE: Filed with the Secretary of State January 1, 1978; amended at 2 Ill. Reg. 44, p. 151,
156	effective November 2, 1978; amended at 3 Ill. Reg. 20, p. 95, effective May 17, 1979; amended
157	at 3 Ill. Reg. 25, p. 190, effective June 21, 1979; codified at 6 Ill. Reg. 7818; amended at 6 Ill.
158	Reg. 11161, effective September 7, 1982; amended at 6 Ill. Reg. 13750, effective October 26,
159	1982; amended at 8 Ill. Reg. 1629, effective January 18, 1984; peremptory amendments at 10 Ill.
160	Reg. 461, effective December 23, 1985; amended at R87-27 at 12 Ill. Reg. 9911, effective May
161	27, 1988; amended at R85-29 at 12 Ill. Reg. 12082, effective July 11, 1988; amended in R88-1 at
162	13 Ill. Reg. 5998, effective April 18, 1989; amended in R88-21(A) at 14 Ill. Reg. 2899, effective
163	February 13, 1990; amended in R88-21(B) at 14 Ill. Reg. 11974, effective July 9, 1990; amended
164	in R94-1(A) at 20 Ill. Reg. 7682, effective May 24, 1996; amended in R94-1(B) at 21 Ill. Reg.
165	370, effective December 23, 1996; expedited correction at 21 Ill. Reg. 6273, effective December
166	23, 1996; amended in R97-25 at 22 Ill. Reg. 1356, effective December 24, 1997; amended in
167	R99-8 at 23 Ill. Reg. 11249, effective August 26, 1999; amended in R01-13 at 26 Ill. Reg. 3505,
168	effective February 22, 2002; amended in R02-19 at 26 Ill. Reg. 16931, effective November 8,
169	2002; amended in R02-11 at 27 Ill. Reg. 166, effective December 20, 2002; amended in R04-21
170	at 30 Ill. Reg. 4919, effective March 1, 2006; amended in R07-9 at 31 Ill. Reg, effective
171	·
172	

173		SUBPART	A: GENERAL WATER QUALITY PROVISIONS
174			
175	Section 302.1	102 Allowed M	Iixing, Mixing Zones and ZIDs
176	`	****	
177 178	a)		vater quality standard is more restrictive than its corresponding lard, or where there is no corresponding effluent standard specified at
179			Code 304, an opportunity shall be allowed for compliance with 35
180			le 304.105 by mixture of an effluent with its receiving waters,
181			discharger has made every effort to comply with the requirements of
182		-	Code 304.102.
183			
184	b)	The portion, v	volume and area of any receiving waters within which mixing is
185	,	-	ant to subsection (a) shall be limited by the following:
186		-	
187		1)	Mixing must be confined in an area or volume of the receiving
188			water no larger than the area or volume which would result after
189			incorporation of outfall design measures to attain optimal mixing
190			efficiency of effluent and receiving waters. Such measures may
191			include, but are not limited to, use of diffusers and engineered
192			location and configuration of discharge points.
193			
194		2)	Mixing is not allowed in waters which include a tributary stream
195 196			entrance if such mixing occludes the tributary mouth or otherwise
190			restricts the movement of aquatic life into or out of the tributary.
198		3)	Mixing is not allowed in water adjacent to bathing beaches, bank
199		3)	fishing areas, boat ramps or dockages or any other public access
200			area.
201			
202		4)	Mixing is not allowed in waters containing mussel beds,
203		,	endangered species habitat, fish spawning areas, areas of important
204			aquatic life habitat, or any other natural features vital to the well
205			being of aquatic life in such a manner that the maintenance of
206			aquatic life in the body of water as a whole would be adversely
207			affected.
208			
209		5)	Mixing is not allowed in waters which contain intake structures of
210			public or food processing water supplies, points of withdrawal of
211			water for irrigation, or watering areas accessed by wild or domestic
212			animals.
213			
214		6)	Mixing must allow for a zone of passage for aquatic life in which
215			water quality standards are met. However, a zone of passage is not

216			required in receiving streams that have zero flow for at least seven
217			consecutive days recurring on average in nine years out of ten.
218			
219		7)	The area and volume in which mixing occurs, alone or in
220		,	combination with other areas and volumes of mixing, must not
221			intersect any area of any body of water in such a manner that the
222			maintenance of aquatic life in the body of water as a whole would
223			be adversely affected.
224			be adversely affected.
225		8)	The area and volume in which mixing occurs, alone or in
226		0)	combination with other areas and volumes of mixing must not
227			contain more than 25% of the cross-sectional area or volume of
228			flow of a stream except for those streams where the dilution ratio is
229			less than 3:1. The area and volume in which mixing occurs, alone
230			or in combination with other areas and volumes of mixing, must
231			not contain more than 25% of the cross-sectional area or volume of
232			flow of a stream except for those streams where the dilution ratio is
233			less than 3:1. In streams where the dilution ratio is less than 3:1,
234			other than streams that have a zero flow for at least seven
235			consecutive days recurring on average in nine years out of ten, the
236			volume in which mixing occurs, alone or in combination with
237			other volumes of mixing, must not contain more than 50% of the
238			volume flow. Mixing is not allowed in receiving waters which have
239			a zero minimum seven day low flow which occurs once in ten
240			years.
241			
242		9)	No mixing is allowed where the water quality standard for the
243			constituent in question is already violated in the receiving water.
244			
245		10)	No body of water may be used totally for mixing of single outfall
246		·	or combination of outfalls, except as provided in Section
247			302.102(b)(6).
248			
249		11)	Single sources of effluents which have more than one outfall shall
250		,	be limited to a total area and volume of mixing no larger than that
251			allowable if a single outfall were used.
252			
253		12)	The area and volume in which mixing occurs must be as small as is
254		1-)	practicable under the limitations prescribed in this subsection, and
255			in no circumstances may the mixing encompass a surface area
256			larger than 26 acres.
257			inipot didit 20 dotos.
258	c)	All water anal	ity standards of this Part must be met at every point outside of the
230	<i>c)</i>	All water quar	ity standards of tims I are must be mot at every point outside of the

area and volume of the receiving water within which mixing is allowed. The acute toxicity standards of Sections 302.208 and 302.210 must be met within the area and volume within which mixing is allowed, except as provided in subsection (e).

- d) Pursuant to the procedures of Section 39 of the Act and 35 Ill. Adm. Code 309, a person may apply to the Agency to include as a condition in an NPDES permit formal definition of the area and volume of the waters of the State within which mixing is allowed for the NPDES discharge in question. Such formally defined area and volume of allowed mixing shall constitute a "mixing zone" for the purposes of 35 Ill. Adm. Code: Subtitle C. Upon proof by the applicant that a proposed mixing zone conforms with the requirements of Section 39 of the Act, this Section and any additional limitations as may be imposed by the Clean Water Act (CWA) (33 <u>USCU-S-C</u> 1251 et seq.), the Act or Board regulations, the Agency shall, pursuant to Section 39(b) of the Act, include within the NPDES permit a condition defining the mixing zone.
- e) Pursuant to the procedures of Section 39 of the Act and 35 Ill. Adm. Code 309, a person may apply to the Agency to include as a condition in an NPDES permit a ZID as a component portion of a mixing zone. Such ZID shall, at a minimum, be limited to waters within which effluent dispersion is immediate and rapid. For the purposes of this subsection, "immediate" dispersion means an effluent's merging with receiving waters without delay in time after its discharge and within close proximity of the end of the discharge pipe, so as to minimize the length of exposure time of aquatic life to undiluted effluent, and "rapid" dispersion means an effluent's merging with receiving waters so as to minimize the length of exposure time of aquatic life to undiluted effluent. Upon proof by the applicant that a proposed ZID conforms with the requirements of Section 39 of the Act and this Section, the Agency shall, pursuant to Section 39(b) of the Act, include within the NPDES permit a condition defining the ZID.
- f) Pursuant to Section 39 of the Act and 35 Ill. Adm. Code 309.103, an applicant for an NPDES permit shall submit data to allow the Agency to determine that the nature of any mixing zone or mixing zone in combination with a ZID conforms with the requirements of Section 39 of the Act and of this Section. A permittee may appeal Agency determinations concerning a mixing zone or ZID pursuant to the procedures of Section 40 of the Act and 35 Ill. Adm. Code 309.181.
- g) Where a mixing zone is defined in an NPDES permit, the waters within that mixing zone, for the duration of that NPDES permit, shall constitute the sole waters within which mixing is allowed for the permitted discharge. It shall not be a defense in any action brought pursuant to 35 Ill. Adm. Code 304.105 that the area and volume of waters within which mixing may be allowed pursuant to

h) Where a mixing zone is explicitly denied in a NPDES permit used for mixing by the discharge to which the NPDES permit provisions of this Section notwithstanding. i) Where an NPDES permit is silent on the matter of a mixing and NPDES permit is in effect, the burden of proof shall be on the demonstrate compliance with this Section in any action brough Adm. Code 304.105. (Source: Amended at 31 Ill. Reg, effective)	t applies, all other zone, or where no e discharger to
used for mixing by the discharge to which the NPDES permit provisions of this Section notwithstanding. Where an NPDES permit is silent on the matter of a mixing and NPDES permit is in effect, the burden of proof shall be on the demonstrate compliance with this Section in any action bround Adm. Code 304.105. (Source: Amended at 31 Ill. Reg, effective)	t applies, all other zone, or where no e discharger to
provisions of this Section notwithstanding. Where an NPDES permit is silent on the matter of a mixing and NPDES permit is in effect, the burden of proof shall be on the demonstrate compliance with this Section in any action bround Adm. Code 304.105. (Source: Amended at 31 Ill. Reg, effective)	zone, or where no e discharger to
i) Where an NPDES permit is silent on the matter of a mixing a NPDES permit is in effect, the burden of proof shall be on the demonstrate compliance with this Section in any action brough Adm. Code 304.105. (Source: Amended at 31 Ill. Reg, effective)	e discharger to
i) Where an NPDES permit is silent on the matter of a mixing a NPDES permit is in effect, the burden of proof shall be on the demonstrate compliance with this Section in any action bround Adm. Code 304.105. (Source: Amended at 31 Ill. Reg, effective)	e discharger to
NPDES permit is in effect, the burden of proof shall be on the demonstrate compliance with this Section in any action brough Adm. Code 304.105. Source: Amended at 31 Ill. Reg, effective)	e discharger to
NPDES permit is in effect, the burden of proof shall be on the demonstrate compliance with this Section in any action bround Adm. Code 304.105. Source: Amended at 31 Ill. Reg, effective)	_
312 Adm. Code 304.105. 313 314 (Source: Amended at 31 Ill. Reg, effective)	ght pursuant to 35 Ill.
313 314 (Source: Amended at 31 Ill. Reg, effective)	-
(Source: Amended at 31 Ill. Reg, effective)	
·	
316 SUBPART B: GENERAL USE WATER QUALITY STANI	DARDS
317	
Section 302.208 Numeric Standards for Chemical Constituents	
319	
a) The acute standard (AS) for the chemical constituents listed:	in subsection (e) shall
not be exceeded at any time except as provided in subsection	. (d).
322	
323 b) The chronic standard (CS) for the chemical constituents liste	` ,
shall not be exceeded by the arithmetic average of at least for	
samples collected over any period of at least four days, except	•
subsection (d). The samples used to demonstrate attainment	
with a CS must be collected in a manner that assures an aver-	
	-
the sampling period. For the metals that have water quality by	pased standards
the sampling period. For the metals that have water quality to dependent upon hardness, the chronic water quality standard	pased standards will be calculated
the sampling period. For the metals that have water quality to dependent upon hardness, the chronic water quality standard according to subsection (e) using the hardness of the water be	pased standards will be calculated ody at the time the
the sampling period. For the metals that have water quality to dependent upon hardness, the chronic water quality standard according to subsection (e) using the hardness of the water be metals sample was collected. To calculate attainment status	pased standards will be calculated ody at the time the of chronic metals
the sampling period. For the metals that have water quality to dependent upon hardness, the chronic water quality standard according to subsection (e) using the hardness of the water be metals sample was collected. To calculate attainment status standards, the concentration of the metal in each sample is discovered.	pased standards will be calculated ody at the time the of chronic metals vided by the
the sampling period. For the metals that have water quality to dependent upon hardness, the chronic water quality standard according to subsection (e) using the hardness of the water by metals sample was collected. To calculate attainment status standards, the concentration of the metal in each sample is displayed according to subsection (e) using the hardness of the water by metals sample was collected. To calculate attainment status standards, the concentration of the metal in each sample is displayed according to subsection (e) using the hardness of the water by metals according to subsection (e) using the hardness of the water by metals according to subsection (e) using the hardness of the water by metals according to subsection (e) using the hardness of the water by metals according to subsection (e) using the hardness of the water by metals according to subsection (e) using the hardness of the water by metals according to subsection (e) using the hardness of the water by metals according to subsection (e) using the hardness of the water by metals according to subsection (e) using the hardness of the water by metals according to according to subsection (e) using the hardness of the water by metals according to accor	wased standards will be calculated ody at the time the of chronic metals vided by the e a quotient. The
the sampling period. For the metals that have water quality be dependent upon hardness, the chronic water quality standard according to subsection (e) using the hardness of the water be metals sample was collected. To calculate attainment status standards, the concentration of the metal in each sample is discalculated water quality standard for the sample to determine water quality standard is attained if the mean of the sample quality standard is attained in the sample quality standard is attained in the sample quality standard is attained in the sample quality standard in the sample quality standard is attained in the sample quality standard in the sample quality	wased standards will be calculated ody at the time the of chronic metals vided by the e a quotient. The
the sampling period. For the metals that have water quality to dependent upon hardness, the chronic water quality standard according to subsection (e) using the hardness of the water by metals sample was collected. To calculate attainment status standards, the concentration of the metal in each sample is discalculated water quality standard for the sample to determine water quality standard is attained if the mean of the sample quality or equal to one for the duration of the averaging period.	wased standards will be calculated ody at the time the of chronic metals vided by the e a quotient. The
the sampling period. For the metals that have water quality to dependent upon hardness, the chronic water quality standard according to subsection (e) using the hardness of the water by metals sample was collected. To calculate attainment status standards, the concentration of the metal in each sample is discalculated water quality standard for the sample to determine water quality standard is attained if the mean of the sample quality or equal to one for the duration of the averaging period.	will be calculated ody at the time the of chronic metals vided by the a quotient. The uotients is less than
the sampling period. For the metals that have water quality to dependent upon hardness, the chronic water quality standard according to subsection (e) using the hardness of the water be metals sample was collected. To calculate attainment status standards, the concentration of the metal in each sample is dicalculated water quality standard for the sample to determine water quality standard is attained if the mean of the sample quality or equal to one for the duration of the averaging period. The human health standard (HHS) for the chemical constitutions.	will be calculated ody at the time the of chronic metals vided by the a quotient. The uotients is less than
the sampling period. For the metals that have water quality to dependent upon hardness, the chronic water quality standard according to subsection (e) using the hardness of the water by metals sample was collected. To calculate attainment status standards, the concentration of the metal in each sample is discalculated water quality standard for the sample to determine water quality standard is attained if the mean of the sample quality or equal to one for the duration of the averaging period. The human health standard (HHS) for the chemical constitues subsection (f) shall not be exceeded when the stream flow is	will be calculated ody at the time the of chronic metals vided by the a quotient. The uotients is less than ents listed in at or above the
the sampling period. For the metals that have water quality to dependent upon hardness, the chronic water quality standard according to subsection (e) using the hardness of the water be metals sample was collected. To calculate attainment status standards, the concentration of the metal in each sample is discalculated water quality standard for the sample to determine water quality standard is attained if the mean of the sample quality or equal to one for the duration of the averaging period. The human health standard (HHS) for the chemical constitutes subsection (f) shall not be exceeded when the stream flow is harmonic mean flow pursuant to Section 302.658 nor shall as	will be calculated ody at the time the of chronic metals vided by the a quotient. The uotients is less than ents listed in at or above the n annual average,
the sampling period. For the metals that have water quality to dependent upon hardness, the chronic water quality standard according to subsection (e) using the hardness of the water be metals sample was collected. To calculate attainment status standards, the concentration of the metal in each sample is discalculated water quality standard for the sample to determine water quality standard is attained if the mean of the sample quality or equal to one for the duration of the averaging period. The human health standard (HHS) for the chemical constitues subsection (f) shall not be exceeded when the stream flow is harmonic mean flow pursuant to Section 302.658 nor shall as based on at least eight samples, collected in a manner representation.	will be calculated ody at the time the of chronic metals vided by the a quotient. The uotients is less than ents listed in at or above the nannual average, entative of the
the sampling period. For the metals that have water quality to dependent upon hardness, the chronic water quality standard according to subsection (e) using the hardness of the water be metals sample was collected. To calculate attainment status standards, the concentration of the metal in each sample is discalculated water quality standard for the sample to determine water quality standard is attained if the mean of the sample or equal to one for the duration of the averaging period. The human health standard (HHS) for the chemical constitues subsection (f) shall not be exceeded when the stream flow is harmonic mean flow pursuant to Section 302.658 nor shall as based on at least eight samples, collected in a manner representation.	will be calculated ody at the time the of chronic metals vided by the a quotient. The uotients is less than ents listed in at or above the nannual average, entative of the
the sampling period. For the metals that have water quality to dependent upon hardness, the chronic water quality standard according to subsection (e) using the hardness of the water be metals sample was collected. To calculate attainment status standards, the concentration of the metal in each sample is discalculated water quality standard for the sample to determine water quality standard is attained if the mean of the sample quality or equal to one for the duration of the averaging period. The human health standard (HHS) for the chemical constitute subsection (f) shall not be exceeded when the stream flow is harmonic mean flow pursuant to Section 302.658 nor shall as based on at least eight samples, collected in a manner representation of the HHS except as provided in subsection 342	will be calculated ody at the time the of chronic metals vided by the a quotient. The uotients is less than ents listed in at or above the n annual average, entative of the ection (d).
the sampling period. For the metals that have water quality to dependent upon hardness, the chronic water quality standard according to subsection (e) using the hardness of the water be metals sample was collected. To calculate attainment status standards, the concentration of the metal in each sample is discalculated water quality standard for the sample to determine water quality standard is attained if the mean of the sample or equal to one for the duration of the averaging period. The human health standard (HHS) for the chemical constitues subsection (f) shall not be exceeded when the stream flow is harmonic mean flow pursuant to Section 302.658 nor shall as based on at least eight samples, collected in a manner representation.	will be calculated ody at the time the of chronic metals vided by the a quotient. The uotients is less than ents listed in at or above the n annual average, entative of the ection (d).

- 1) The AS shall not be exceeded in any waters except for those waters for which the Agency has approved a zone of initial dilutions (ZID) pursuant to Section 302.102.
- 2) The CS shall not be exceeded outside of waters in which mixing is allowed pursuant to Section 302.102.
- The HHS shall not be exceeded outside of waters in which mixing is allowed pursuant to Section 302.102.

e) Numeric Water Quality Standards for the Protection of Aquatic Organisms

Constituent	STORET Number	AS (μg/L)	CS (µg/L)
Arsenic (trivalent, dissolved)	22680	360 X 1.0*=360	190 X 1.0*=190
Cadmium (dissolved)	01025	exp ^{A+Bln(H)} X {1.138672- [(lnH)(0.041838)]}*, where A=-2.918 and B=1.128	exp ^{A+Bln(H)} X {1.101672- [(lnH)(0.041838)]}*, where A=-3.490 and B=0.7852
Chromium (hexavalent, total)	01032	16	11
Chromium (trivalent, dissolved)	80357	exp ^{A+Bln(H)} X 0.316*, where A=3.688 and B=0.8190	exp ^{A+Bln(H)} X 0.860*, where A=1.561 and B=0.8190
Copper (dissolved)	01040	exp ^{A+Bln(H)} X 0.960*, where A=-1.464 and B=0.9422	exp ^{A+Bln(H)} X 0.960* _x - where A=-1.465 and B=0.8545
Cyanide	00718	22	5.2

Constituent	STO	RET (ug/L)	
Numeric Water Qu	ality Standar	d for the Protection of Hu	ıman Health
	*	, ·	ultiplier for dissolved
	ln(H)	power , = natural logarithm of 00900) , and	Hardness (STORET
where:	μg/L exp ^x	= microgram per liter; = base natural logarith	
Xylene(s)	81551	920	360
Toluene	78131	2000	600
Ethylbenzene	78113	150	14
Benzene	78124	4200	860
Zinc (dissolved)	01090	exp ^{A+Bln(H)} X 0.978*, where A=0.9035 and B=0.8473	$\frac{\exp Exp}{0.986*}$, where A=-0.8165 and B=0.8473
TRC	500600	19	11
Nickel (dissolved)	01065	exp ^{A+Bln(H)} X 0.998*, where A=0.5173 and B=0.8460	exp ^{A+Bln(H)} X 0.997*, where A=-2.286 and B=0.8460
Mercury (dissolved)	71890	2.6 X 0.85*=2.2	1.3 X 0.85*=1.1
Lead (dissolved)	01049	exp ^{A+Bln(H)} X {1.46203- [(lnH)(0.145712)]}*, where A=-1.301 and B=1.273	exp ^{A+Bln(H)} X {1.46203- [(lnH)(0.145712)]}*, where A=-2.863 and B=1.273
		A ±Dln(U)	A+Din/UI)

f) N

Constituent	STORET Number	(μg/L)
Mercury	71900	0.012
Benzene	78124	310

where: $\mu g/L = micrograms per liter$

358

359 360 361

362

366

g)

Concentrations of the following chemical constituents shall not be exceeded except in waters for which mixing is allowed pursuant to Section 302.102.

Constituent	Unit	STORET	Standard
		Number	
Barium (total)	mg/L	01007	5.0
Boron (total)	mg/L	01022	1.0
Chloride (total)	mg/L	00940	500
Fluoride	mg/L	00951	1.4
Iron (dissolved)	mg/L	01046	1.0
Manganese (total)	mg/L	01055	1.0
Phenols	mg/L	32730	0.1
Selenium (total)	mg/L	01147	1.0
Silver (total)	μg/L	01077	5.0
Sulfate	mg/L	00945	500
Total Dissolved Solids	mg/L	70300	1000

367

 $\mu g/L = microgram per liter$

where: mg/L = milligram per liter and

368 369

The following concentrations for sulfate must not be exceeded except in receiving <u>h</u>) waters for which mixing is allowed pursuant to Section 302.102:

370 371 372

373

374

At any point where water is withdrawn or accessed for purposes of 1) livestock watering, the average of sulfate concentrations must not exceed 2,000 mg/L when measured at a representative frequency over a 30 day period.

375 376 377

The results of the following equations provide sulfate water quality <u>2)</u> standards in mg/L for the specified ranges of hardness (in mg/L as CaCO₃) and chloride (in mg/L) and must be met at all times:

378 379

380

381		<u>A)</u>	If the hardness concentration of receiving waters is greater than or
382			equal to 100 mg/L but less than or equal to 500 mg/L, and if the
383			chloride concentration of waters is greater than or equal to 25
384			mg/L but less than or equal to 500 mg/L, then:
385 386			C = [1276.7 + 5.508 (hardness) - 1.457 (chloride)] * 0.65
387			<u>C = [1270.7 + 3.500 (naruness) = 1.457 (emoride)] </u>
			where:
388			where.
389			C - author concentration
390			C = sulfate concentration
391		D)	TC/1 1 1 1
392		<u>B)</u>	If the hardness concentration of waters is greater than or equal to
393			100 mg/L but less than or equal to 500 mg/L, and if the chloride
394			concentration of waters is greater than or equal to 5 mg/L but less
395			than 25 mg/L, then:
396			
397			C = [-57.478 + 5.79 (hardness) + 54.163 (chloride)] * 0.65
398			
399			where:
400			
401			$\underline{C} = \text{sulfate concentration}$
402			
403	<u>3)</u>	The fol	llowing sulfate standards must be met at all times when hardness (in
404		mg/L a	s CaCO ₃) and chloride (in mg/L) concentrations other than
405		specific	ed in (h)(2) are present:
406			
407		<u>A)</u>	If the hardness concentration of waters is less than 100 mg/L or
408			chloride concentration of waters is less than 5 mg/L, the sulfate
409			standard is 500 mg/L.
410			
411		<u>B)</u>	If the hardness concentration of waters is greater than 500 mg/L
412			and the chloride concentration of waters is 5 mg/L or greater, the
413			sulfate standard is 2,000 mg/L.
414			
415		<u>C)</u>	If the combination of hardness and chloride concentrations of
416			existing waters are not reflected in subsection (h)(3)(A) or (B), the
417			sulfate standard will be determined on a case-by-case basis in
418			conjunction with an applicable NPDES permitting process.
419			
420	(Source: Ame	ended at	31 Ill. Reg, effective

NOTICE OF PROPOSED AMENDMENT

Heading of the Part: Permits 1)

2) Code Citation: 35 Ill. Adm. Code 309

3) Section Number: Proposed Action:

309.103 Amend



- 4) Statutory Authority: Implementing Sections 13 and 13.3 and authorized by Section 27 of the Environmental Protection Act [415 ILCS 5/13, 13.3 and 27]
- A Complete Description of the Subjects and Issues Involved: For a more detailed 5) discussion of these amendments, see the Board's September 20, 2007, opinion and order in docket R07-9: Triennial Review of Sulfate and Total Dissolved Solids Water Quality Standards: Proposed Amendments to 35 Ill. Adm. Code 302.102(b)(6), 302.102(b)(8), 302.102(b)(10), 302.208(g), 309.103(c)(3), 405.109(b)(2)(A), 409.109(b)(2)(B), 406.100(d); Repealer of 35 Ill. Adm. Code 406.203, 406.209, and Part 407; and Proposed New 35 Ill. Adm. Code 302.208(h). The amendments in this rulemaking propose changes to Parts 302, 309, 405, 406, and the repeal of Part 407 and the amendments to all of the Parts in this rulemaking should be read jointly. This rulemaking is intended to fulfill the requirement of the Federal Water Pollution Control Act, 33 USC §1251-1387, also known as the Clean Water Act (CWA), that states must triennially revise and update water quality standards to ensure that standards are protective of public health and welfare, enhance the quality of water and promote the purposes of the CWA. This update is known as a triennial water quality standards review.

Specifically, the amendments to Part 309 propose conforming amendments to clarify that mine discharges are now subject to the water quality standards of Parts 302 and 303.

Published studies or reports, and sources of underlying data, used to compose this 6) rulemaking: The regulatory proposal included the Illinois EPA's Technical Support document, included with the Illinois EPA's original filing in this rulemaking, that relied on several published studies and reports. Copies of the reports that the Illinois EPA relied upon are available for review with the Pollution Control Board and are listed below.

Goodfellow, W.L., L.W. Ausley, D.T. Burton, D.L. Denton, P.B. Dorn, D.R. Grothe, M.A. Heber, T.J. Norberg-King, and J.H. Rodgers, Jr. 2000. Major ion toxicity in effluents: a review with permitting recommendations. Environmental Toxicology and Chemistry, 19:175-182.

NOTICE OF PROPOSED AMENDMENT

Mount, D.R., D.D. Gulley, J.R. Hackett, T.D. Garrison, and J.M. Evans. 1997. Statistical models to predict the toxicity of major ions to Ceriodaphnia dubia, Daphnia magna and Pimephales promelas (Fathead Minnows). Environmental Toxicology and Chemistry, 16(10): 2009-2019.

Soucek, D.J. 2004a. Effects of hardness, chloride, and acclimation on the acute toxicity of sulfate to freshwater invertebrates. Illinois Natural History Survey. Final Report submitted to Illinois Environmental Protection Agency and Illinois Coal Association.

Soucek, D.J. 2004b. Effects of water quality on acute and chronic toxicity of sulfate to freshwater bivalves, Ceriodaphnia dubia, and Hyalella azteca. Illinois Natural History Survey. First Quarterly Report submitted to U.S. Environmental Protection Agency, Region 5.

Soucek, D.J. 2005a. Effects of water quality on acute and chronic toxicity of sulfate to freshwater bivalves, Ceriodaphnia dubia, and Hyalella azteca. Illinois Natural History Survey. Second Quarterly Report submitted to U.S. Environmental Protection Agency, Region 5.

Soucek, D.J. 2005b. Effects of water quality on acute and chronic toxicity of sulfate to freshwater bivalves, Ceriodaphnia dubia, and Hyalella azteca. Illinois Natural History Survey. Third Quarterly Report submitted to U.S. Environmental Protection Agency, Region 5.

Soucek, D.J. 2006. Effects of water quality on acute and chronic toxicity of sulfate to freshwater bivalves, Ceriodaphnia dubia, and Hyalella azteca. Illinois Natural History Survey. Final Report submitted to U.S. Environmental Protection Agency, Region 5. CP96543701-0.

American Public Health Association. 1989. Standard Methods for the Examination of Water and Wastewater, 17th ed., Washington, D.C.

McKee, J.E. and H.W. Wolf 1963. Water Quality Criteria, 2nd ed., The Resources Agency of California, California State Water Quality Control Board, Sacramento, CA. Publication No. 3-A, p. 548.

Weeth, H.J. and D.L. Capps. 1972. Tolerance of growing cattle for sulfate water. Journal of Animal Science. 34(2): 256-260.

Loneragan, G.H., J.J. Wagner, D.H. Gould, F.B. Garry, and M.A. Thoren, 2001, Effects

NOTICE OF PROPOSED AMENDMENT

of water sulfate concentration on performance, water intake, and carcass characteristics of feedlot steers. Journal of Animal Science, 79:2941-2948.

Braul, L. and B. Kirychuk. 2001. Water Quality and Cattle. Prairie Farm Rehabilitation Office, Agriculture and Agri-Food Canada. Publication ENH- 1 11-2001-10.

Patterson, H.H., P.S. Johnson, E.H. Ward, and R.N. Gates. 2004. Effects of sulfates in water on performance of cow-calf pairs. Proceedings, Western Section, American Society of Animal Science. 55: 265-268.

Patterson, H.H., P.S. Johnson, T.R. Patterson, D.B. Young, and R. Haigh. 2002. Effects of water quality on performance and health of growing steers. Proceedings, Western Section, American Society of Animal Science. 53: 217-220.

- 7) Will this rulemaking replace any emergency rulemaking currently in effect? No
- 8) <u>Does this rulemaking contain an automatic repeal date?</u> No
- 9) Does this rulemaking contain incorporations by reference? No
- 10) Are there any other proposed rulemakings pending on this Part? No
- 11) <u>Statement of Statewide Policy Objectives</u>: This proposed rule does not create or enlarge a State mandate, as defined in Section 3(b) of the State Mandates Act [30 ILCS 805/3(b)].
- Time, Place, and Manner in which interested persons may comment on this proposed rulemaking: The Board will accept written public comment on this proposal for 45 days after the date of publication in the Illinois Register. Comments should reference Docket R07-9 and be addressed to:

Clerk's Office Illinois Pollution Control Board 100 W. Randolph St., Suite 11-500 Chicago, IL 60601

Interested persons may request copies of the Board's opinion and order by calling the Clerk's office at 312-814-3620, or may download copies from the Board's Web site at www.ipcb.state.il.us.

NOTICE OF PROPOSED AMENDMENT

For more information contact hearing officer Marie Tipsord at 312/814-4925 or email at tipsordm@ipcb.state.il.us.

13) <u>Initial Regulatory Flexibility Analysis:</u>

- A) Types of small businesses, small municipalities and not for profit corporations affected: The amendment in this rulemaking could affect any small business, small municipality, and not-for-profit organization that has a permit to discharge mine related wastes to waters of the State.
- B) Reporting, bookkeeping or other procedures required for compliance: The proposed amendment does not add any additional reporting or recordkeeping requirements beyond what is already established in the Board's rules.
- C) <u>Types of Professional skills necessary for compliance</u>: No professional skills beyond those currently required by the existing state and federal water pollution control regulations applicable to affected sources will be required.
- 14) Regulatory Agenda on which this rulemaking was summarized: July 2007

The full text of the Proposed Amendment begins on the next page:

TITLE 35: ENVIRONMENTAL PROTECTION SUBTITLE C: WATER POLLUTION CHAPTER I: POLLUTION CONTROL BOARD PART 309 PERMITS SUBPART A: NPDES PERMITS Section 309.101 Preamble 309.102 NPDES Permit Required 309.103 Application - General Renewal 309.104 Authority to Deny NPDES Permits 309.105 Access to Facilities and Further Information 309.106 309.107 Distribution of Applications Tentative Determination and Draft Permit 309.108 309.109 Public Notice Contents of Public Notice of Application 309.110 309.111 Combined Notices 309.112 Agency Action After Comment Period 309.113 Fact Sheets 309.114 Notice to Other Governmental Agencies Public Hearings on NPDES Permit Applications 309.115 309.116 Notice of Agency Hearing 309.117 Agency Hearing 309.118 Agency Hearing File 309.119 Agency Action After Hearing Reopening the Record to Receive Additional Written Comment 309,120 Terms and Conditions of NPDES Permits 309.141 Water Quality Standards and Waste Load Allocation 309.142 Effluent Limitations 309.143 309.144 Federal New Source Standards of Performance 309.145 Duration of Permits Authority to Establish Recording, Reporting, Monitoring and Sampling 309.146 Requirements 309.147 Authority to Apply Entry and Inspection Requirements 309.148 Schedules of Compliance 309.149 Authority to Require Notice of Introduction of Pollutants into Publicly Owned Treatment Works Authority to Ensure Compliance by Industrial Users with Sections 309.150 204(b), 307 and 308 of the Clean Water Act Maintenance and Equipment 309.151 309.152 Toxic Pollutants 309.153 Deep Well Disposal of Pollutants (Repealed) 309.154 Authorization to Construct 309.155 Sewage Sludge Disposal 309.156 Total Dissolved Solids Reporting and Monitoring 309.157 Permit Limits for Total Metals 309.181 Appeal of Final Agency Action on a Permit Application 309.182 Authority to Modify, Suspend or Revoke Permits

Revision of Schedule of Compliance

Public Access to Information

Effective Date

Permit Modification Pursuant to Variance

309.183

309.184

309.185 309.191

SUBPART B: OTHER PERMITS

```
Section
309.201
            Preamble
309.202
            Construction Permits
309.203
            Operating Permits; New or Modified Sources
309.204
            Operating Permits; Existing Sources
309.205
            Joint Construction and Operating Permits
            Experimental Permits
309.206
            Former Permits (Repealed)
309.207
309.208
            Permits for Sites Receiving Sludge for Land Application
            Applications - Contents
309.221
            Applications - Signatures and Authorizations
309.222
            Applications - Registered or Certified Mail
309.223
            Applications - Time to Apply
309.224
            Applications - Filing and Final Action By Agency
309.225
309.241
            Standards for Issuance
           Duration of Permits Issued Under Subpart B
309.242
309.243
            Conditions
            Appeals from Conditions in Permits
309.244
309.261
            Permit No Defense
            Design, Operation and Maintenance Criteria
309.262
           Modification of Permits
309.263
            Permit Revocation
309.264
            Approval of Federal Permits
309.265
            Procedures
309.266
309.281
            Effective Date
309.282
            Severability
```

Appendix 309.APPENDIX A References to Previous Rules

AUTHORITY: Implementing Sections 13 and 13.3 and authorized by Section 27 of the Environmental Protection Act [415 ILCS 5/13, 13.3 and 27].

SOURCE: Adopted in R71-14, at 4 PCB 3, March 7, 1972; amended in R73-11, 12, at 14 PCB 661, December 5, 1974, at 16 PCB 511, April 24, 1975, and at 28 PCB 509, December 20, 1977; amended in R73-11, 12, at 29 PCB 477, at 2 Ill. Reg. 16, p. 20, effective April 20, 1978; amended in R79-13, at 39 PCB 263, at 4 Ill. Reg. 34, p. 159, effective August 7, 1980; amended in R77-12B, at 41 PCB 369, at 5 Ill. Reg. 6384, effective May 28, 1981; amended in R76-21, at 44 PCB 203, at 6 Ill. Reg. 563, effective December 24, 1981; codified at 6 Ill. Reg. 7818; amended in R82-5, 10, at 54 PCB 411, at 8 Ill. Reg. 1612, effective January 18, 1984; amended in R86-44 at 12 Ill. Reg. 24952495, effective January 13, 1988; amended in R88-1 at 13 Ill. Reg. 5993, effective April 18, 1989; amended in R88-21(A) at 14 Ill. Reg. 2892, effective February 13, 1990; amended in R91-5 at 16 Ill. Reg. 7339, effective April 27, 1992; amended in R95-22 at 20 Ill. Reg. 5526, effective April 1, 1996; amended in R99-8 at 23 Ill. Reg. 11287, effective August 26, 1999; amended in RO2-11 at 27 Ill. Reg. 202, effective December 20, 2002; amended in R0703-919 at 3128 Ill. Reg. — 7310, effective May 7, 2004; amended in R07-9 at 31 Ill. Reg. _____, effective __

SUBPART A: NPDES PERMITS

Section 309.103 Application - General

a) Application Forms

- 1) An applicant for a National Pollution Discharge Elimination System (NPDES) Permit shall file an application, in accordance with Section 309.223 hereof,309.223, on forms provided by the Illinois Environmental Protection Agency (Agency). Such forms shall comprise the NPDES application forms promulgated by the U.S. Environmental Protection Agency for the type of discharge for which an NPDES Permit is being sought and such additional information as the Agency may reasonably require in order to determine that the discharge or proposed discharge will be in compliance with applicable state and federal requirements.
- 2) In addition to the above application forms, the Agency may require the submission of plans and specifications for treatment works and summaries of design criteria.

3) Effluent toxicity monitoring

- A) In addition to the above application forms, the Agency may require, pursuant to Section 39 of the Act, the installation, use, maintenance and reporting of results from monitoring equipment and methods, including biological monitoring. The Agency may require, pursuant to Section 39 of the Act, effluent toxicity testing to show compliance with 35 Ill. Adm. Code 302.621 and 302.630. If this toxicity testing shows the effluent to be toxic, the Agency may require pursuant to Section 39 of the Act further testing and identification of the toxicant(s)toxicants pursuant to 35 Ill. Adm. Code 302.210(a).
- B) The following POTWs shall provide the results of valid whole effluent biological toxicity testing to the Agency:
- i) All POTWs with design influent flows equal to or greater than one million gallons per day;
- ii) All POTWs with approved pretreatment programs or POTWs required to develop a pretreatment program pursuant to 35 Ill. Adm. Code 310.Subpart E;
- C) In addition to the POTWs listed in <u>subsection</u> (a)(3)(B), the Agency may require other POTWs to submit the result of toxicity tests with their permit applications, based on consideration of the following factors.
- i) The variability of the pollutants or pollutant parameters in the POTW effluent (based on chemical-specific information, the type of treatment facility, and types of industrial contributors);
- ii) The dilution of the effluent in the receiving water (ratio of effluent flow to receiving stream flow);
- iii) Existing controls on point or nonpoint sources, including total maximum daily load calculations for the waterbody segment and the relative contribution of the POTW;
- iv) Receiving stream characteristics, including possible or known water quality impairment, and whether the POTW discharges to a coastal water, one of the Great Lakes, or a water designated as an outstanding natural resource; or

v) Other considerations (including but not limited to the history of toxic impact and compliance problems at the POTW), which the Agency determines could cause or contribute to adverse water quality impacts.

- D) The POTWs required under <u>subsections</u> subsection (a) (3) (B) or (a) (3) (C) to conduct toxicity testing shall use the methods prescribed at 35 Ill. Adm. Code 302.Subpart F. Such testing must have been conducted since the later of the last NPDES permit reissuance or permit modification pursuant to Section 309.182, 309.183 or 309.184 for any of the reasons listed at 40 CFR 122.62(a) (1994), as amended at 60 Fed. Reg. 33926 effective June 29, 1995, herein incorporated by reference (including no later amendments or editions).
- 4) All POTWs with approved pretreatment programs shall provide the following information to the Agency: a written technical evaluation of the need to revise local limits pursuant to 35 Ill. Adm. Code 310.210.

BOARD NOTE: Subsections (a)(3)(B) through (a)(4) are derived from 40 CFR 122.21(j) (19914).1994).

b) Animal Waste Facilities
An applicant for an NPDES Permit in connection with the operation of an animal waste facility shall complete, sign, and submit an NPDES application in accordance with the provisions of 35 Ill. Adm. Code: Subtitle E, Chapter I.

c) Mining Activities

- 1) If, as defined by 35 Ill. Adm. Code 402.101, mining activities are to be carried out on a facility for which an NPDES Permit is held or required, the applicant must submit a permit application as required by 35 Ill. Adm. Code 403.103, 403.104 and 405.104. If the facility will have a discharge other than a mine discharge or non-point source mine discharge as defined by 35 Ill. Adm. Code 402.101, the applicant shall also submit an NPDES Permit application in accordance with Section 309.223 on forms supplied by the Agency.
- 2) As provided by 35 Ill. Adm. Code 403.101, except to the extent contradicted in 35 Ill. Adm. Code: Subtitle D, Chapter I, the rules contained in this Subpart apply only to 35 Ill. Adm. Code: Subtitle D, Chapter I NPDES Permits.
- 3) As provided by 35 Ill. Adm. Code 406.100, except to the extent provided in 35 Ill. Adm. Code: Subtitle D, Chapter I, the effluent and water quality—standards of 35 Ill. Adm. Code 302, 303 and 304 are inapplicable to mine discharges and non-point source mine discharges.
- d) New Discharges
 Any person whose discharge will begin after the effective date of this Subpart A or any person having an NPDES Permit issued by the U.S. Environmental Protection Agency for an existing discharge which will substantially change in nature, or increase in volume or frequency, must apply for an NPDES Permit either:
- 1) No later than 180 days in advance of the date on which such NPDES Permit will be required; or
- 2) In sufficient time prior to the anticipated commencement of the discharge to insure compliance with the requirements of Section 306 of the Clean Water Act (CWA) (33 U.S.C.USC 1251 et seq), or with any other applicable water quality standards and applicable effluent standards and limitations.

e) Signatures
An application submitted by a corporation shall be signed by a principal executive officer of at least the level of vice president, or his duly authorized representative, if such representative is responsible for the overall operation of the facility from which the discharge described in the application form originates. In the case of a partnership or a sole proprietorship, the application shall be signed by a general partner or the proprietor, respectively. In the case of a publicly owned facility, the application shall be signed by either the principal executive officer, ranking elected official, or other duly authorized employee.

(Source: Amended at 31 Ill. Reg. _____, effective _____

JCAR350309-0713642r01

ILLINOIS REGISTER

NOTICE OF PROPOSED AMENDMENT

POLLUTION CONTROL BOARD

Document comparison done by DeltaView on Thursday, September 27, 2007 1:14:23 PM

Input:	
Document 1	file://l:/Input/35-309-Agency(issue40).doc
Document 2	file://I:/Input/35-309-r01(issue 40).doc
Rendering set	Standard

Legend:	
Insertion	
Deletion -	
Moved from	-0
Moved to	
Style change	e e
Format change	
Moved deletion	
Inserted cell	。
Deleted cell	
Moved cell	
Split/Merged cell	
Padding cell	

Statistics:		
	Count	
Insertions	16	
Deletions	18	
Moved from	0	
Moved to	0	
Style change	0	
Format changed	0	
Total changes	34	

1SI NOTICE VERSION

1		TITLE 35: ENVIRONMENTAL PROTECTION
2	75	SUBTITLE C: WATER POLLUTION
3		CHAPTER I: POLLUTION CONTROL BOARD
4		
5		PART 309
6		PERMITS
7		
8		SUBPART A: NPDES PERMITS
9		
10	Section	
11	309.101	Preamble
12	309.102	NPDES Permit Required
13	309.103	Application – General
14	309.104	Renewal
15	309.105	Authority to Deny NPDES Permits
16	309.106	Access to Facilities and Further Information
17	309.107	Distribution of Applications
18	309.108	Tentative Determination and Draft Permit
19	309.109	Public Notice
20	309.110	Contents of Public Notice of Application
21	309.111	Combined Notices
22	309.112	Agency Action After Comment Period
23	309.113	Fact Sheets
24	309.114	Notice to Other Governmental Agencies
25	309.115	Public Hearings on NPDES Permit Applications
26	309.116	Notice of Agency Hearing
27	309.117	Agency Hearing
28	309.118	Agency Hearing File
29	309.119	Agency Action After Hearing
30	309.120	Reopening the Record to Receive Additional Written Comment
31	309.141	Terms and Conditions of NPDES Permits
32	309.142	Water Quality Standards and Waste Load Allocation
33	309.143	Effluent Limitations
34	309.144	Federal New Source Standards of Performance
35	309.145	Duration of Permits
36	309.146	Authority to Establish Recording, Reporting, Monitoring and Sampling
37		Requirements
38	309.147	Authority to Apply Entry and Inspection Requirements
39	309.148	Schedules of Compliance
40	309.149	Authority to Require Notice of Introduction of Pollutants into Publicly Owned
41		Treatment Works
42	309.150	Authority to Ensure Compliance by Industrial Users with Sections 204(b), 307
43		and 308 of the Clean Water Act

44	309.151	Maintenance and Equipment
45	309.152	Toxic Pollutants
46	309.153	Deep Well Disposal of Pollutants (Repealed)
47	309.154	Authorization to Construct
48	309.155	Sewage Sludge Disposal
49	309.156	Total Dissolved Solids Reporting and Monitoring
50	309.157	Permit Limits for Total Metals
51	309.181	Appeal of Final Agency Action on a Permit Application
52	309.182	Authority to Modify, Suspend or Revoke Permits
53	309.183	Revision of Schedule of Compliance
54	309.184	Permit Modification Pursuant to Variance
55	309.185	Public Access to Information
56	309.191	Effective Date
57		
58		SUBPART B: OTHER PERMITS
59		
60	Section	
61	309.201	Preamble
62	309.202	Construction Permits
63	309.203	Operating Permits; New or Modified Sources
64	309.204	Operating Permits; Existing Sources
65	309.205	Joint Construction and Operating Permits
66	309.206	Experimental Permits
67	309.207	Former Permits (Repealed)
68	309.208	Permits for Sites Receiving Sludge for Land Application
69	309.221	Applications – Contents
70	309.222	Applications – Signatures and Authorizations
71	309.223	Applications – Registered or Certified Mail
72	309.224	Applications – Time to Apply
73	309.225	Applications – Filing and Final Action By Agency
74	309.241	Standards for Issuance
75	309.242	Duration of Permits Issued Under Subpart B
76	309.243	Conditions
77	309.244	Appeals from Conditions in Permits
78	309.261	Permit No Defense
79	309.262	Design, Operation and Maintenance Criteria
80	309.263	Modification of Permits
81	309.264	Permit Revocation
82	309.265	Approval of Federal Permits
83	309.266	Procedures
84	309.281	Effective Date
85	309.282	Severability
86		

87 309.APPENDIX A References to Previous Rules 88 89 AUTHORITY: Implementing Sections 13 and 13.3 and authorized by Section 27 of the 90 Environmental Protection Act [415 ILCS 5/13, 13.3 and 27]. 91 92 SOURCE: Adopted in R71-14, at 4 PCB 3, March 7, 1972; amended in R73-11, 12, at 14 PCB 93 661, December 5, 1974, at 16 PCB 511, April 24, 1975, and at 28 PCB 509, December 20, 1977; amended in R73-11, 12, at 29 PCB 477, at 2 Ill. Reg. 16, p. 20, effective April 20, 1978; 94 95 amended in R79-13, at 39 PCB 263, at 4 Ill. Reg. 34, p. 159, effective August 7, 1980; amended 96 in R77-12B, at 41 PCB 369, at 5 Ill. Reg. 6384, effective May 28, 1981; amended in R76-21, at 97 44 PCB 203, at 6 Ill. Reg. 563, effective December 24, 1981; codified at 6 Ill. Reg. 7818; 98 amended in R82-5, 10, at 54 PCB 411, at 8 Ill. Reg. 1612, effective January 18, 1984; amended 99 in R86-44 at 12 Ill. Reg. 2495, effective January 13, 1988; amended in R88-1 at 13 Ill. Reg. 100 5993, effective April 18, 1989; amended in R88-21(A) at 14 Ill. Reg. 2892, effective February 13, 1990; amended in R91-5 at 16 Ill. Reg. 7339, effective April 27, 1992; amended in R95-22 at 101 20 Ill. Reg. 5526, effective April 1, 1996; amended in R99-8 at 23 Ill. Reg. 11287, effective 102 103 August 26, 1999; amended in R02-11 at 27 Ill. Reg. 202, effective December 20, 2002; amended in R03-19 at 28 Ill. Reg. 7310, effective May 7, 2004; amended in R07-9 at 31 Ill. Reg. 104 105 effective 106 107 SUBPART A: NPDES PERMITS 108 109 Section 309.103 Application – General 110 111 a) **Application Forms** 112 113 1) An applicant for a National Pollution Discharge Elimination System (NPDES) Permit shall file an application, in accordance with Section 114 309.223-hereof, on forms provided by the Illinois Environmental 115 Protection Agency (Agency). Such forms shall comprise the NPDES 116 application forms promulgated by the U.S. Environmental Protection 117 Agency for the type of discharge for which an NPDES Permit is being 118 119 sought and such additional information as the Agency may reasonably require in order to determine that the discharge or proposed discharge will 120 be in compliance with applicable state and federal requirements. 121 122 123 2) In addition to the above application forms, the Agency may require the submission of plans and specifications for treatment works and summaries 124 125 of design criteria. 126 127 3) Effluent toxicity monitoring 128 129 A) In addition to the above application forms, the Agency may

130		-	re, pursuant to Section 39 of the Act, the installation, use,
131			enance and reporting of results from monitoring equipment
132			ethods, including biological monitoring. The Agency may
133		-	re, pursuant to Section 39 of the Act, effluent toxicity testing
134			ow compliance with 35 Ill. Adm. Code 302.621 and 302.630
135			toxicity testing shows the effluent to be toxic, the Agency
136		•	equire pursuant to Section 39 of the Act further testing and
137			fication of the toxicantstoxicant(s) pursuant to 35 Ill. Adm.
138		Code	302.210(a).
139			
140	B)		ollowing POTWs shall provide the results of valid whole
141		efflue	nt biological toxicity testing to the Agency:
142			
143		i)	All POTWs with design influent flows equal to or greater
144			than one million gallons per day;
145			
146		ii)	All POTWs with approved pretreatment programs or
147			POTWs required to develop a pretreatment program
148			pursuant to 35 Ill. Adm. Code 310.Subpart E;
149			
150	C)	In add	lition to the POTWs listed in <u>subsection</u> (a)(3)(B), the
151		Agend	cy may require other POTWs to submit the result of toxicity
152		tests v	vith their permit applications, based on consideration of the
153		follov	ving factors.
154			
155		i)	The variability of the pollutants or pollutant parameters in
156			the POTW effluent (based on chemical-specific
157			information, the type of treatment facility, and types of
158			industrial contributors);
159			
160		ii)	The dilution of the effluent in the receiving water (ratio of
161			effluent flow to receiving stream flow);
162			
163		iii)	Existing controls on point or nonpoint sources, including
164			total maximum daily load calculations for the waterbody
165			segment and the relative contribution of the POTW;
166			
167		iv)	Receiving stream characteristics, including possible or
168		e*	known water quality impairment, and whether the POTW
169			discharges to a coastal water, one of the Great Lakes, or a
170			water designated as an outstanding natural resource; or
171			,
172		v)	Other considerations (including but not limited to the

173			history of toxic impact and compliance problems at the
174			POTW), which the Agency determines could cause or
175			contribute to adverse water quality impacts.
176			
177		D)	The POTWs required under <u>subsection</u> subsections (a)(3)(B) or
178			(a)(3)(C) to conduct toxicity testing shall use the methods
179			prescribed at 35 Ill. Adm. Code 302. Subpart F. Such testing must
180			have been conducted since the later of the last NPDES permit
181			reissuance or permit modification pursuant to Section 309.182,
182			309.183 or 309.184 for any of the reasons listed at 40 CFR
183			122.62(a) (1994), as amended at 60 Fed. Reg. 33926 effective June
184			29, 1995, herein incorporated by reference (including no later
185			amendments or editions).
186			
187		•	OTWs with approved pretreatment programs shall provide the
188			wing information to the Agency: a written technical evaluation of the
189		need	to revise local limits pursuant to 35 Ill. Adm. Code 310.210.
190			
191			RD NOTE: Subsections (a)(3)(B) through (a)(4) are derived from 40
192		CFR	122.21(j) (1994).
193	• •		
194	b)	Animal Was	
195		*** ***	t for an NPDES Permit in connection with the operation of an animal
196			y shall complete, sign, and submit an NPDES application in
197		accordance v	with the provisions of 35 Ill. Adm. Code: Subtitle E, Chapter I.
198		mer r A	1,1
199	c)	Mining Acti	vities
200		1) 70	1.6. 11. 05.711.4.1. 6. 1.400.404
201		•	defined by 35 Ill. Adm. Code 402.101, mining activities are to be
202			ed out on a facility for which an NPDES Permit is held or required,
203		_	pplicant must submit a permit application as required by 35 III. Adm.
204			403.103, 403.104 and 405.104. If the facility will have a discharge
205			than a mine discharge or non-point source mine discharge as defined
206			5 Ill. Adm. Code 402.101, the applicant shall also submit an NPDES
207			it application in accordance with Section 309.223 on forms supplied
208		by th	e Agency.
209		2) 4	11 11 25 11 4 1 6 1 402 101
210		, <u>-</u>	rovided by 35 Ill. Adm. Code 403.101, except to the extent
211			adicted in 35 Ill. Adm. Code: Subtitle D, Chapter I, the rules
212			ined in this Subpart apply only to 35 Ill. Adm. Code: Subtitle D,
213		Cnap	ter I NPDES Permits.
214		2)	arridad by 25 III. A dra. Clada 40C 100
215		3) As pr	rovided by 35 Ill. Adm. Code 406.100, except to the extent provided

216 217 218		in 35 Ill. Adm. Code: Subtitle D, Chapter I, the effluent and water quality standards of 35 Ill. Adm. Code 302, 303 and 304 are inapplicable to mine discharges and non-point source mine discharges.
219	1\	N. D' 1
220	d)	New Discharges
221		Any person whose discharge will begin after the effective date of this Subpart A
222		or any person having an NPDES Permit issued by the U.S. Environmental
223		Protection Agency for an existing discharge which will substantially change in
224		nature, or increase in volume or frequency, must apply for an NPDES Permit
225		either:
226		
227		1) No later than 180 days in advance of the date on which such NPDES
228		Permit will be required; or
229		
230		2) In sufficient time prior to the anticipated commencement of the discharge
231		to insure compliance with the requirements of Section 306 of the Clean
232		Water Act (CWA) (33 USCU.S.C. 1251 et seq), or with any other
233		applicable water quality standards and applicable effluent standards and
234		limitations.
235		
236	e)	Signatures
237		An application submitted by a corporation shall be signed by a principal executive
238		officer of at least the level of vice president, or his duly authorized representative,
239		if such representative is responsible for the overall operation of the facility from
240		which the discharge described in the application form originates. In the case of a
241		partnership or a sole proprietorship, the application shall be signed by a general
242		partner or the proprietor, respectively. In the case of a publicly owned facility,
243		the application shall be signed by either the principal executive officer, ranking
244		elected official, or other duly authorized employee.
245		
246	(Sou	rce: Amended at 31 III. Reg, effective

NOTICE OF PROPOSED AMENDMENTS

1) Heading of the Part: Water Quality Standards

2) Code Citation: 35 Ill. Adm. Code 302

3) Section Numbers:

Proposed Action:

302.102

Amend

302.208

Amend

- 4) <u>Statutory Authority</u>: Implementing Section 13 and authorized by Sections 11(b) and 27 of the Environmental Protection Act [415 ILCS 5/13, 11(b), and 27]
- A Complete Description of the Subjects and Issues Involved: For a more detailed discussion of these amendments, see the Board's September 20, 2007, opinion and order in docket R07-9: Triennial Review of Sulfate and Total Dissolved Solids Water Quality Standards: Proposed Amendments to 35 Ill. Adm. Code 302.102(b)(6), 302.102(b)(8), 302.102(b)(10), 302.208(g), 309.103(c)(3), 405.109(b)(2)(A), 409.109(b)(2)(B), 406.100(d); Repealer of 35 Ill. Adm. Code 406.203, 406.209, and Part 407; and Proposed New 35 Ill. Adm. Code 302.208(h). The amendments in this rulemaking propose changes to Parts 302, 309, 405, 406, and the repeal of Part 407 and the amendments to all of the Parts in this rulemaking should be read jointly. This rulemaking is intended to fulfill the requirement of the Federal Water Pollution Control Act, 33 USC §1251-1387, also known as the Clean Water Act (CWA), that states must triennially revise and update water quality standards to ensure that standards are protective of public health and welfare, enhance the quality of water and promote the purposes of the CWA. This update is known as a triennial water quality standards review.

Specifically, the amendments to Part 302 propose deletion of the existing general use water quality standards for sulfate and total dissolved solids and the addition of two acute aquatic toxicity criterion equations for sulfate at specified ranges of hardness and chlorides in the proposed new Section 302.208(h). These equations allow for the calculation of site-specific sulfate standards based on water quality characteristics. In addition, the proposal includes a numeric chronic sulfate standard of 2000 mg/L applicable to areas where water is withdrawn or accessed for livestock watering. The amendments to Section 302.102 propose to allow mixing in certain low flow streams where adequate upstream dilution exists in the receiving stream at the time of discharge. However, the amendments allow mixing in no more than 50% of the flow for streams where the dilution ratio is less than 3 to 1.

6) <u>Published studies or reports, and sources of underlying data, used to compose this rulemaking</u>: The regulatory proposal included the Illinois EPA's Technical Support

POLLUTION CONTROL BOARD NOTICE OF PROPOSED AMENDMENTS

document, included with the Illinois EPA's original filing in this rulemaking, that relied on several published studies and reports. Copies of the reports that the Illinois EPA relied upon are available for review with the Pollution Control Board and are listed below.

Goodfellow, W.L., L.W. Ausley, D.T. Burton, D.L. Denton, P.B. Dorn, D.R. Grothe, M.A. Heber, T.J. Norberg-King, and J.H. Rodgers, Jr. 2000. Major ion toxicity in effluents: a review with permitting recommendations. Environmental Toxicology and Chemistry, 19:175-182.

Mount, D.R., D.D. Gulley, J.R. Hackett, T.D. Garrison, and J.M. Evans. 1997. Statistical models to predict the toxicity of major ions to Ceriodaphnia dubia, Daphnia magna and Pimephales promelas (Fathead Minnows). Environmental Toxicology and Chemistry, 16(10): 2009-2019.

Soucek, D.J. 2004a. Effects of hardness, chloride, and acclimation on the acute toxicity of sulfate to freshwater invertebrates. Illinois Natural History Survey. Final Report submitted to Illinois Environmental Protection Agency and Illinois Coal Association.

Soucek, D.J. 2004b. Effects of water quality on acute and chronic toxicity of sulfate to freshwater bivalves, Ceriodaphnia dubia, and Hyalella azteca. Illinois Natural History Survey. First Quarterly Report submitted to U.S. Environmental Protection Agency, Region 5.

Soucek, D.J. 2005a. Effects of water quality on acute and chronic toxicity of sulfate to freshwater bivalves, Ceriodaphnia dubia, and Hyalella azteca. Illinois Natural History Survey. Second Quarterly Report submitted to U.S. Environmental Protection Agency, Region 5.

Soucek, D.J. 2005b. Effects of water quality on acute and chronic toxicity of sulfate to freshwater bivalves, Ceriodaphnia dubia, and Hyalella azteca. Illinois Natural History Survey. Third Quarterly Report submitted to U.S. Environmental Protection Agency, Region 5.

Soucek, D.J. 2006. Effects of water quality on acute and chronic toxicity of sulfate to freshwater bivalves, Ceriodaphnia dubia, and Hyalella azteca. Illinois Natural History Survey. Final Report submitted to U.S. Environmental Protection Agency, Region 5. CP96543701-0.

American Public Health Association. 1989. Standard Methods for the Examination of

NOTICE OF PROPOSED AMENDMENTS

Water and Wastewater, 17th ed., Washington, D.C.

McKee, J.E. and H.W. Wolf 1963. Water Quality Criteria, 2nd ed., The Resources Agency of California, California State Water Quality Control Board, Sacramento, CA. Publication No. 3-A, p. 548.

Weeth, H.J. and D.L. Capps. 1972. Tolerance of growing cattle for sulfate water. Journal of Animal Science. 34(2): 256-260.

Loneragan, G.H., J.J. Wagner, D.H. Gould, F.B. Garry, and M.A. Thoren, 2001, Effects of water sulfate concentration on performance, water intake, and carcass characteristics of feedlot steers. Journal of Animal Science, 79:2941-2948.

Braul, L. and B. Kirychuk. 2001. Water Quality and Cattle. Prairie Farm Rehabilitation Office, Agriculture and Agri-Food Canada. Publication ENH- 1 11-2001-10.

Patterson, H.H., P.S. Johnson, E.H. Ward, and R.N. Gates. 2004. Effects of sulfates in water on performance of cow-calf pairs. Proceedings, Western Section, American Society of Animal Science. 55: 265-268.

Patterson, H.H., P.S. Johnson, T.R. Patterson, D.B. Young, and R. Haigh. 2002. Effects of water quality on performance and health of growing steers. Proceedings, Western Section, American Society of Animal Science. 53: 217-220.

- 7) Will this rulemaking replace any emergency rulemaking currently in effect? No
- 8) Does this rulemaking contain an automatic repeal date? No
- 9) Does this rulemaking contain incorporations by reference? No
- 10) Are there any other proposed rulemakings pending on this Part? No
- 11) <u>Statement of Statewide Policy Objectives</u>: This proposed rule does not create or enlarge a State mandate, as defined in Section 3(b) of the State Mandates Act [30 ILCS 805/3(b)].
- Time, Place, and Manner in which interested persons may comment on this proposed rulemaking: The Board will accept written public comment on this proposal for 45 days after the date of publication in the *Illinois Register*. Comments should reference Docket R07-9 and be addressed to:

NOTICE OF PROPOSED AMENDMENTS

Clerk's Office Illinois Pollution Control Board 100 W. Randolph St., Suite 11-500 Chicago, IL 60601

Interested persons may request copies of the Board's opinion and order by calling the Clerk's office at 312-814-3620, or may download copies from the Board's Web site at www.ipcb.state.il.us.

For more information contact hearing officer Marie Tipsord at 312/814-4925 or email at tipsordm@ipcb.state.il.us.

13) <u>Initial Regulatory Flexibility Analysis</u>:

- A) Types of small businesses, small municipalities and not for profit corporations affected: The amendments in this rulemaking could affect any small business, small municipality, and not-for-profit organization that has a permit to discharge wastes to waters of the State.
- B) Reporting, bookkeeping or other procedures required for compliance: The proposed amendments do not add any additional reporting or recordkeeping requirements beyond what is already established in the Board's rules.
- C) Types of Professional skills necessary for compliance: No professional skills beyond those currently required by the existing state and federal water pollution control regulations applicable to affected sources will be required.
- 14) Regulatory Agenda on which this rulemaking was summarized: July 2007

The full text of the Proposed Amendments begins on the next page:

NOTICE OF PROPOSED AMENDMENT

1) Heading of the Part: State and NPDES Permits

Code Citation: 35 Ill. Adm. Code 405

3) Section Number:

2)

Proposed Action:

405,109

Amend

STATE OF ILLINOIS Pollution Control Board

- Statutory Authority: Implementing Sections 12 and 13 and authorized by Section 27 of 4) the Environmental Protection Act [415 ILCS 5/12, 13, and 27]
- 5) A Complete Description of the Subjects and Issues Involved: For a more detailed discussion of these amendments, see the Board's September 20, 2007, opinion and order in docket R07-9: Triennial Review of Sulfate and Total Dissolved Solids Water Quality Standards: Proposed Amendments to 35 Ill. Adm. Code 302.102(b)(6), 302.102(b)(8), 302.102(b)(10), 302.208(g), 309.103(c)(3), 405.109(b)(2)(A), 409.109(b)(2)(B), 406.100(d); Repealer of 35 III. Adm. Code 406.203, 406.209, and Part 407; and Proposed New 35 Ill. Adm. Code 302.208(h). The amendments in this rulemaking propose changes to Parts 302, 309, 405, 406, and the repeal of Part 407 and the amendments to all of the Parts in this rulemaking should be read jointly. This rulemaking is intended to fulfill the requirement of the Federal Water Pollution Control Act, 33 USC §1251-1387, also known as the Clean Water Act (CWA), that states must triennially revise and update water quality standards to ensure that standards are protective of public health and welfare, enhance the quality of water and promote the purposes of the CWA. This update is known as a triennial water quality standards review.

Specifically, the amendments to Part 405 are conforming amendments that are intended to ensure that discharges from abandoned mine related facilities and mining activities are subject to the applicable Subtitle C water quality standards.

Published studies or reports, and sources of underlying data, used to compose this 6) rulemaking: The regulatory proposal included the Illinois EPA's Technical Support document, included with the Illinois EPA's original filing in this rulemaking, that relied on several published studies and reports. Copies of the reports that the Illinois EPA relied upon are available for review with the Pollution Control Board and are listed below.

Goodfellow, W.L., L.W. Ausley, D.T. Burton, D.L. Denton, P.B. Dorn, D.R. Grothe, M.A. Heber, T.J. Norberg-King, and J.H. Rodgers, Jr. 2000. Major ion toxicity in effluents: a review with permitting recommendations. Environmental Toxicology and Chemistry, 19:175-182.

NOTICE OF PROPOSED AMENDMENT

Mount, D.R., D.D. Gulley, J.R. Hackett, T.D. Garrison, and J.M. Evans. 1997. Statistical models to predict the toxicity of major ions to Ceriodaphnia dubia, Daphnia magna and Pimephales promelas (Fathead Minnows). Environmental Toxicology and Chemistry, 16(10): 2009-2019.

Soucek, D.J. 2004a. Effects of hardness, chloride, and acclimation on the acute toxicity of sulfate to freshwater invertebrates. Illinois Natural History Survey. Final Report submitted to Illinois Environmental Protection Agency and Illinois Coal Association.

Soucek, D.J. 2004b. Effects of water quality on acute and chronic toxicity of sulfate to freshwater bivalves, Ceriodaphnia dubia, and Hyalella azteca. Illinois Natural History Survey. First Quarterly Report submitted to U.S. Environmental Protection Agency, Region 5.

Soucek, D.J. 2005a. Effects of water quality on acute and chronic toxicity of sulfate to freshwater bivalves, Ceriodaphnia dubia, and Hyalella azteca. Illinois Natural History Survey. Second Quarterly Report submitted to U.S. Environmental Protection Agency, Region 5.

Soucek, D.J. 2005b. Effects of water quality on acute and chronic toxicity of sulfate to freshwater bivalves, Ceriodaphnia dubia, and Hyalella azteca. Illinois Natural History Survey. Third Quarterly Report submitted to U.S. Environmental Protection Agency, Region 5.

Soucek, D.J. 2006. Effects of water quality on acute and chronic toxicity of sulfate to freshwater bivalves, Ceriodaphnia dubia, and Hyalella azteca. Illinois Natural History Survey. Final Report submitted to U.S. Environmental Protection Agency, Region 5. CP96543701-0.

American Public Health Association. 1989. Standard Methods for the Examination of Water and Wastewater, 17th ed., Washington, D.C.

McKee, J.E. and H.W. Wolf 1963. Water Quality Criteria, 2nd ed., The Resources Agency of California, California State Water Quality Control Board, Sacramento, CA. Publication No. 3-A, p. 548.

Weeth, H.J. and D.L. Capps. 1972. Tolerance of growing cattle for sulfate water. Journal of Animal Science. 34(2): 256-260.

NOTICE OF PROPOSED AMENDMENT

Loneragan, G.H., J.J. Wagner, D.H. Gould, F.B. Garry, and M.A. Thoren, 2001, Effects of water sulfate concentration on performance, water intake, and carcass characteristics of feedlot steers. Journal of Animal Science, 79:2941-2948.

Braul, L. and B. Kirychuk. 2001. Water Quality and Cattle. Prairie Farm Rehabilitation Office, Agriculture and Agri-Food Canada. Publication ENH- 1 11-2001-10.

Patterson, H.H., P.S. Johnson, E.H. Ward, and R.N. Gates. 2004. Effects of sulfates in water on performance of cow-calf pairs. Proceedings, Western Section, American Society of Animal Science. 55: 265-268.

Patterson, H.H., P.S. Johnson, T.R. Patterson, D.B. Young, and R. Haigh. 2002. Effects of water quality on performance and health of growing steers. Proceedings, Western Section, American Society of Animal Science. 53: 217-220.

- 7) Will this rulemaking replace any emergency rulemaking currently in effect? No
- 8) Does this rulemaking contain an automatic repeal date? No
- 9) Does this rulemaking contain incorporations by reference? No
- 10) Are there any other proposed rulemakings pending on this Part? No
- Statement of Statewide Policy Objectives: This proposed rule does not create or enlarge a State mandate, as defined in Section 3(b) of the State Mandates Act [30 ILCS 805/3(b)].
- Time, Place, and Manner in which interested persons may comment on this proposed rulemaking: The Board will accept written public comment on this proposal for 45 days after the date of publication in the Illinois Register. Comments should reference Docket R07-9 and be addressed to:

Clerk's Office Illinois Pollution Control Board 100 W. Randolph St., Suite 11-500 Chicago, IL 60601

Interested persons may request copies of the Board's opinion and order by calling the Clerk's office at 312-814-3620, or may download copies from the Board's Web site at www.ipcb.state.il.us.

NOTICE OF PROPOSED AMENDMENT

POLLUTION CONTROL BOARD

For more information contact hearing officer Marie Tipsord at 312/814-4925 or email at tipsordm@ipcb.state.il.us.

13) <u>Initial Regulatory Flexibility Analysis</u>:

- A) Types of small businesses, small municipalities and not for profit corporations affected: The amendment in this rulemaking could affect any small business, small municipality, and not-for-profit organization that has a permit to discharge mine related wastes to waters of the State.
- B) Reporting, bookkeeping or other procedures required for compliance: The proposed amendment does not add any additional reporting or recordkeeping requirements beyond what is already established in the Board's rules.
- C) Types of Professional skills necessary for compliance: No professional skills beyond those currently required by the existing state and federal water pollution control regulations applicable to affected sources will be required.
- 14) Regulatory Agenda on which this rulemaking was summarized: July 2007

The full text of the Proposed Amendment begins on the next page:

TITLE 35: ENVIRONMENTAL PROTECTION

SUBTITLE D: MINE RELATED WATER POLLUTION

CHAPTER I: POLLUTION CONTROL BOARD

PART 405

STATE AND NPDES PERMITS

Section 405.100 Preamble 405.101 Special Conditions: Agency Guidance Document 405.102 Standard for Permit Issuance or Certification 405.103 Permit Modification When New Regulations are Adopted 405.104 Permit Applications 405.105 Surface Drainage Control 405.106 Refuse Disposal 405.107 Experimental Permits for Refuse Disposal Permit for Use of Acid-producing Mine Refuse 405.108 405.109 Abandonment Plan 405.110 Cessation, Suspension or Abandonment 405.111 Emergency Procedures To Control Pollution 405.112 Mine Entrances Permit AreaAppendix AReferencesArea 405.113

405.APPENDIX A References to Previous Rules

AUTHORITY: Implementing Sections 12 and 13 and authorized by Section 27 of the Environmental Protection Act $+[415 \text{ ILCS } 5/12, 13, \text{ and } 27 - \frac{(2006)}{.}]$.

SOURCE: Adopted in R76-20, R77-10, 39 PCB 196, at 4 Ill. Reg. 34, p. 164, effective August 7, 1980; codified at 5 Ill. Reg. 8527; amended in R83-6A at 8 Ill. Reg. 13267, effective July 16, 1984; amended in R07-9 at 31 Ill. Reg. ——, effective

Section 405.109 Abandonment Plan

- a) A state or NPDES permit shall include an abandonment plan as a condition.
- b) An abandonment plan shall be incorporated into the permit by reference if it:
- 1) Includes a time schedule establishing that the abandonment plan will be executed and completed within a reasonable time after abandonment considering any potential adverse impact on the environment pending completion of the plan and the amount of time required to carry out the steps in the plan; one year is assumed to be a reasonable time unless the operator demonstrates that a longer time is reasonable; and
- 2) Shows that the mine related facilities and mining activities will be abandoned so as not to cause a violation of the Act or this Chapter.
- A) If the plan includes a discharge which will remain after abandonment which will not meet the requirements of 35 Ill. Adm. Code 406.202, and if the permit included water quality based conditions under 35 Ill. Adm. Code 406.203 during active mining, the discharge shall be deemed to meet 35 Ill. Adm. Code 406.202 with respect to total dissolved solids, chloride, sulfate, iron and manganese if it will meet the requirements of 35 Ill. Adm. Code 406.106 and 406.203(c)(1) and (c)(2); or

- B) If the plan includes impoundments which will remain after abandonment and which will not meet the water quality standards of 35 Ill. Adm. Code 302.204 or 302.208, with respect to total dissolved solids, chloride, sulfate, iron, manganese and pH, such fact shall not prevent approval of the plan if the impoundment will meet the requirements of 35 Ill. Adm. Code 406.106 and 406.203(c)(1) and (c)(2).
- c) If the abandonment plan does not meet the standard of paragraphsubsection (b) the Agency may either deny the permit or issue it with an abandonment plan modified by conditions subject to Section 405.101.
- d) The time limit provided by paragraphsubsection (b)(1) is inapplicable to abandonment plans for surface coal mines which are approved as reclamation plans under the Surface Coal Mining Land Conservation and Reclamation Act, (Ill. Rev. Stat. 1983, ch. 96 1/2, par. 7902.03). [225 ILCS 720].
- e) Any abandonment plan constituting a substantial change from the permitted abandonment plan is a revised abandonment plan.
- f) A permittee shall apply for a new or revised or supplemental NPDES or stateState permit prior to implementation of a revised abandonment plan within the time limits provided by 35 Ill. Adm. Code 403.104(c).
- g) An abandonment plan incorporated into a permit pursuant to showing under 35 Ill. Adm. Code 406.203 shall include conditions pursuant to 35 Ill. Adm. Code 406.203(e)(1) and (e)(2).

(Source: Amended at 31 Ill. Reg. _____, effective _____)

JCAR350405-0713653r01

ILLINOIS REGISTER

NOTICE OF PROPOSED AMENDMENT

POLLUTION CONTROL BOARD

Document comparison done by DeltaView on Thursday, September 27, 2007 1:11:13 PM

Input:	
Document 1	file://l:/Input/35-405-Agency(issue40).doc
Document 2	file://l:/Input/35-405-r01(issue 40).doc
Rendering set	Standard

Legend:	
Insertion	
Deletion-	
Moved from	
Moved to	
Style change	
Format change	
Moved deletion	
Inserted cell	
Deleted cell	
Moved cell	
Split/Merged cell	
Padding cell	

Statistics:	
	Count
Insertions	11
Deletions	16
Moved from	0
Moved to	0
Style change	0
Format changed	0
Total changes	27



JCAR350405-0713653r01

1		TITLE 35: ENVIRONMENTAL PROTECTION						
2	SUBTITLE D: MINE RELATED WATER POLLUTION							
3	CHAPTER I: POLLUTION CONTROL BOARD							
4								
5		PART 405						
6		STATE AND NPDES PERMITS						
7								
8	Section							
9	405.100	Preamble						
10	405.101	Special Conditions: Agency Guidance Document						
11	405.102	Standard for Permit Issuance or Certification						
12	405.103	Permit Modification When New Regulations are Adopted						
13	405.104	Permit Applications						
14	405.105	Surface Drainage Control						
15	405.106	Refuse Disposal						
16	405.107	Experimental Permits for Refuse Disposal						
17	405.108	Permit for Use of Acid-producing Acid-Producing Mine Refuse						
18	405.109	Abandonment Plan						
19	405.110	Cessation, Suspension or Abandonment						
20	405.111	Emergency Procedures To Control Pollution						
21	405.112	Mine Entrances						
22	405.113	Permit Area						
23	405.APPEN	VDIX A References to Previous Rules						
24								
25	AUTHORI	ΓY: Implementing Sections 12 and 13 and authorized by Section 27 of the						
26		ntal Protection Act [415 ILCS 5/12, 13, and 27].						
27								
28	SOURCE:	Adopted in R76-20, R77-10, 39 PCB 196, at 4 Ill. Reg. 34, p. 164, effective August						
29	7, 1980; cod	dified at 5 Ill. Reg. 8527; amended in R83-6A at 8 Ill. Reg. 13267, effective July 16						
30		ded in R07-9 at 31 Ill. Reg, effective						
31	·							
32	Section 405	5.109 Abandonment Plan						
33								
34	a)	A state or NPDES permit shall include an abandonment plan as a condition.						
35								
36	b)	An abandonment plan shall be incorporated into the permit by reference if it:						
37								
38		1) Includes a time schedule establishing that the abandonment plan will be						
39		executed and completed within a reasonable time after abandonment						
40		considering any potential adverse impact on the environment pending						
41		completion of the plan and the amount of time required to carry out the						
42		steps in the plan; one year is assumed to be a reasonable time unless the						
43		operator demonstrates that a longer time is reasonable; and						

44				
45		2)	Shows	that the mine related facilities and mining activities will be
46			abando	oned so as not to cause a violation of the Act or this Chapter.;
47				
48			A)	If the plan includes a discharge which will remain after
49				abandonment which will not meet the requirements of 35 Ill. Adm.
50				Code 406.202, and if the permit included water quality-based
51				conditions under 35 Ill. Adm. Code 406.203 during active mining,
52				the discharge shall be deemed to meet 35 Ill. Adm. Code 406.202
53				with respect to total dissolved solids, chloride, sulfate, iron and
54				manganese if it will meet the requirements of 35 Ill. Adm. Code
55				406.106 and 406.203(c)(1) and (c)(2); or
56				
57			B)	If the plan includes impoundments which will remain after
58				abandonment and which will not meet the water quality standards
59				of 35 Ill. Adm. Code 302.204 or 302.208, with respect to total
60				dissolved solids, chloride, sulfate, iron, manganese and pH, such
61				fact shall not prevent approval of the plan if the impoundment will
62				meet the requirements of 35 Ill. Adm. Code 406.106 and
63				406.203(c)(1) and (c)(2).
64				
65	c)	If the a	bandon	ment plan does not meet the standard of subsectionparagraph (b)
66		the Ag	ency ma	ay either deny the permit or issue it with an abandonment plan
67		modifi	ed by co	onditions subject to Section 405.101.
68			•	·
69	d)	The tin	ne limit	provided by subsectionparagraph (b)(1) is inapplicable to
70	,			plans for surface coal mines which are approved as reclamation
71				e Surface Coal Mining Land Conservation and Reclamation Act
72		-		0], (Ill. Rev. Stat. 1983, ch. 96½, par. 7902.03).
73				
74	e)	Any at	andonn	nent plan constituting a substantial change from the permitted
75	,	-		plan is a revised abandonment plan.
76			•	
77	f)	A peri	nittee sl	hall apply for a new or revised or supplemental NPDES or
78				nit prior to implementation of a revised abandonment plan within
79				s provided by 35 Ill. Adm. Code 403.104(c).
80				
81	g)	An aba	ındonm	ent plan incorporated into a permit pursuant to showing under 35
82	٥,			e 406.203 shall include conditions pursuant to 35 Ill. Adm. Code
83				and (e)(2).
84			- (-/(- /	
85	(Source	e: Ame	nded at	31 Ill. Reg, effective)
	•			

NOTICE OF PROPOSED AMENDMENTS

1) Heading of the Part: Mine Waste Effluent and Water Quality Standards

2) Code Citation: 35 Ill. Adm. Code 406

3) Section Numbers: Proposed Action: 406.100 Amend 406.203 Repeal 406.209 Repeal



- 4) <u>Statutory Authority</u>: Implementing Sections 12 and 13 and authorized by Section 27 of the Environmental Protection Act [415 ILCS 5/12, 13, and 27]
- A Complete Description of the Subjects and Issues Involved: For a more detailed discussion of these amendments, see the Board's September 20, 2007, opinion and order in docket R07-9: Triennial Review of Sulfate and Total Dissolved Solids Water Quality Standards: Proposed Amendments to 35 Ill. Adm. Code 302.102(b)(6), 302.102(b)(8), 302.102(b)(10), 302.208(g), 309.103(c)(3), 405.109(b)(2)(A), 409.109(b)(2)(B), 406.100(d); Repealer of 35 Ill. Adm. Code 406.203, 406.209, and Part 407; and Proposed New 35 Ill. Adm. Code 302.208(h). The amendments in this rulemaking propose changes to Parts 302, 309, 405, 406, and the repeal of Part 407 and the amendments to all of the Parts in this rulemaking should be read jointly. This rulemaking is intended to fulfill the requirement of the Federal Water Pollution Control Act, 33 USC Sections 1251-1387, also known as the Clean Water Act (CWA), that states must triennially revise and update water quality standards to ensure that standards are protective of public health and welfare, enhance the quality of water and promote the purposes of the CWA. This update is known as a triennial water quality standards review.

Specifically, the amendments to Part 406 propose changes to clarify that mine related discharges are now subject to the Board's general water quality standards. In conformance with the other amendments in the general R07-9 rulemaking, the amendments to Part 406 propose to repeal the total dissolved solids standards in Section 406.203. The Board is proposing to repeal Section 406.209 as that Section becomes obsolete with the repeal of Section 406.203.

Published studies or reports, and sources of underlying data, used to compose this rulemaking: The regulatory proposal included the Illinois EPA's Technical Support document, included with the Illinois EPA's original filing in this rulemaking, that relied on several published studies and reports. Copies of the reports that the Illinois EPA relied upon are available for review with the Pollution Control Board and are listed below.

NOTICE OF PROPOSED AMENDMENTS

Goodfellow, W.L., L.W. Ausley, D.T. Burton, D.L. Denton, P.B. Dorn, D.R. Grothe, M.A. Heber, T.J. Norberg-King, and J.H. Rodgers, Jr. 2000. Major ion toxicity in effluents: a review with permitting recommendations. Environmental Toxicology and Chemistry, 19:175-182.

Mount, D.R., D.D. Gulley, J.R. Hackett, T.D. Garrison, and J.M. Evans. 1997. Statistical models to predict the toxicity of major ions to Ceriodaphnia dubia, Daphnia magna and Pimephales promelas (Fathead Minnows). Environmental Toxicology and Chemistry, 16(10): 2009-2019.

Soucek, D.J. 2004a. Effects of hardness, chloride, and acclimation on the acute toxicity of sulfate to freshwater invertebrates. Illinois Natural History Survey. Final Report submitted to Illinois Environmental Protection Agency and Illinois Coal Association.

Soucek, D.J. 2004b. Effects of water quality on acute and chronic toxicity of sulfate to freshwater bivalves, Ceriodaphnia dubia, and Hyalella azteca. Illinois Natural History Survey. First Quarterly Report submitted to U.S. Environmental Protection Agency, Region 5.

Soucek, D.J. 2005a. Effects of water quality on acute and chronic toxicity of sulfate to freshwater bivalves, Ceriodaphnia dubia, and Hyalella azteca. Illinois Natural History Survey. Second Quarterly Report submitted to U.S. Environmental Protection Agency, Region 5.

Soucek, D.J. 2005b. Effects of water quality on acute and chronic toxicity of sulfate to freshwater bivalves, Ceriodaphnia dubia, and Hyalella azteca. Illinois Natural History Survey. Third Quarterly Report submitted to U.S. Environmental Protection Agency, Region 5.

Soucek, D.J. 2006. Effects of water quality on acute and chronic toxicity of sulfate to freshwater bivalves, Ceriodaphnia dubia, and Hyalella azteca. Illinois Natural History Survey. Final Report submitted to U.S. Environmental Protection Agency, Region 5. CP96543701-0.

American Public Health Association. 1989. Standard Methods for the Examination of Water and Wastewater, 17th ed., Washington, D.C.

McKee, J.E. and H.W. Wolf 1963. Water Quality Criteria, 2nd ed., The Resources Agency of California, California State Water Quality Control Board, Sacramento, CA.

NOTICE OF PROPOSED AMENDMENTS

Publication No. 3-A, p. 548.

Weeth, H.J. and D.L. Capps. 1972. Tolerance of growing cattle for sulfate water. Journal of Animal Science. 34(2): 256-260.

Loneragan, G.H., J.J. Wagner, D.H. Gould, F.B. Garry, and M.A. Thoren, 2001, Effects of water sulfate concentration on performance, water intake, and carcass characteristics of feedlot steers. Journal of Animal Science, 79:2941-2948.

Braul, L. and B. Kirychuk. 2001. Water Quality and Cattle. Prairie Farm Rehabilitation Office, Agriculture and Agri-Food Canada. Publication ENH- 1 11-2001-10.

Patterson, H.H., P.S. Johnson, E.H. Ward, and R.N. Gates. 2004. Effects of sulfates in water on performance of cow-calf pairs. Proceedings, Western Section, American Society of Animal Science. 55: 265-268.

Patterson, H.H., P.S. Johnson, T.R. Patterson, D.B. Young, and R. Haigh. 2002. Effects of water quality on performance and health of growing steers. Proceedings, Western Section, American Society of Animal Science. 53: 217-220.

- 7) Will this rulemaking replace any emergency rulemaking currently in effect? No
- 8) Does this rulemaking contain an automatic repeal date? No
- 9) Does this rulemaking contain incorporations by reference? No
- 10) Are there any other proposed rulemakings pending on this Part? No
- 11) Statement of Statewide Policy Objectives: This proposed rule does not create or enlarge a State mandate, as defined in Section 3(b) of the State Mandates Act [30 ILCS 805/3(b)].
- Time, Place, and Manner in which interested persons may comment on this proposed rulemaking: The Board will accept written public comment on this proposal for 45 days after the date of publication in the *Illinois Register*. Comments should reference Docket R07-9 and be addressed to:

Clerk's Office Illinois Pollution Control Board 100 W. Randolph St., Suite 11-500

NOTICE OF PROPOSED AMENDMENTS

Chicago, IL 60601

Interested persons may request copies of the Board's opinion and order by calling the Clerk's office at 312-814-3620, or may download copies from the Board's Web site at www.ipcb.state.il.us.

For more information contact hearing officer Marie Tipsord at 312/814-4925 or email at tipsordm@ipcb.state.il.us.

- 13) <u>Initial Regulatory Flexibility Analysis</u>:
 - A) Types of small businesses, small municipalities and not for profit corporations affected: The amendments in this rulemaking could affect any small business, small municipality, and not-for-profit organization that has a permit to discharge mine related wastes to waters of the State.
 - B) Reporting, bookkeeping or other procedures required for compliance: The proposed amendments do not add any additional reporting or recordkeeping requirements beyond what is already established in the Board's rules.
 - C) Types of Professional skills necessary for compliance: No professional skills beyond those currently required by the existing state and federal water pollution control regulations applicable to affected sources will be required.
- 14) Regulatory Agenda on which this rulemaking was summarized: July 2007

The full text of the Proposed Amendments begins on the next page:

```
TITLE 35: ENVIRONMENTAL PROTECTION
```

SUBTITLE D: MINE RELATED WATER POLLUTION

CHAPTER I: POLLUTION CONTROL BOARD

PART 406

MINE WASTE EFFLUENT AND WATER QUALITY STANDARDS

SUBPART A: EFFLUENT STANDARDS

Section Preamble 406.100 406.101 Averaging 406.102 Sampling, Reporting and Monitoring Background Concentrations 406.103 Dilution 406.104 Commingling of Waste Streams 406.105 406.106 Effluent Standards for Mine Discharges 406.107 Offensive Discharges 406.108 Non-Point Source Mine Discharges Effluent Standards for Coal Mine Discharge from Reclamation Areas 406.109 406.110 Alternate Effluent Standards for Coal Mine Discharges During Precipitation Events

SUBPART B: WATER QUALITY STANDARDS

```
Section
406.201
           Temporary Exemption from Section 406.105 (Repealed)
406.202
           Violation of Water Quality Standards
406.203
           TDS Related Permit Conditions (Repealed)
406.204
          Good Mining Practices
           Contact with Disturbed Areas
406.205
           Retention and Control of Exposed Waters
406.206
           Control of Discharge Waters
406.207
           Unconventional Practices
406.208
406.209
           Expiration of Former Exemptions (Repealed)
```

Appendix AReferences 406 APPENDIX A References to Previous Rules

AUTHORITY: Implementing Sections 12 and 13 and authorized by Section 27 of the Environmental Protection Act $\{1415 \text{ ILCS } 5/12, \frac{13}{12}, \frac{13}{12} \text{ and } 27 - \frac{(2006)}{12}, \frac{13}{12}, \frac{13}{12} \text{ and } 27 - \frac{(2006)}{12}, \frac{13}{12}, \frac{13}{12}$

SUBPART A: EFFLUENT STANDARDS

Section 406.100 Preamble

a) Part 406 applies to mine discharges and non-point source mine discharges as defined by Section 402.101.

- b) Other discharges, including sanitary sewers, are regulated under Subtitle C, Chapter I: Water Pollution.
- c) A facility which has another discharge will be subject to both Subtitle C and Subtitle D. Subtitle D governs mining activities, including mine discharges and non-point source mine discharges. Subtitle C governs other discharges.
- d) Except to the extent provided in this Part 406, Parts 302, 303 and Part 304 of subtitle Subtitle C is are inapplicable to mine discharges and non-point source mine discharges.

(Source:	Amended a	t 31	Ill.	Reg.		effective	
----------	-----------	------	------	------	--	-----------	--

SUBPART B: WATER QUALITY STANDARDS

Section 406.203 TDS Related Permit Conditions (Repealed)

- a) This Section sets forth procedures by which water quality based permit conditions for total dissolved solids, chloride, sulfate, iron and manganese may be established by the Agency for coal mine discharges. These procedures apply instead of Section 406.202 whenever a permit applicant elects to proceed under this Section. A permittee must comply with water quality based permit conditions for total dissolved solids, chloride, sulfate, iron and manganese established pursuant to this Section instead of Section 406.202. Public hearings may be required pursuant to 35 Ill. Adm. Code 309.115.
- b) An applicant may elect to proceed under this Section by providing the required information as part of a new or renewed or supplemental state or NPDES permit application.
- c) The Agency shall establish permit conditions under this Section if all of the following conditions are met:
- 1) The applicant proves to the Agency that the discharge will not cause an adverse effect on the environment in and around the receiving stream, by either:
- A) Demonstrating that the discharge will contain a concentration less than or equal to 3500 mg/l sulfate and 1000 mg/l chloride; or,
- B) Through actual stream studies.
- 2) The applicant proves to the Agency that the discharge will not adversely affect any public water supply; and
- 3) The applicant proves to the Agency that it is utilizing good mining practices designed to minimize discharge of total dissolved solids, chloride, sulfate iron and manganese.
- d) The Agency may promulgate under 35 Ill. Adm. Code 405.101(c) a code of good mining practices consistent with the definition in Section 406.204.

 Compliance with the code of good mining practices shall be prima facie evidence that the applicant is utilizing good mining practices within the meaning of paragraph (c)(3).
- e) Whenever the Agency issues a permit based on this Section, it shall include such conditions as may be necessary to ensure that:

1) There is no adverse effect on the environment in and around the receiving stream;
2) The discharge does not adversely affect any public water supply; and
3) The permittee-utilizes good mining practices designed to minimize discharge of total dissolved solids, chloride, sulfate, iron and manganese.
f) Whenever the Agency issues a permit pursuant to this Section, if may include as a condition a requirement that the permittee submit to the Agency effluent data for total dissolved solids, chloride, sulfate, iron and manganese.
(Source: Repealed at 31 Ill. Reg, effective)
Section 406.209 Expiration of Former Exemptions (Repealed)
a) Exemptions from the water quality standards granted prior to the effective date of Section 406.203 shall continue until any of the following events occurs:
1) Any State or NPDES permit for the facility expires, or is revoked, renewed or reissued;
2) Any State or NPDES permit for the facility is modified, unless the Agency expressly continues the exemption pending review pursuant to paragraph (b);
3) An application period set pursuant to paragraph (b) expires with no application having been received;
4) The Agency grants or denies a permit under Section 406.203; or
5) January 1, 1987, the final date for continuation of former exemptions.
b) The Agency may require applications for review pursuant to Section 406.203 by notifying individual permittees and setting a date for application not less than 15 months after the date notice is given.
e) If an appeal to the Board is filed, exemptions continue until the Board enters a final order disposing of the appeal.
Reg, effective)
<u>JCAR350406-0713660r01</u>

ILLINOIS REGISTER

Document comparison done by DeltaView on Thursday, September 27, 2007 2:59:15 PM

Input:	
Document 1	file://l:/Input/35-406-Agency(issue40).doc
Document 2	file://l:/Input/35-406-JCARr01.doc
Rendering set	Standard

Legend:	
Insertion	
Deletion	
Moved from	
Moved to	
Style change	
Format change	
Moved deletion	
Inserted cell	
Deleted cell	
Moved cell	
Split/Merged cell	
Padding cell	

Statistics:		
	Count	
Insertions	13	
Deletions	41	
Moved from	0	
Moved to	0	
Style change	: O	
Format changed	0	
Total changes	54	

1ST NOTICE VERSION

JCAR350406-0713660r01

1		TITLE 35: ENVIRONMENTAL PROTECTION SUBTITLE D: MINE RELATED WATER POLLUTION		
2 3	CHAPTER I: POLLUTION CONTROL BOARD			
4		CHAPTER I. FOLLUTION CONTROL BOARD		
		PART 406		
5 6				
7		MINE WASTE EFFLUENT AND WATER QUALITY STANDARDS		
8	16	SUBPART A: EFFLUENT STANDARDS		
9		SUBFART A. EFFLUENT STANDARDS		
10	Section			
11	406.100	Preamble		
12	406.100	Averaging		
13	406.101	Sampling, Reporting and Monitoring		
14	406.102	Background Concentrations		
15	406.104	Dilution		
16	406.105	Commingling of Waste Streams		
17	406.106	Effluent Standards for Mine Discharges		
18	406.107	Offensive Discharges		
19	406.107 Onensive Discharges 406.108 Non-point Source Mine Discharges			
20	406.109	Effluent Standards for Coal Mine Discharge from Reclamation Areas		
21	406.110	Alternate Effluent Standards for Coal Mine Discharges During Precipitation		
22	.00.110	Events		
23				
24		SUBPART B: WATER QUALITY STANDARDS		
25		Sobrini S. Miller Quimiri Sili Billes		
26	Section			
27	406.201	Temporary Exemption from Section 406.105 (Repealed)		
28	406.202	Violation of Water Quality Standards		
29	406.203	TDS Related Permit Conditions (Repealed)		
30	406.204	Good Mining Practices		
31	406.205	Contact with Disturbed Areas		
32	406.206	Retention and Control of Exposed Waters		
33	406.207	Control of Discharge Waters		
34	406.208	Unconventional Practices		
35	406.209	Expiration of Former Exemptions (Repealed)		
36				
37	406.APPEN	NDIX A References to Previous Rules		
38				
39	AUTHORI	ΓY: Implementing Sections 12 and 13 and authorized by Section 27 of the		
40	Environmental Protection Act [415 ILCS 5/12, 13 and 27].			
41				
42	SOURCE:	Adopted in R76-20, R77-10, 39 PCB 196, at 4 Ill. Reg. 34, p. 164, effective August		
43		dified at 5 Ill. Reg. 8527; emergency amendment in R83-6B at 7 Ill. Reg. 8386,		

effecti amend	ve Octo ed in R	75, 1983, for a maximum of 150 days; amended in R83-6B at 7 Ill. Reg. 14510, ober 19, 1983; amended in R83-6A at 8 Ill. Reg. 13239, effective July 16, 1984; R84-29 at 11 Ill. Reg. 12899, effective July 27, 1987; amended in R07-9 at 31 Ill. effective
	SUBP	ART A: GENERAL EFFLUENT AND WATER QUALITY STANDARDS
Section	n 406.1	100 Preamble
	a)	Part 406 applies to mine discharges and non-point source mine discharges as defined by Section 402.101.
	b)	Other discharges, including sanitary sewers, are regulated under Subtitle C, Chapter I: Water Pollution.
	c)	A facility which has another discharge will be subject to both Subtitle C and Subtitle D. Subtitle D governs mining activities, including mine discharges and non-point source mine discharges. Subtitle C governs other discharges.
	d)	Except to the extent provided in this Part 406, <u>PartParts 302, 303 and 304</u> of <u>Subtitlesubtitle</u> C <u>isare</u> inapplicable to mine discharges and non-point source mine discharges.
	(Source	ce: Amended at 31 Ill. Reg, effective)
		SUBPART B: WATER QUALITY STANDARDS
Section	n 406.2	203 TDS Related Permit Conditions (Repealed)
	a)	This Section sets forth procedures by which water quality-based permit conditions for total dissolved solids, chloride, sulfate, iron and manganese may be established by the Agency for coal mine discharges. These procedures apply instead of Section 406.202 whenever a permit applicant elects to proceed under this Section. A permittee must comply with water quality-based permit conditions for total dissolved solids, chloride, sulfate, iron and manganese established pursuant to this Section instead of Section 406.202. Public hearings may be required pursuant to 35 Ill. Adm. Code 309.115.
	b)	An applicant may elect to proceed under this Section by providing the required information as part of a new or renewed or supplemental state or NPDES permit application.
	e)	The Agency shall establish permit conditions under this Section if all of the

87	f	ollowing condition	s are met:
88			
89	1) The applican	t proves to the Agency that the discharge will not cause an
90		adverse effec	et on the environment in and around the receiving stream, by
91		either:	•
92			
93		A) Dem	onstrating that the discharge will contain a concentration less
94			or equal to 3500 mg/l sulfate and 1000 mg/l chloride; or,
95			
96		B) Thro	ıgh actual stream studies.
97		,	
98	2	The applican	t proves to the Agency that the discharge will not adversely
99			blic water supply; and
100		ш	
101	3	The applican	t proves to the Agency that it is utilizing good mining
102	_	practices des	igned to minimize discharge of total dissolved solids,
103			fate iron and manganese.
104		omonao, sun	and Iron and Indiaganoso.
105	d) 7	he Agency may nr	omulgate under 35 Ill. Adm. Code 405.101(c) a code of good
106			sistent with the definition in Section 406.204. Compliance
107			d mining practices shall be prima facie evidence that the
108			good mining practices within the meaning of paragraph
109		e)(3).	good mining practices within the meaning of paragraph
110	7	,)(3).	
111	e) V	Thenever the Agen	ey issues a permit based on this Section, it shall include such
112			e necessary to ensure that:
113	-	martions as may o	Thecessary to chisure that.
114	1	There is no a	dverse effect on the environment in and around the receiving
115	т	stream;	dverse effect on the chanoliment in and around the receiving
116		stream,	
117	2	The dischare	a door not advangaly affect any muhlic victor aumuly and
117	Ź	THE UISCHAFE	e does not adversely affect any public water supply; and
119	2	The normitte	outilized good mining prostings designed to minimize
120	3		e utilizes good mining practices designed to minimize
		uischarge or	total dissolved solids, chloride, sulfate, iron and manganese.
121	Δ ν	7h am arraw 4h a A a am	svicesses a mammit mannesses to the Continue is a second of the
122			ey issues a permit pursuant to this Section, if may include as
123			ent that the permittee submit to the Agency effluent data for
124	. #	tai dissoived solid	s, chloride, sulfate, iron and manganese.
125	/0	D 11.01711	D 00 1
126	(Source:	Repealed at 31 III.	Reg
127	a		
128	Section 406.209	Expiration of Fo	rmer Exemptions (Repealed)

Section 406.209 Expiration of Former Exemptions (Repealed)

129

JCAR350406-0713660r01

130	a)	Exemptions from the water quality standards granted prior to the effective date of		
131		Section 406.203 shall continue until any of the following events occurs:		
132				
133		1) Any State or NPDES permit for the facility expires, or is revoked,		
134		renewed or reissued;		
135				
136		2) Any State or NPDES permit for the facility is modified, unless the Agency		
137		expressly continues the exemption pending review pursuant to paragraph		
138		(b);		
139				
140		3) An application period set pursuant to paragraph (b) expires with no		
141		application having been received;		
142				
143		4) The Agency grants or denies a permit under Section 406.203; or		
144				
145		5) January 1, 1987, the final date for continuation of former exemptions.		
146				
147	b)	The Agency may require applications for review pursuant to Section 406.203 by		
148		notifying individual permittees and setting a date for application not less than 15		
149		months after the date notice is given.		
150				
151	e)	If an appeal to the Board is filed, exemptions continue until the Board enters a		
152		final order disposing of the appeal.		
153				
154	(Sour	rce: Repealed at 31 Ill. Reg, effective)		

NOTICE OF PROPOSED REPEALER

1) Heading of the Part: Compliance and Effective Dates

2) Code Citation: 35 Ill. Adm. Code 407

3	Section Numbers:	Proposed Action
	407.101	Repeal
	407.102	Repeal
	407.103	Repeal
	407.104	Repeal
	407.APPENDIX A	Repeal



- 4) <u>Statutory Authority</u>: Authorized by Section 27 and implementing Sections 12 and 13 of the Illinois Environmental Protection Act [415 ILCS 5/12, 13, and 27]
- A Complete Description of the Subjects and Issues Involved: For a more detailed discussion of these amendments, see the Board's September 20, 2007, opinion and order in docket R07-9: Triennial Review of Sulfate and Total Dissolved Solids Water Quality Standards: Proposed Amendments to 35 Ill. Adm. Code 302.102(b)(6), 302.102(b)(8), 302.102(b)(10), 302.208(g), 309.103(c)(3), 405.109(b)(2)(A), 409.109(b)(2)(B), 406.100(d); Repealer of 35 Ill. Adm. Code 406.203, 406.209, and Part 407; and Proposed New 35 Ill. Adm. Code 302.208(h). The amendments in this rulemaking propose changes to Parts 302, 309, 405, 406, and the repeal of Part 407 and the amendments to all of the Parts in this rulemaking should be read jointly. This rulemaking is intended to fulfill the requirement of the Federal Water Pollution Control Act, 33 USC §1251-1387, also known as the Clean Water Act (CWA), that states must triennially revise and update water quality standards to ensure that standards are protective of public health and welfare, enhance the quality of water and promote the purposes of the CWA. This update is known as a triennial water quality standards review.

The Board is proposing to repeal Part 407, as it serves no purpose in the issuance of NPDES permits for mine related facilities and mining activities.

- 6) Will this rulemaking replace any emergency rulemaking currently in effect? No
- 7) <u>Does this rulemaking contain an automatic repeal date?</u> No
- 8) <u>Does this rulemaking contain incorporations by reference?</u> No
- 9) Are there any other proposed rulemakings pending on this Part? No

NOTICE OF PROPOSED REPEALER

- 10) <u>Statement of Statewide Policy Objectives</u>: This proposed repealed rule does not create or enlarge a State mandate, as defined in Section 3(b) of the State Mandates Act [30 ILCS 805/3(b)].
- Time, Place and Manner in which interested persons may comment on this proposed rulemaking: The Board will accept written public comment on this proposal for 45 days after the date of publication in the *Illinois Register*. Comments should reference Docket R07-9 and be addressed to:

Clerk's Office Illinois Pollution Control Board 100 W. Randolph St., Suite 11-500 Chicago, IL 60601

Interested persons may request copies of the Board's opinion and order by calling the Clerk's office at 312-814-3620, or may download copies from the Board's Web site at www.ipcb.state.il.us.

For more information contact hearing officer Marie Tipsord at 312/814-4925 or email at tipsordm@ipcb.state.il.us.

- 12) Initial Regulatory Flexibility Analysis:
 - A) Types of small businesses, small municipalities and not for profit corporations affected: The repeal of this rule could affect any small business, small municipality, and not-for-profit organization that has a permit to discharge coal mine wastewater to waters of the State.
 - B) Reporting, bookkeeping or other procedures required for compliance: None
 - C) Types of professional skills necessary for compliance: None
- 13) Regulatory Agenda on which this rulemaking was summarized: July 2007

The full text of the Proposed Repealer begins on the next page:

35 ILLINOIS ADMINISTRATIVE CODE 407 SUBTITLE D

TITLE 35: ENVIRONMENTAL PROTECTION SUBTITLE D: MINE RELATED WATER POLLUTION CHAPTER I: POLLUTION CONTROL BOARD

PART 407 COMPLIANCE AND EFFECTIVE DATES (REPEALED)

SOURCE: Repealed in R07-9 at 31 Ill. Reg. _____, effective _____.