ILLINOIS POLLUTION CONTROL BOARD February 28, 2008

PEOPLE OF THE STATE OF ILLINO	IS)	
)	
Complainant,)	
)	
V.) PCB 08-7	
) (Enforcement	- Water)
UNION PACIFIC RAILROAD COMP.	ANY, a)	
Delaware Company,)	
)	
Respondent.)	
)	

HEARING OFFICER ORDER

On February 28, 2008, all parties participated in a telephonic status conference with the hearing officer. The complainant represented that the settlement offer from the respondent is still being reviewed internally. By agreement, respondent's answer or other pleading is now due on or before May 2, 2008.

The parties or their legal representatives are directed to appear at a telephonic status conference with the hearing officer on April 16, 2008, at 11:00 a.m. The telephonic conference must be initiated by the complainant, but each party is nonetheless responsible for its own appearance. At the conference the parties must be prepared to discuss the status of the above-captioned matter and their readiness for hearing.

IT IS SO ORDERED.

Bradley P. Halloran Hearing Officer Illinois Pollution Control Board James R. Thompson Center, Suite 11-500 100 W. Randolph Street

Chicago, Illinois 60601 312.814.8917

CERTIFICATE OF SERVICE

It is hereby certified that true copies of the foregoing order were mailed, first class, on February 28, 2008, to each of the persons on the attached service list.

It is hereby certified that a true copy of the foregoing order was hand delivered to the following on February 28, 2008:

John T. Therriault Illinois Pollution Control Board James R. Thompson Center 100 W. Randolph St., Ste. 11-500 Chicago, Illinois 60601

Bradley P. Halloran

Hearing Officer

Illinois Pollution Control Board

James R. Thompson Center

100 West Randolph Street, Suite 11-500

Bradly P. Holon

Chicago, Illinois

PCB 2008-007 Thomas A. Andreoli Sonnenschein Nath & Rosenthal 7800 Sears Tower 233 South Wacker Drive Chicago, IL 60606-6404 PCB 2008-007 Zemeheret Bereket-Ab Office of the Attorney General Environmental Bureau North 69 West Washington Street, Suite 1800 Chicago, IL 60602