

TITLE 35: ENVIRONMENTAL PROTECTION
SUBTITLE G: WASTE DISPOSAL
CHAPTER I: POLLUTION CONTROL BOARD
SUBCHAPTER c: HAZARDOUS WASTE OPERATING REQUIREMENTS

PART 739
STANDARDS FOR THE MANAGEMENT OF USED OIL

SUBPART A: DEFINITIONS

Section
739.100 Definitions

SUBPART B: APPLICABILITY

Section
739.110 Applicability
739.111 Used Oil Specifications
739.112 Prohibitions
739.113 Electronic Reporting

SUBPART C: STANDARDS FOR USED OIL GENERATORS

Section
739.120 Applicability
739.121 Hazardous Waste Mixing
739.122 Used Oil Storage
739.123 On-Site Burning in Space Heaters
739.124 Off-Site Shipments

SUBPART D: STANDARDS FOR USED OIL COLLECTION CENTERS
AND AGGREGATION POINTS

Section
739.130 Do-It-Yourselfer Used Oil Collection Centers
739.131 Used Oil Collection Centers
739.132 Used Oil Aggregate Points Owned by the Generator

SUBPART E: STANDARDS FOR USED OIL TRANSPORTER
AND TRANSFER FACILITIES

Section
739.140 Applicability
739.141 Restrictions on Transporters that Are Not Also Processors
739.142 Notification
739.143 Used Oil Transportation
739.144 Rebuttable Presumption for Used Oil
739.145 Used Oil Storage at Transfer Facilities
739.146 Tracking
739.147 Management of Residues

SUBPART F: STANDARDS FOR USED OIL PROCESSORS

Section
739.150 Applicability
739.151 Notification
739.152 General Facility Standards

739.153 Rebuttable Presumption for Used Oil
739.154 Used Oil Management
739.155 Analysis Plan
739.156 Tracking
739.157 Operating Record and Reporting
739.158 Off-Site Shipments of Used Oil
739.159 Management of Residues

SUBPART G: STANDARDS FOR USED OIL BURNERS THAT BURN
OFF-SPECIFICATION USED OIL FOR ENERGY RECOVERY

Section
739.160 Applicability
739.161 Restriction on Burning
739.162 Notification
739.163 Rebuttable Presumption for Used Oil
739.164 Used Oil Storage
739.165 Tracking
739.166 Notices
739.167 Management of Residues

SUBPART H: STANDARDS FOR USED OIL FUEL MARKETERS

Section
739.170 Applicability
739.171 Prohibitions
739.172 On-Specification Used Oil Fuel
739.173 Notification
739.174 Tracking
739.175 Notices

SUBPART I: DISPOSAL OF USED OIL

Section
739.180 Applicability
739.181 Disposal
739.182 Use As a Dust Suppressant

AUTHORITY: Implementing Sections 7.2 and 22.4 and authorized by Section 27 of the Environmental Protection Act [415 ILCS 5/7.2, 22.4, and 27].

SOURCE: Adopted in R93-4 at 17 Ill. Reg. 20954, effective ~~Nov-~~November 22, 1993; amended in R93-16 at 18 Ill. Reg. 6931, effective April 26, 1994; amended in R94-17 at 18 Ill. Reg. 17616, effective ~~Nov-~~November 23, 1994; amended in R95-6 at 19 Ill. Reg. 10036, effective June 27, 1995; amended in R96-10/R97-3/R97-5 at 22 Ill. Reg. 767, effective December 16, 1997; amended in R98-21/R99-2/R99-7 at 23 Ill. Reg. 2274, effective January 19, 1999; amended in R04-16 at 28 Ill. Reg. 10706, effective July 19, 2004; amended in R06-5/R06-6/R06-7 at 30 Ill. Reg. 4094, effective February 23, 2006; amended in R06-16/R06-17/R06-18 at 31 Ill. Reg. 1413, effective December 20, 2006; amended in R07-5/R07-14 at 32 Ill. Reg. _____, effective _____.

SUBPART B: APPLICABILITY

Section 739.110 Applicability

This Section identifies those materials that are subject to regulation as used oil under this Part. This Section also identifies some materials that are not subject to regulation as used oil under this Part, and indicates whether these materials may be subject to regulation as hazardous waste under 35 Ill. Adm. Code 702, 703, and 720 through 728.

a) Used oil. Used oil is presumed to be recycled, unless a used oil handler disposes of used oil or sends used oil for disposal. Except as provided in Section 739.111, the regulations of this Part apply to used oil and to materials identified in this Section as being subject to regulation as used oil, whether or not the used oil or material exhibits any characteristics of hazardous waste identified in Subpart C of 35 Ill. Adm. Code 721.

b) Mixtures of used oil and hazardous waste.

1) Listed hazardous waste.

A) A mixture of used oil and hazardous waste that is listed in Subpart D of 35 Ill. Adm. Code 721 is subject to regulation as hazardous waste under 35 Ill. Adm. Code 702, 703, and 720 through 728, rather than as used oil under this Part.

B) Rebuttable presumption for used oil. Used oil containing more than 1,000 ppm total halogens is presumed to be a hazardous waste because it has been mixed with halogenated hazardous waste listed in Subpart D of 35 Ill. Adm. Code 721. An owner or operator may rebut this presumption by demonstrating that the used oil does not contain hazardous waste (for example, by showing that the used oil does not contain significant concentrations of halogenated hazardous constituents listed in Appendix H of 35 Ill. Adm. Code 721).

i) This rebuttable presumption does not apply to metalworking oils or fluids containing chlorinated paraffins, if they are processed, through a tolling arrangement as described in Section 739.124(c), to reclaim metalworking oils or fluids. This presumption does apply to metalworking oils or fluids if such oils or fluids are recycled in any other manner, or disposed.

ii) This rebuttable presumption does not apply to used oils contaminated with chlorofluorocarbons (CFCs) removed from refrigeration units where the CFCs are destined for reclamation. This rebuttable presumption does apply to used oils contaminated with CFCs that have been mixed with used oil from sources other than refrigeration units.

2) Characteristic hazardous waste. A mixture of used oil and hazardous waste that solely exhibits ~~a~~ one or more of the hazardous waste ~~characteristic~~ characteristics identified in Subpart C of 35 Ill. Adm. Code 721 and a mixture of used oil and hazardous waste that is listed in Subpart D of this Part solely because it exhibits one or more of the characteristics of hazardous waste identified in Subpart C of 35 Ill. Adm. Code 721 is subject to the following:

A) Except as provided in subsection (b)(2)(C) of this Section, regulation as hazardous waste under 35 Ill. Adm. Code 702, 703, and 720 through 728 rather than as used oil under this Part, if the resultant mixture exhibits any characteristics of hazardous waste identified in Subpart C of 35 Ill. Adm. Code 721; or

B) Except as provided in subsection (b)(2)(C) of this Section, regulation as used oil under this Part, if the resultant mixture does not exhibit any

characteristics of hazardous waste identified under Subpart C of 35 Ill. Adm. Code 721.

C) Regulation as used oil under this Part, if the mixture is of used oil and a waste that is hazardous solely because it exhibits the characteristic of ignitability (e.g., ignitable-only mineral spirits), provided that the resultant mixture does not exhibit the characteristic of ignitability under 35 Ill. Adm. Code 721.121.

3) Conditionally exempt small quantity generator hazardous waste. A mixture of used oil and conditionally exempt small quantity generator hazardous waste regulated under 35 Ill. Adm. Code 721.105 is subject to regulation as used oil under this Part.

c) Materials containing or otherwise contaminated with used oil.

1) Except as provided in subsection (c)(2) of this Section, the following is true of a material containing or otherwise contaminated with used oil from which the used oil has been properly drained or removed to the extent possible so that no visible signs of free-flowing oil remain in or on the material:

A) The material is not used oil, so it is not subject to this Part, and

B) If applicable, the material is subject to the hazardous waste regulations of 35 Ill. Adm. Code 702, 703, and 720 through 728.

2) A material containing or otherwise contaminated with used oil that is burned for energy recovery is subject to regulation as used oil under this Part.

3) Used oil drained or removed from materials containing or otherwise contaminated with used oil is subject to regulation as used oil under this Part.

d) Mixtures of used oil with products.

1) Except as provided in subsection (d)(2) of this Section, mixtures of used oil and fuels or other fuel products are subject to regulation as used oil under this Part.

2) Mixtures of used oil and diesel fuel mixed on-site by the generator of the used oil for use in the generator's own vehicles are not subject to this Part once the used oil and diesel fuel have been mixed. Prior to mixing, the used oil is subject to the requirements of Subpart C of this Part.

e) Materials derived from used oil.

1) The following is true of materials that are reclaimed from used oil, which are used beneficially, and which are not burned for energy recovery or used in a manner constituting disposal (e.g., re-refined lubricants):

A) The materials are not used oil and thus are not subject to this Part, and

B) The materials are not solid wastes and are thus not subject to the hazardous waste regulations of 35 Ill. Adm. Code 702, 703, and 720 through 728, as provided in 35 Ill. Adm. Code 721.103(e)(1).

2) Materials produced from used oil that are burned for energy recovery (e.g., used oil fuels) are subject to regulation as used oil under this Part.

3) Except as provided in subsection (e)(4) of this Section, the following is true of materials derived from used oil that are disposed of or used in a manner constituting disposal:

A) The materials are not used oil and thus are not subject to this Part, and

B) The materials are solid wastes and thus are subject to the hazardous waste regulations of 35 Ill. Adm. Code 702, 703, and 720 through 728 if the materials are listed or identified as hazardous waste.

4) Used oil re-refining distillation bottoms that are used as feedstock to manufacture asphalt products are not subject to this Part.

f) Wastewater. Wastewater, the discharge of which is subject to regulation under either Section 402 or Section 307(b) of the federal Clean Water Act (including wastewaters at facilities that have eliminated the discharge of wastewater), contaminated with de minimis quantities of used oil are not subject to the requirements of this Part. For purposes of this subsection, "de minimis" quantities of used oils are defined as small spills, leaks, or drippings from pumps, machinery, pipes, and other similar equipment during normal operations or small amounts of oil lost to the wastewater treatment system during washing or draining operations. This exception will not apply if the used oil is discarded as a result of abnormal manufacturing operations resulting in substantial leaks, spills, or other releases, or to used oil recovered from wastewaters.

g) Used oil introduced into crude oil pipelines or a petroleum refining facility.

1) Used oil mixed with crude oil or natural gas liquids (e.g., in a production separator or crude oil stock tank) for insertion into a crude oil pipeline is exempt from the requirements of this Part. The used oil is subject to the requirements of this Part prior to the mixing of used oil with crude oil or natural gas liquids.

2) Mixtures of used oil and crude oil or natural gas liquids containing less than one percent used oil that are being stored or transported to a crude oil pipeline or petroleum refining facility for insertion into the refining process at a point prior to crude distillation or catalytic cracking are exempt from the requirements of this Part.

3) Used oil that is inserted into the petroleum refining process before crude distillation or catalytic cracking without prior mixing with crude oil is exempt from the requirements of this Part, provided that the used oil contains less than one percent of the crude oil feed to any petroleum refining facility process unit at any given time. Prior to insertion into the petroleum refining process, the used oil is subject to the requirements of this Part.

4) Except as provided in subsection (g)(5) of this Section, used oil that is introduced into a petroleum refining facility process after crude distillation or catalytic cracking is exempt from the requirements of this Part only if the used oil meets the specification of Section 739.111. Prior to insertion into the petroleum refining facility process, the used oil is subject to the requirements of this Part.

5) Used oil that is incidentally captured by a hydrocarbon recovery system or wastewater treatment system as part of routine process operations at a petroleum

refining facility and inserted into the petroleum refining facility process is exempt from the requirements of this Part. This exemption does not extend to used oil that is intentionally introduced into a hydrocarbon recovery system (e.g., by pouring collected used oil into the wastewater treatment system).

6) Tank bottoms from stock tanks containing exempt mixtures of used oil and crude oil or natural gas liquids are exempt from the requirements of this Part.

h) Used oil on vessels. Used oil produced on vessels from normal shipboard operations is not subject to this Part until it is transported ashore.

i) Used oil containing PCBs. Used oil containing PCBs, as defined at 40 CFR 761.3 (Definitions), incorporated by reference at 35 Ill. Adm. Code 720.111(b), at any concentration less than 50 ppm is subject to the requirements of this Part unless, because of dilution, it is regulated under federal 40 CFR 761 as a used oil containing PCBs at 50 ppm or greater. PCB-containing used oil subject to the requirements of this Part may also be subject to the prohibitions and requirements of 40 CFR 761, including 40 CFR 761.20(d) and (e). Used oil containing PCBs at concentrations of 50 ppm or greater is not subject to the requirements of this Part, but is subject to regulation under federal 40 CFR 761. No person may avoid these provisions by diluting used oil containing PCBs, unless otherwise specifically provided for in this Part or federal 40 CFR 761.

(Source: Amended at 32 Ill. Reg. _____, effective _____)

Section 739.111 Used Oil Specifications

Used oil burned for energy recovery, and any fuel produced from used oil by processing, blending, or other treatment, is subject to regulation under this Part unless it is shown not to exceed any of the allowable levels of the constituents and properties ~~in the specification~~ shown in the following table. Once used oil that is to be burned for energy recovery has been shown not to exceed any ~~specification~~ allowable level and the person making that showing complies with Sections 739.172, 739.173, and 739.174(b), the used oil is no longer subject to this Part.

Used Oil ~~Specification~~ Allowable Levels When Burned for Energy Recovery¹

Constituent/property	Allowable level
Arsenic	5 ppm maximum
Cadmium	2 ppm maximum
Chromium	10 ppm maximum
Lead	100 ppm maximum
Flash point	100 °F minimum
Total halogens	4,000 ppm maximum

FOOTNOTE: 1 The ~~specification does~~ allowable levels do not apply to mixtures of used oil and hazardous waste that continue to be regulated as hazardous waste (see Section 739.110(b)).

FOOTNOTE: 2 Used oil containing more than 1,000 ppm total halogens is presumed to be a hazardous waste under the rebuttable presumption provided under Section 739.110(b)(1). Such used oil is subject to Subpart H of 35 Ill. Adm. Code 726, rather than this Part, when burned for energy recovery unless the presumption of mixing can be successfully rebutted.

NOTE: Applicable standards for the burning of used oil containing PCBs are imposed by 40 CFR 761.20(e).

(Source: Amended at 32 Ill. Reg. _____, effective _____)

SUBPART E: STANDARDS FOR USED OIL TRANSPORTER

AND TRANSFER FACILITIES

Section 739.143 Used Oil Transportation

a) Deliveries. A used oil transporter must deliver all used oil received to one of the following:

- 1) Another used oil transporter, provided that the transporter has obtained a USEPA identification number and an Illinois special waste identification number;
- 2) A used oil processing facility that has obtained a USEPA identification number and an Illinois special waste identification number;
- 3) An off-specification used oil burner facility that has obtained a USEPA identification number and an Illinois special waste identification number; or
- 4) An on-specification used oil burner facility.

b) USDOT requirements. A used oil transporter must comply with all applicable USDOT requirements in 49 CFR 171 through 180. A person transporting used oil that meets the definition of a hazardous material in 49 CFR 171.8 (Definitions and Abbreviations), incorporated by reference in 35 Ill. Adm. Code 720.111(b), must comply with all applicable USDOT Hazardous Materials Regulations in 49 CFR 171 (General Information, Regulations, and Definitions), 172 (Hazardous Materials Table, Special Provisions, Hazardous Materials Communications, Emergency Response Information, and Training Requirements), 173 (Shippers -- General Requirements for Shipments and Packages), 174 (Carriage by Rail), 175 (Carriage by Aircraft), 176 (Carriage by Vessel), 177 (Carriage by Public Highway), 178 (Specifications for Packagings), 179 (Specifications for Tank Cars), and 180 (Continuing Qualification and Maintenance of Packagings), incorporated by reference in 35 Ill. Adm. Code 720.111(b).

c) Used oil discharges.

1) In the event of a discharge of used oil during transportation, the transporter must take appropriate immediate action to protect human health and the environment (e.g., notify local authorities, dike the discharge area).

2) If a discharge of used oil occurs during transportation and an official (State or local government or a federal agency) acting within the scope of official responsibilities determines that immediate removal of the used oil is necessary to protect human health or the environment, that official may authorize the removal of the used oil by a transporter that does not have a USEPA identification number and an Illinois special waste identification number.

3) An air, rail, highway, or water transporter that has discharged used oil must do the following:

A) Give notice, if required by federal 49 CFR 171.15 (Immediate Notice of Certain Hazardous Materials Incidents), incorporated by reference in 35 Ill. Adm. Code 720.111(b), to the National Response Center (800-424-8802 or 202-426-2675); and

B) Report in writing as required by federal 49 CFR 171.16 (Detailed Hazardous Materials Incident Reports), incorporated by reference in 35 Ill. Adm. Code 720.111(b), to the Director, Office of Hazardous Materials Regulations,

Materials Transportation Bureau, Department of Transportation, Washington, DC 20590.

4) A water transporter that has discharged used oil must give notice as required by federal 33 CFR 153.203 (Procedure for the Notice of Discharge), incorporated by reference in 35 Ill. Adm. Code 720.111(b).

5) A transporter must clean up any used oil-~~discharged~~ discharge that occurs during transportation or take such action as may be required or approved by federal, state, or local officials so that the used oil discharge no longer presents a hazard to human health or the environment.

(Source: Amended at 32 Ill. Reg. _____, effective _____)

Section 739.144 Rebuttable Presumption for Used Oil

a) To ensure that used oil is not a hazardous waste under the rebuttable presumption of Section 739.110(b)(1)(ii), the used oil transporter must determine whether the total halogen content of used oil being-~~transporter~~ transported or stored at a transfer facility is above or below 1,000 ppm.

b) The transporter must make this determination by the following means:

1) Testing the used oil; or

2) Applying knowledge of the halogen content of the used oil in light of the materials or processes used.

c) If the used oil contains greater than or equal to 1,000 ppm total halogens, it is presumed to be a hazardous waste because it has been mixed with halogenated hazardous waste listed in Subpart D of 35 Ill. Adm. Code 721. The owner or operator may rebut the presumption by demonstrating that the used oil does not contain hazardous waste (for example, by showing that the used oil does not contain significant concentrations of halogenated hazardous constituents listed in Appendix H of 35 Ill. Adm. Code 721).

1) The rebuttable presumption does not apply to metalworking oils and fluids containing chlorinated paraffins, if they are processed, through a tolling arrangement as described in Section 739.124(c), to reclaim metalworking oils and fluids. The presumption does apply to metalworking oils and fluids if such oils and fluids are recycled in any other manner, or disposed.

2) The rebuttable presumption does not apply to used oils contaminated with chlorofluorocarbons (CFCs) removed from refrigeration units if the ~~CFC~~-CFCs are destined for reclamation. The rebuttable presumption does apply to used oils contaminated with CFCs that have been mixed with used oil from sources other than refrigeration units.

d) Record retention. Records of analyses conducted or information used to comply with subsections (a), (b), and (c) of this Section must be maintained by the transporter for at least three years.

(Source: Amended at 32 Ill. Reg. _____, effective _____)

Section 739.145 Used Oil Storage at Transfer Facilities

A used oil transporter is subject to all applicable Spill Prevention, Control and Countermeasures (40 CFR 112) in addition to the requirements of this Subpart E. A used oil transporter is also subject to the Underground Storage Tank (35 Ill. Adm. Code 731) standards for used oil stored in underground tanks whether or not the used oil exhibits any characteristics of hazardous waste, in addition to the requirements of this Subpart.

a) Applicability. This Section applies to used oil transfer facilities. Used oil transfer facilities are transportation-related facilities including loading docks, parking areas, storage areas, and other areas where shipments of used oil are held for more than 24 hours during the normal course of transportation and not longer than 35 days. A transfer facility that store used oil for more than 35 days are subject to regulation under Subpart F of this Part.

b) Storage units. An owner or operator of a used oil transfer facility may not store used oil in units other than tanks, containers, or units subject to regulation under 35 Ill. Adm. Code 724 or 725.

c) Condition of units. The following must be true of containers and aboveground tanks used to store used oil at a transfer facility:

1) The containers must be in good condition (no severe rusting, apparent structural defects or deterioration); and

2) The containers may not be leaking (no visible leaks).

d) Secondary containment for containers. Containers used to store used oil at a transfer facility must be equipped with a secondary containment system.

1) The secondary containment system must consist of the following, at a minimum:

A) Both of the following:

i) Dikes, berms, or retaining walls; and

ii) A floor. The floor must cover the entire area within the dikes, berms, or retaining walls; or

B) An equivalent secondary containment system.

2) The entire containment system, including walls and floors, must be sufficiently impervious to used oil to prevent any used oil released into the containment system from migrating out of the system to the soil, groundwater, or surface water.

e) Secondary containment for existing aboveground tanks. Existing aboveground tanks used to store used oil at a transfer facility must be equipped with a secondary containment system.

1) The secondary containment system must consist of the following, at a minimum:

A) Both of the following:

i) Dikes, berms, or retaining walls; and

ii) A floor. The floor must cover the entire area within the dike, berm, or retaining wall except areas where existing portions of the tank meet the ground; or

B) An equivalent secondary containment system.

2) The entire containment system, including walls and floors, must be sufficiently impervious to used oil to prevent any used oil released into the containment system from migrating out of the system to the soil, groundwater, or surface water.

f) Secondary containment for new aboveground tanks. New aboveground tanks used to store used oil at a transfer facility must be equipped with a secondary containment system.

1) The secondary containment system must consist of the following, at a minimum:

A) Both of the following:

i) Dikes, berms, or retaining walls; and

ii) A floor. The floor must cover the entire area within the dike, berm, or retaining wall; or

B) An equivalent secondary containment system.

2) The entire containment system, including walls and floors, must be sufficiently impervious to used oil to prevent any used oil released into the containment system from migrating out of the system to the soil, groundwater, or surface water.

g) Labels.

1) Containers and aboveground tanks used to store used oil at transfer facilities must be labeled or marked clearly with the words "Used Oil."

2) Fill pipes used to transfer used oil into underground storage tanks at transfer facilities must be labeled or marked clearly with the words "Used Oil."

h) Response to releases. Upon detection of a release of used oil to the environment that is not subject to the federal requirements of subpart F of 40 CFR 280 and which has occurred after October 4, 1996, an owner or operator of a transfer facility must perform the following cleanup steps:

BOARD NOTE: Corresponding 40 CFR 279.45(h) applies to releases that "occurred after the effective date of the authorized used oil program for the State in which the release is located." The Board adopted the used oil standards in docket R93-4 at 17 Ill. Reg. 20954, effective ~~Nov-~~November 22, 1993. USEPA approved the Illinois standards at 61 Fed. Reg. 40521 (Aug. 5, 1996), effective October 4, 1996. The Board has interpreted "the effective date of the authorized used oil program" to mean the October 4, 1996 date of federal authorization of the Illinois program, and we substituted that date for the federal effective date language. Had USEPA written something like "the effective date of the used oil program in the authorized State in which the

release is located," the Board would have used the ~~Nov.~~November 22, 1993 effective date of the Illinois used oil standards.

- 1) Stop the release;
- 2) Contain the released used oil;
- 3) Properly clean up and manage the released used oil and other materials; and
- 4) If necessary, repair or replace any leaking used oil storage containers or tanks prior to returning them to service.

(Source: Amended at 32 Ill. Reg. _____, effective _____)

SUBPART F: STANDARDS FOR USED OIL PROCESSORS

Section 739.152 General Facility Standards

a) Preparedness and prevention. An owner or operator of a used oil processing or re-refining facility must comply with the following requirements:

1) Maintenance and operation of a facility. All facilities must be maintained and operated to minimize the possibility of a fire, explosion, or any unplanned sudden or non-sudden release of used oil to air, soil, or surface water that could threaten human health or the environment.

2) Required equipment. All facilities must be equipped with the following, unless none of the hazards posed by used oil handled at the facility could require a particular kind of equipment specified in subsections (a) (2) (A) through (a) (2) (D) of this Section:

A) An internal communications or alarm system capable of providing immediate emergency instruction (voice or signal) to facility personnel;

B) A device, such as a telephone (immediately available at the scene of operations) or a hand-held two-way radio, capable of summoning emergency assistance from local police departments, fire departments, or State or local emergency response teams;

C) Portable fire extinguishers, fire control equipment (including special extinguishing equipment, such as that using foam, inert gas, or dry chemicals), spill control equipment, and decontamination equipment; and

D) Water at adequate volume and pressure to supply water hose streams, foam producing equipment, automatic sprinklers, or water spray systems.

3) Testing and maintenance of equipment. All facility communications or alarm systems, fire protection equipment, spill control equipment, and decontamination equipment, where required, must be tested and maintained as necessary to assure its proper operation in time of emergency.

4) Access to communications or alarm system.

A) Whenever used oil is being poured, mixed, spread, or otherwise handled, all personnel involved in the operation must have immediate access to an internal alarm or emergency communication device, either directly or through

visual or voice contact with another employee, unless such a device is not required in subsection (a)(2) of this Section.

B) If there is ever just one employee on the premises while the facility is operating, the employee must have immediate access to a device, such as a telephone (immediately available at the scene of operation) or a hand-held two-way radio, capable of summoning external emergency assistance, unless such a device is not required in subsection (a)(2) of this Section.

5) Required aisle space. The owner or operator must maintain aisle space to allow the unobstructed movement of personnel, fire protection equipment, spill control equipment, and decontamination equipment to any area of facility operation in an emergency, unless aisle space is not needed for any of these purposes.

6) Arrangements with local authorities.

A) The owner or operator must attempt to make the following arrangements, as appropriate for the type of used oil handled at the facility and the potential need for the services of these organizations:

i) Arrangements to familiarize police, fire departments, and emergency response teams with the layout of the facility, properties of used oil handled at the facility and associated hazards, places where facility personnel would normally be working, entrances to roads inside the facility, and possible evacuation routes;

ii) Where more than one police and fire department might respond to an emergency, agreements designating primary emergency authority to a specific police and a specific fire department, and agreements with any others to provide support to the primary emergency authority;

iii) Agreements with State emergency response teams, emergency response contractors, and equipment suppliers; and

iv) Arrangements to familiarize local hospitals with the properties of used oil handled at the facility and the types of injuries or illnesses that could result from fires, explosions, or releases at the facility.

B) Where State or local authorities decline to enter into such arrangements, the owner or operator must document the refusal in the operating record.

b) Contingency plan and emergency procedures. An owner or operator of a used oil processing or re-refining facility must comply with the following requirements:

1) Purpose and implementation of contingency plan.

A) Each owner or operator must have a contingency plan for the facility. The contingency plan must be designed to minimize hazards to human health or the environment from fires, explosions, or any unplanned sudden or non-sudden release of used oil to air, soil, or surface water.

B) The provisions of the plan must be carried out immediately whenever there is a fire, explosion, or release of used oil that could threaten human health or the environment.

2) Content of contingency plan.

A) The contingency plan must describe the actions facility personnel must take to comply with subsections (b)(1) and (b)(6) of this Section in response to fires, explosions, or any unplanned sudden or non-sudden release of used oil to air, soil, or surface water at the facility.

B) If the owner or operator has already prepared a Spill Prevention Control and Countermeasures (SPCC) Plan in accordance with federal 40 CFR 112 or 40 CFR 300, or some other emergency or contingency plan, the owner or operator need only amend that plan to incorporate used oil management provisions that are sufficient to comply with the requirements of this Part.

C) The plan must describe arrangements agreed to by local police departments, fire departments, hospitals, contractors, and State and local emergency response teams to coordinate emergency services, pursuant to subsection (a)(6) of this Section.

D) The plan must list names, addresses, and phone numbers (office and home) of all persons qualified to act as emergency coordinator (see subsection (b)(5) of this Section), and this list must be kept up to date. Where more than one person is listed, one must be named as primary emergency coordinator and others must be listed in the order in which they will assume responsibility as alternates.

E) The plan must include a list of all emergency equipment at the facility (such as fire extinguishing systems, spill control equipment, communications and alarm systems (internal and external), and decontamination equipment), where this equipment is required. This list must be kept up to date. In addition, the plan must include the location and a physical description of each item on the list, and a brief outline of its capabilities.

F) The plan must include an evacuation plan for facility personnel where there is a possibility that evacuation could be necessary. This plan must describe signals to be used to begin evacuation, evacuation routes, and alternate evacuation routes (in cases where the primary routes could be blocked by releases of used oil or fires).

3) Copies of contingency plan. Copies of the contingency plan and all revisions to the plan must be disposed of as follows:

A) Maintained at the facility; and

B) Submitted to all local police departments, fire departments, hospitals, and State and local emergency response teams that may be called upon to provide emergency services.

4) Amendment of contingency plan. The contingency plan must be reviewed, and immediately amended, if necessary, whenever one of the following occurs:

A) Applicable regulations are revised;

B) The plan fails in an emergency;

C) The facility changes -- in its design, construction, operation, maintenance, or other circumstances -- in a way that materially increases the

potential for fires, explosions, or releases of used oil, or changes the response necessary in an emergency;

D) The list of emergency coordinators changes; or

E) The list of emergency equipment changes.

5) Emergency coordinator. At all times, there must be at least one employee either on the facility premises or on call (i.e., available to respond to an emergency by reaching the facility within a short period of time) with the responsibility for coordinating all emergency response measures. This emergency coordinator must be thoroughly familiar with all aspects of the facility's contingency plan, all operations and activities at the facility, the location and characteristic of used oil handled, the location of all records within the facility, and facility layout. In addition, this person must have the authority to commit the resources needed to carry out the contingency plan.

BOARD NOTE: USEPA cited the following as guidance: "The emergency coordinator's responsibilities are more fully spelled out in [subsection (b)(6) of this Section]. Applicable responsibilities for the emergency coordinator vary, depending on factors such as type and variety of used oil handled by the facility, and type and complexity of the facility."

6) Emergency procedures.

A) Whenever there is an imminent or actual emergency situation, the emergency coordinator (or the designee when the emergency coordinator is on call) must immediately do the following:

i) Activate internal facility alarms or communication systems, where applicable, to notify all facility personnel; and

ii) Notify appropriate State or local agencies with designated response roles if their help is needed.

B) Whenever there is a release, fire, or explosion, the emergency coordinator must immediately identify the character, exact source, amount, and ~~a real~~ areal extent of any released materials. He or she may do this by observation or review of facility records ~~of~~ or manifests and, if necessary, by chemical ~~analysts~~ analyses.

C) Concurrently, the emergency coordinator must assess possible hazards to human health or the environment that may result from the release, fire, or explosion. This assessment must consider both direct and indirect effects of the release, fire, or explosion (e.g., the effects of any toxic, irritating, or asphyxiating gases that are generated, or the effects of any hazardous surface water run-offs from water ~~of~~ or chemical agents used to control fire and heat-induced explosions).

D) If the emergency coordinator determines that the facility has had a release, fire, or explosion that could threaten human health, or the environment, outside the facility, he or she must report his findings as follows:

i) If his assessment indicated that evacuation of local areas may be advisable, he or she must immediately notify appropriate local authorities. He

or she must be available to help appropriate officials decide whether local areas should be evacuated; and

ii) He must immediately notify either the government official designated as the on-scene coordinator for the geographical area (in the applicable regional contingency plan under federal 40 CFR 300), or the National Response Center (using their 24-hour toll free number (800) 424-8802). The report must include the following information: name and telephone number of reporter; name and address of facility; time and type of incident (e.g., release, fire); name and quantity of materials involved, to the extent known; the extent of injuries, if any; and the possible hazards to human health, or the environment, outside the facility.

E) During an emergency, the emergency coordinator must take all reasonable measures necessary to ensure that fires, explosions, and releases do not occur, recur, or spread to other used oil or hazardous waste at the facility. These measures must include, where applicable, stopping processes and operation, collecting and containing released used oil, and removing or isolating containers.

F) If the facility stops operation in response to a fire, explosion, or release, the emergency coordinator must monitor for leaks, pressure buildup, gas generation, or ruptures in valves, pipes, or other equipment, wherever this is appropriate.

G) Immediately after an emergency, the emergency coordinator must provide for recycling, storing, or disposing of recovered used oil, contaminated soil or surface water, or any other material that results from a release, fire, or explosion at the facility.

H) The emergency coordinator must ensure that the following occur, in the affected areas of the facility:

i) No waste or used oil that may be incompatible with the released material is recycled, treated, stored, or disposed of until cleanup procedures are completed; and

ii) All emergency equipment listed in the contingency plan is cleaned and fit for its intended use before operations are resumed.

iii) The owner or operator must notify the Agency, and all other appropriate State and local authorities that the facility is in compliance with subsections (b)(6)(H)(i) and (b)(6)(H)(ii) of this Section before operations are resumed in the affected areas of the facility.

I) The owner or operator must note in the operating record the time, date, and details of any incident that requires implementing the contingency plan. Within 15 days after the incident, it must submit a written report on the incident to USEPA Region 5. The report must include the following:

i) The name, address, and telephone number of the owner or operator;

ii) The name, address, and telephone number of the facility;

iii) The date, time, and type of incident (e.g., fire, explosion);

iv) The name and quantity of materials involved;

- v) The extent of injuries, if any;
- vi) An assessment of actual or potential hazards to human health or the environment, where this is applicable; and
- vii) The estimated quantity and disposition of recovered material that resulted from the incident.

(Source: Amended at 32 Ill. Reg. _____, effective _____)

Section 739.155 Analysis Plan

An owner or operator of a used oil processing or re-refining facility must develop and follow a written analysis plan describing the procedures that will be used to comply with the analysis requirements of Section 739.153 and, if applicable, Section 739.172. The owner or operator must keep the plan at the facility.

a) Rebuttable presumption for used oil in Section 739.153. At a minimum, the plan must specify the following:

1) Whether sample analyses or knowledge of the halogen content of the used oil will be used to make this determination;

2) If sample analyses are used to make this determination, the following requirements must be fulfilled:

A) The sampling method used to obtain representative samples to be analyzed. A representative sample may be obtained using either of the following:

i) One of the sampling methods in Appendix I of 35 Ill. Adm. Code 721; or

ii) A method shown to be equivalent under 35 Ill. Adm. Code 720.120 and 720.121;

B) The frequency of sampling to be performed, and whether the analysis will be performed on-site or off-site; and

C) The methods used to analyze used oil for the parameters specified in Section 739.153; and

3) The type of information that will be used to determine the halogen content of the used oil.

b) On-specification used oil fuel in Section 739.172. At a minimum, the plan must specify the following if Section 739.172 is applicable:

1) Whether sample analyses or other information will be used to make this determination;

2) If sample analyses are used to make this determination, the following must be specified:

A) The sampling method used to obtain representative samples to be analyzed. A representative sample may be obtained using either of the following:

- i) One of the sampling methods in Appendix I of 35 Ill. Adm. Code 721; or
 - ii) A method shown to be equivalent under 35 Ill. Adm. Code 720.120 and 720.121;
 - B) Whether used oil will be sampled and analyzed prior to or after any processing;
 - C) The frequency of sampling to be performed, and whether the analysis will be performed on-site or off-site; and
 - D) The methods used to analyze used oil for the parameters specified in Section 739.172; and
- 3) The type of information that will be used to make the on-specification used oil fuel determination.

(Source: Amended at 32 Ill. Reg. _____, effective _____)

Section 739.159 Management of Residues

An owner or operator that generates residues from the storage, processing, or ~~re-finishing~~ re-refining of used oil must manage the residues as specified in Section 739.110(e).

(Source: Amended at 32 Ill. Reg. _____, effective _____)

SUBPART G: STANDARDS FOR USED OIL BURNERS THAT BURN
OFF-SPECIFICATION USED OIL FOR ENERGY RECOVERY

Section 739.164 Used Oil Storage

A used oil burner is subject to all applicable Spill Prevention, Control and Countermeasures (federal 40 CFR 112) in addition to the requirements of this Subpart G. A used oil burner is also subject to the Underground Storage Tank (35 Ill. Adm. Code 731) standards for used oil stored in underground tanks whether or not the used oil exhibits any characteristics of hazardous waste, in addition to the requirements of this Subpart G.

- a) Storage units. A used oil burner may not store used oil in units other than tanks, containers, or units subject to regulation under 35 Ill. Adm. Code 724 or 725.
- b) Condition of units. The following must be true of containers and aboveground tanks used to store used oil at a burner facility:
 - 1) The containers must be in good condition (no severe rusting, apparent structural defects or deterioration); and
 - 2) The containers may not be leaking (no visible leaks).
- c) Secondary containment for containers. Containers used to store used oil at a burner facility must be equipped with a secondary containment system.
 - 1) The secondary containment system must consist of the following, at a minimum:

A) Dikes, berms, or retaining walls; and

B) A floor. The floor must cover the entire area within the dike, berm, or retaining wall.

2) The entire containment system, including walls and floor, must be sufficiently impervious to used oil to prevent any used oil released into the containment system from migrating out of the system to the soil, groundwater, or surface water.

d) Secondary containment for existing aboveground tanks. Existing aboveground tanks used to store used oil at burner facilities must be equipped with a secondary containment system.

1) The secondary containment system must consist of the following, at a minimum:

A) Both of the following:

i) Dikes, berms, or retaining walls; and

ii) A floor. The floor must cover the entire area within the dike, berm, or retaining wall except areas where existing portions of the tank meet the ground; or

B) An equivalent secondary containment system.

2) The entire containment system, including walls and floor, must be sufficiently impervious to used oil to prevent any used oil released into the containment system from migrating out of the system to the soil, groundwater, or surface water.

e) Secondary containment for ~~existing~~ new aboveground tanks. A new aboveground tank used to store used oil at burner facilities must be equipped with a secondary containment system.

1) The secondary containment system must consist of the following, at a minimum:

A) Both of the following:

i) Dikes, berms, or retaining walls; and

ii) A floor. The floor must cover the entire area within the dike, berm, or retaining wall; or

B) An equivalent secondary containment system.

2) The entire containment system, including walls and floor, must be sufficiently impervious to used oil to prevent any used oil released into the containment system from migrating out of the system to the soil, groundwater, or surface water.

f) Labels.

1) A container or aboveground tank used to store used oil at a burner facility must be labeled or marked clearly with the words "Used Oil."

2) Fill pipes used to transfer used oil into underground storage tanks at burner facilities must be labeled or marked clearly with the words "Used Oil."

g) Response to releases. Upon detection of a release of used oil to the environment that is not subject to the federal requirements of subpart F of 40 CFR 280 and which has occurred after October 4, 1996, a burner must perform the following cleanup steps:

BOARD NOTE: Corresponding 40 CFR 279.64(g) applies to releases that "occurred after the effective date of the authorized used oil program for the State in which the release is located." The Board adopted the used oil standards in docket R93-4 at 17 Ill. Reg. 20954, effective ~~Nov-~~November 22, 1993. USEPA approved the Illinois standards at 61 Fed. Reg. 40521 (Aug. 5, 1996), effective October 4, 1996. The Board has interpreted "the effective date of the authorized used oil program" to mean the October 4, 1996 date of federal authorization of the Illinois program, and we substituted that date for the federal effective date language. Had USEPA written something like "the effective date of the used oil program in the authorized State in which the release is located," the Board would have used the ~~Nov-~~November 22, 1993 effective date of the Illinois used oil standards.

- 1) Stop the release;
- 2) Contain the released used oil;
- 3) Properly clean up and manage the released used oil and other materials;
and
- 4) If necessary, repair or replace any leaking used oil storage containers or tanks prior to returning them to service.

(Source: Amended at 32 Ill. Reg. _____, effective _____)
~~ILLINOIS REGISTER~~

JCAR350739-0805904r01

~~POLLUTION CONTROL BOARD~~

~~NOTICE OF PROPOSED AMENDMENTS~~

Document comparison done by DeltaView on Thursday, April 03, 2008 2:17:50 PM

Input:	
Document 1	file:///I:/Input/35-739-agencydisk(issue15).doc
Document 2	file:///I:/Input/35-739-R01(issue15).doc
Rendering set	Standard

Legend:	
<u>Insertion</u>	
Deletion	
Moved from	
<u>Moved to</u>	
Style change	
Format change	
Moved deletion	
Inserted cell	
Deleted cell	
Moved cell	
Split/Merged cell	
Padding cell	

Statistics:		
	Count	
Insertions	8	
Deletions	48	
Moved from	0	
Moved to	0	
Style change	0	
Format changed	0	
Total changes	56	