ILLINOIS POLLUTION CONTROL BOARD
October 18, 1979

MAPLE LEAF ESTATES WATER COMPANY,	)	
	)	
Petitioner,	)	
	)	
v.	)	PCB 79-211
	)	
ENVIRONMENTAL PROTECTION AGENCY,	)	
	)	
Respondent.	)	

ORDER OF THE BOARD (by Mr. Dumelle):

On October 8, 1979 Petitioner requested a variance from Rule 305 of Chapter 6: Public Water Supplies. The Petition is deficient in several respects. First, it fails to state the amount of water pumped and the number and depth of wells in Petitioner's water supply as required by Procedural Rule 401(a)(3). Second, it fails to indicate why Petitioner is unable to comply with Rule 305 as required by Procedural Rule 401(a)(5). Third, it fails to describe any compliance program as required by Procedural Rule 401(a)(6). Fourth, it fails to assess the environmental impact that the variance would impose on human, plant and animal life as required by Procedural Rule 401(a)(7). Fifth, it fails to state the interim measures which would be undertaken by Petitioner should contamination occur as required by Procedural Rule 401(a)(10). Sixth, it fails to specifically request or waive a hearing as required by Procedural Rule 401(b).

Consequently, this matter is hereby dismissed.

IT IS SO ORDERED.

I, Christan L. Moffett, Clerk of the Illinois Pollution Control Board, hereby certify the above Order was adopted on the 18th day of October, 1979 by a vote of 4-0.

Christan L. Moffett, Clerk
Illinois Pollution Control Board