



# ENVIRONMENTAL REGISTER



No. 523 ♦ A Publication of the Illinois Pollution Control Board ♦ January 1998

## **FEDERAL ACTIONS**

### **Clarifying Amendments to Resource Conservation and Recovery Act Hazardous Waste Treatment, Storage, and Disposal Facility Regulations**

On December 8, 1997, the United States Environmental Protection Agency (USEPA) promulgated amendments to 40 CFR 264, 265, and 270. 62 Fed. Reg. 64635 (December 8, 1997). The standards were originally promulgated under the authority of the Resource Conservation and Recovery Act (RCRA) (59 Fed. Reg. 62896 (December 6, 1994)), to reduce organic air emissions from certain hazardous waste management activities, *i.e.*, certain tanks, containers, and surface impoundments, to levels that are protective of human health and the environment. Since publication of the final standards on December 6, 1994, the USEPA has given public notice and taken comments on several proposed revisions to the final rule. In response to such comments, the USEPA has made clarifying amendments to the preamble and text of the regulations.

The amendments include technical changes to subparts AA, BB, and CC rules in order to clarify the regulatory text (*Cont'd on p.5*)

## **RULEMAKING UPDATE**

### **Board Adopts Final Amended Rules in the Matter of Tiered Approach to Corrective Action Objectives: Amendments to 35 Ill. Adm. Code 742, R97-12(B)**

On December 4, 1997, the Board adopted final amendments to 35 Ill. Adm. Code 742, Tiered Approach to Corrective Action Objectives (TACO). The TACO program establishes a three-tiered approach for establishing corrective action objectives, *i.e.*, remediation objectives based on risks to human health and the environment, allowing for consideration of the proposed land use at a subject site. The amendments adopted on December 4, 1997, (also known as the mixture rule) addresses the effect of similar-acting chemicals on the same target organ when determining remediation objectives under TACO. Specifically, the amendments consider the effects of similar-acting chemicals, *i.e.*, noncarcinogens and carcinogens, under Tiers 1, 2, and 3 of the TACO process.

The mixture rule, as amended, under Tier 1 still applies to similar-acting noncarcinogens detected in Class I groundwater, but now also applies to certain similar-acting carcinogens in groundwater whose Tier 1 Class I groundwater remediation objectives exceed the 1 in 1,000,000 cancer risk concentrations. There is still no mixture rule applicable to either noncarcinogens or carcinogens in soil under Tier 1. The mixture rule under Tier 2 likewise now applies to both similar-acting noncarcinogens and carcinogens in groundwater. As for soil, the mixture rule under Tier 2 is not amended; it still only applies (*Cont'd on p.2*)

### *For Your Information*

The Illinois Environmental Protection Agency will be holding a public hearing regarding the State of Illinois' efforts to fulfill the requirements in Section 303(d) of the Federal Clean Water Act and the Water Quality Planning and Management regulations at 40 CFR Part 130, Total Maximum Daily Loads.

Thursday, February 5, 1998  
10:00a.m.

Illinois EPA Bureau of Water  
1021 North Grand Avenue East  
Springfield, Illinois

## **Inside This Issue**

- |                                |     |
|--------------------------------|-----|
| ♦ Board Actions                | p6  |
| ♦ New Cases                    | p11 |
| ♦ IEPA Restricted Status Lists | p13 |

## **RULEMAKING UPDATE**

(Cont'd from p.1)

to noncarcinogens in soil. Finally, under Tier 3, language is added which specifically provides a mixture rule. Also adopted on December 4, 1997, was a definition of similar-acting chemicals and an Appendix A. Table H. New Table H lists those carcinogens whose Tier 1 Class I groundwater remediation objectives exceed the 1-in-1,000,000 cancer risk concentrations and therefore must undergo either the Tier 2 or Tier 3 procedure for evaluating the mixture effect of similar-acting chemicals.

Any questions regarding this rulemaking may be directed to Amy Muran Felton at 312/814-7011, e-mail address: amuranfe@pcb084r1.state.il.us ♦

### **Board Adopts First Notice Proposal in the Matter of Tiered Approach to Corrective Action Objectives: Amendments to 35 Ill. Adm. Code 742, R97-12(C)**

On December 4, 1997, the Board adopted for first-notice publication in the *Illinois Register* amendments to 35 Ill. Adm. Code 742. The Board opened this docket as a result of a joint motion filed on December 3, 1997, on behalf of the Site Remediation Advisory Committee (SRAC) and the Illinois Environmental Protection Agency (IEPA). In their joint motion, the SRAC and the Agency request that the Board make corrections to Appendix A. Table H, entitled "Chemicals Whose Tier I Class I Groundwater Remediation Objective Exceed the 1 in 1,000,000 Cancer Risk Concentration" (Table H). The Board found that at this point in the R97-12 rulemaking process, the Illinois Administrative Procedure Act (which governs rulemakings) does not provide for the expeditious correction of Table H. Accordingly, the Board opened this Subdocket C to consider the merits of the joint motion and evidence in support thereof. The Board also on its own motion proposes to amend additional sections in Part 742 in order to make some non-substantive grammatical, typographical, and mechanical changes that were identified after the adoption of Docket A in this rulemaking.

This proposal will be submitted to the Secretary of State for publication in the *Illinois Register*, whereupon a 45-day comment period shall commence. Anyone interested in submitting written comments should address such comments to the Clerk of the Board. The Board also expects to schedule one hearing in this matter in the near future.

Any further questions regarding this rulemaking may be directed to Amy Muran Felton at 312/814-7011, e-mail: amuranfe@pcb.084r1.state.il.us ♦

### **Board Proposes for First Notice Amendments in the Matter of Safe Drinking Water Update: United States Environmental Protection Agency Update, January 1, 1997, through June 30, 1997, R98-2**

On December 4, 1997, the Board adopted for first-notice publication in the *Illinois Register*, amendments to update 35 Ill. Adm. Code 611 of the Board's regulations that are identical in substance to the United States Environmental Protection Agency's (USEPA) regulations implementing the Safe Drinking Water Act. It includes corrections to the federal rules, as adopted by USEPA on March 5, 1997 (see 62 Fed. Reg. 10168 (March 5, 1997)). This rulemaking concerns revisions to Part 611 regarding radiological monitoring and analytical requirements. More specifically, it proposes to approve the use of 66 additional analytical methods for compliance with current radionuclide drinking water standards and monitoring requirements. Pursuant to Section 17.5 of the Illinois Environmental Protection Act (Act) (415 ILCS 5/17.5 (1996)), the Board must expeditiously adopt regulations that are identical in substance to federal regulations.

Section 17.5 of the Act also provides that Title VII of the Act and Section 5 of the Illinois Administrative Procedure Act (APA) (5 ILCS 100/5-35, 5-45 (1996)) do not apply. Because this rulemaking is not subject to Section 5 of the APA, it is not subject to first-notice requirements or second-notice review by the Joint Committee on Administrative Rules.

This proposal will be submitted to the Secretary of State for publication in the *Illinois Register*, whereupon a 45-day comment period shall commence. Anyone interested in submitting written comments should address such comments to the Clerk of the Board. The Board also expects to schedule one hearing in this matter in the near future.

Any further questions regarding this rulemaking may be directed to Amy Muran Felton at 312/814-7011, e-mail: amuranfe@pcb.084r1.state.il.us ♦

### **Board Adopts Second Notice Proposal in Site-Specific Petition of Mobil Oil Corporation for Relief from 35 Ill. Adm. Code 304.122, Ammonia Nitrogen Effluent Standards, R97-28**

On December 4, 1997, the Board adopted for second notice a site-specific petition of Mobil Oil Corporation (Mobil) for relief from 35 Ill. Adm. Code 304.122, relating to the Board's ammonia nitrogen effluent standards. Mobil requests that ammonia nitrogen effluents limits applicable to the Joliet Refinery be permanently set at 9.0 mg/L measured as a monthly average and 23.0 mg/L measured as a daily maximum. Mobil further requests that this proposal be effectuated by reactivation of Section 304.214, with new effluent limits replacing the old, and with the old expiration date deleted. One public hearing was held in this matter on July 2,

1997, prior to first-notice publication in the *Illinois Register*. At first notice, the Board, on September 18, 1997, adopted Mobil's proposal for first notice. See 21 Ill. Reg. 13500 (October 10, 1997). The first-notice proposal as adopted by the Board was essentially identical to that proposed by Mobil, with the exception of proposed termination (sunsetting) of the rule on December 21, 2007.

The Board adopted the proposed amendments for second notice, pursuant to the Illinois Administrative Procedure Act (5 ILCS 100/1-1 *et seq.* (1996)). The amendments as proposed are identical to those proposed for first notice, with the exception of several, small, non-substantive items suggested by the Joint Committee on Administrative Rules.

Any questions regarding this site-specific rulemaking may be directed to Michael McCambridge at 312/814-6924, e-mail: mmcambri@pcb084r1.state.il.us ♦

**Board Adopts First Notice Order in the Matter of: Petition of W.R. Grace & Company - Connecticut, and the Illinois Environmental Protection Agency for Site-Specific Air Regulation, R98-16**

On December 4, 1997, the Board accepted for hearing the petition of W.R. Grace & Company - Connecticut (W.R. Grace) and the Illinois Environmental Protection Agency (IEPA) for a site-specific air regulation. On November 19, 1997, W.R. Grace and the IEPA filed a joint proposal for a site-specific rulemaking. W.R. Grace operates a factory located at 6050 West 51st Street, Chicago, Cook County, Illinois (the facility). The facility manufactures sealants, lubricant fluids, and concrete additives. The instant petition proposes that a site-specific air regulation for the facility be added to Subpart QQ of 35 Ill. Adm. Code 218 at Section 218.940(h). The Board found that the petition met the information requirements of 35 Ill. Adm. Code 102.121 and 102.141 and accepted the matter for hearing.

The proponents also filed a motion for expedited review of the petition, requesting that the Board proceed to hearing during the week of January 5, 1998, and that it adopt the rules for first notice at its December 4, 1997, meeting. The Board granted this motion in part. While the Board anticipated that a hearing would be scheduled for the week of January 5, 1998, it ordered that it would not proceed to first notice at the December 4, 1997, meeting.

On December 18, 1997, the Board adopted a first notice order under the Illinois Administrative Procedure Act (5 ILCS 100/5-5 *et seq.* (1996)) without commenting on the merits of the proposal. The proposal will be published in the *Illinois Register* whereupon a 45-day comment period will begin.

Any questions regarding this rulemaking may be directed to John C. Knittle at 312/814-3473, e-mail: jknittle@pcb084r1.state.il.us ♦

**Board Adopts Final Order in Conforming Amendments for the Great Lakes Initiative: 35 Ill. Adm. Code 302.101, 302.105, 302.Subpart E, 303.443, and 304.222, R 97-25**

On December 18, 1997, the Board adopted a final order in the Great Lakes Initiative (GLI), docketed by the Board as R97-25. The GLI is a federally-required rule that has been proposed in accordance with Section 28.2 of the Environmental Protection Act (415 ILCS 5/28.2 (1996)). The United States Environmental Protection Agency published the GLI as a final rule on March 23, 1995, at 60 Fed. Reg. 15366.

The first hearing was held in this matter prior to first notice on May 19, 1997, in Chicago. On June 19, 1997, the Board adopted a first-notice opinion and order. The second hearing was held during the first-notice period on July 28, 1997, in Waukegan. On October 16, 1997, the Board adopted an order for second-notice review by the Joint Committee on Administrative Rules (JCAR).

At second notice, the Board added a new section 302.520 which delineates procedures for amending the list of bioaccumulative chemicals of concern (BCC). The Board also modified Section 302.575 to clarify that the methods set forth in that section are to be used to develop Tier I wildlife criteria for non-BCCs. Finally, the Board denied the Illinois Environmental Regulatory Group's motion to create a subdocket regarding whether it is economically and technically justifiable to adopt a phase out of mixing zones for BCCs. The Board found that the phasing out of mixing zones will help to insure the water quality of the Lake Michigan Basin and thereby protect human health and the environment at minimal economic costs to dischargers to the Lake Michigan Basin. The Board further found that although the Board must consider the economic reasonableness of a rule, the Board is not limited to adopting only rules which the Board has determined to be technically feasible and economically reasonable.

On December 16, 1997, JCAR issued a certificate of no objection. At that time, the Board agreed to make two changes requested by JCAR, namely to amend Section 302.504 to allow for four samples to be averaged when determining whether the human health standard for nine chemicals set out in the federal GLI have been exceeded. The Board also agreed to amend Section 302.550 to specify what methods of sample collection, preservation, and analysis shall be used in applying any of the requirements of Subpart 302. Despite JCAR's request, however, the Board declined to review its decision to retain a phase out of mixing zones for BCCs in Lake Michigan. The Board remained convinced that the phase out of mixing zones was economically reasonable and was consistent with the intent of the federal GLI. Aside from the changes made at the request of JCAR, the Board's final order is similar to that order adopted by the Board at second notice.

Any comments or questions regarding this rulemaking may be directed to Marie Tipsord at 312/814-4925, e-mail address: mtipsord@pcb084r1.state.il.us

**B**oard Adopts Second Notice Order In the Matter of: Wood Furniture Coating: Amendments to 35 Ill. Adm. Code 211, 218, and 219, R 97-31

On December 18, 1997, the Board adopted for second-notice review by the Joint Committee on Administrative Rules (JCAR) amendments to 35 Ill. Adm. Code 211, 218, and 219 regarding wood furniture coating operations. The Illinois Environmental Protection Agency proposed the amendments, docketed by the Board as R97-31, requesting that the Board amend its ozone air quality control regulations in response to the issuance by the United States Environmental Protection Agency of a Control Technique Guideline governing wood furniture coating operations. The principal proposed amendments consist of changes in the values and units of measurements for volatile organic material content of top coats and sealers and the establishment of new work practice standards. Most of the Board's existing regulations governing wood furniture coating operations would not be affected by the adoption of this proposal. The proposed effective date of the amendments is March 15, 1998. Hearings were held in Edwardsville on August 5, 1997, and in Chicago on August 13, 1997.

All comments and questions regarding this rulemaking may be directed to Michael McCambridge at 312/814-6924, e-mail: mmcambri@pcb084r1.state.il.us

**HEARINGS SCHEDULED IN R98-27**

In the Matter of: Review of Remediation Costs For Environmental Remediation Tax Credit (Amendments to 35 Ill. Adm. Code 740)

FIRST HEARING: TUESDAY, FEBRUARY 24, 1998

10:00 a.m.  
James R. Thompson Center  
Room 9-040  
100 West Randolph  
Chicago, Illinois

SECOND HEARING: FRIDAY, FEBRUARY 27, 1998

10:00 a.m.  
Illinois State Library  
300 South Second Street  
Room 403/404  
Springfield, IL

For more information view the IPCB's proposal page at <http://www.ipcb.state.il.us/rules/proposal.htm>

## **FEDERAL ACTIONS**

(Cont'd from p.1)

of the final standards; interpret those standards; correct typographical, printing, and grammatical errors; and clarify certain language published in the preambles of previous *Federal Register* documents, to better convey the USEPA's original intent. The amendments also include one change to Part 270, to correct a typographical error made in the December 6, 1994, final rule. The amendments also include several nonsubstantive, typographical revisions. The amendments became effective December 8, 1997.

The Board anticipates that it will include this matter in its identical-in-substance rulemaking update. ♦

### **Notice of Availability of Emergency Planning and Right-to-Know Guidance Documents**

On December 1, 1997, the United States Environmental Protection Agency (USEPA) issued a notice of availability of several documents to assist industries to understand their compliance requirements in association with Section 313 of the Emergency Planning and Community Right-to-Know Act of 1986 (EPCRA). 62 Fed. Reg. 63548 (December 1, 1997). One of the documents being made available is a revision to the EPCRA Section 313 "Questions and Answers" document, that provides guidance to commonly asked interpretive questions. In addition, several industry-specific guidance documents have been developed for facilities in industry groups recently added to the list of industries covered under EPCRA Section 313. These documents are intended to assist these recently added industries to understand requirements under EPCRA Section 313 and more easily determine if their facility is likely to have any reporting responsibilities. The industry-specific guidance documents for the recently added industry groups are intended for use for activities beginning on January 1, 1998, with reports due on or before July 1, 1999.

For further information regarding these EPCRA documents, contact Tim Crawford, 202/260-1715, e-mail: [crawford.tim@epamail.epa.gov](mailto:crawford.tim@epamail.epa.gov), or contact the EPCRA Hotline and request a copy at Mail Code 5101, 401 M Street, S.W., Washington, D.C. 20460; telephone number: 800/535-0202. ♦

### **United States Environmental Protection Agency Approves Revisions to the Illinois Ozone State Implementation Plan for Reducing Volatile Organic Material**

On December 18, 1997, the United States Environmental Protection Agency (USEPA) issued a final rule approving revisions to the Illinois ozone State Implementation Plan (SIP) effective January 20, 1998. These SIP revisions encompass Rate of Progress (ROP) plans for reducing volatile organic material (VOM) emissions in the Chicago ozone nonattainment area (Cook, DuPage, Kane, Lake, McHenry, and Will Counties, Oswego Township in Kendall County, and Aux Sable and Goose Lake Townships in Grundy County) and in the Metro-East St. Louis ozone nonattainment area (Madison, Monroe, and St. Clair Counties) by 15% by November 15, 1996, relative to 1990 baseline emissions; contingency plans for the same ozone nonattainment areas for the purpose of achieving additional 3% VOM emission reductions beyond the 15% ROP plans; and transportation control measures (TCM) for the Metro-East St. Louis area. 62 Fed. Reg. 66279 (December 18, 1997).

Previously, on July 14, 1997, USEPA issued a direct final rule approval of these SIP revisions. On the same day, USEPA proposed approval and solicited public comment on the SIP revisions. This proposed rule established a 30-day comment period noting that if adverse comments were received regarding the direct final rule USEPA would withdraw the direct final rule and publish an additional final rule to address the public comments. Adverse comments were received during the public comment period, and USEPA withdrew the direct final rule on September 3, 1997. 62 Fed. Reg. 46446 (September 3, 1997). This final rule addresses these comments and finalizes the approval of the Chicago and Metro-East St. Louis Area 15% and contingency plans, and the Metro-East St. Louis area TCMs.

Copies of the SIP revision request are available for inspection at the following address: USEPA, Region 5, Air and Radiation Division, 77 West Jackson Boulevard, Chicago, Illinois 60604. It is recommended that you telephone Mark J. Palermo at 312/886-6082 before visiting the office. ♦

**United States Environmental Protection Agency Approves Illinois State Implementation Plan for General Conformity Rules**

On December 23, 1997, the United States Environmental Protection Agency (USEPA) approved an Illinois State Implementation Plan (SIP) submitted by Illinois on April 25, 1997, for the "general conformity" rules. See 62 Fed. Reg. 67000 (December 23, 1997). The general conformity SIP revision enables Illinois to implement the federal general conformity requirements in the nonattainment and maintenance areas at the State level. General conformity assures that federal actions conform to the State plan to attain and maintain the public health-based air quality standards. In this action, USEPA approved the Illinois general conformity rules through a direct final rulemaking. Consequently, this action is effective February 23, 1998. ♦

**United States Environmental Protection Agency Withdraws Direct Final Rule for Ambient Air Quality Surveillance for Lead**

On December 23, 1997, the United States Environmental Protection Agency (USEPA) withdrew the direct final rule for ambient air quality surveillance for lead as adverse comments were received by December 5, 1997. 62 Fed. Reg. 67009 (December 23, 1997). USEPA will address the comments received in a subsequent final action in the near future. USEPA will not institute a second-comment period in this rulemaking. The direct final rule published at 62 Fed. Reg. 59813 (October 30, 1997), is withdrawn as of December 19, 1997. For further information contact Brenda Millar, Emissions, Monitoring, and Analysis Division, Office of Air Quality Planning and Standards, USEPA, Research Triangle Park, NC 27711; telephone number: 919/541-4036; e-mail: millar.brenda@emai.epa.gov

**BOARD ACTIONS 12/4/97**

**RULEMAKINGS**

<b>R97-12(B)</b>	<u>In the Matter of: Tiered Approach to Corrective Action Objectives (T.A.C.O.): Amendments to 35 Ill. Adm. Code 742.105, 742.200, 742.505, 742.805, and 742.915</u> - The Board adopted amendments to the waste disposal regulations.	6-0
<b>R97-12(B)</b> <b>R97-12(C)</b>	<u>In the Matter of: Tiered Approach to Corrective Action Objectives (TACO): Amendments to 35 Ill. Adm. Code 742.505 and 742.900</u> - The Board on its own motion opened this docket to amend its waste disposal regulations.	6-0
<b>R97-28</b>	<u>In the Matter of: Site-Specific Petition of Mobil Oil Corporation for Relief from 35 Ill. Adm. Code 304.122, Ammonia Nitrogen Effluent Standards</u> - Proposed Rule, Second Notice, Opinion and Order.	5-0 Hennessey abstained
<b>R98-2</b>	<u>In the Matter of: SDWA Update, USEPA Regulations (January 1, 1997, through June 30, 1997)</u> - Proposal for Public Comment, Proposed Opinion and Order.	6-0
<b>R98-16</b>	<u>Petition of W.R. Grace &amp; Company - Connecticut and IEPA for a Site-Specific Air Regulation: 35 Ill. Adm. Code 218.940(h)</u> - The Board accepted for hearing the joint proposal of the Agency and W.R. Grace & Co. to amend the Board's air pollution control regulations.	6-0

**ADJUSTED STANDARDS**


---

AS 97-5	<u>In the Matter of: Petition of the Louis Berkman Company, d/b/a The Swenson Spreader Company for an Adjusted Standard from 35 Ill. Adm. Code Part 215.Subpart F</u> - The Board entered an interim order, granting this Ogle County facility an adjusted standard, subject to conditions, from the volatile organic material limitation requirements found at 35 Ill. Adm. Code 215.204(j)(2).	6-0
---------	--	-----

**ADMINISTRATIVE CITATIONS**


---

AC 94-28	<u>County of Sangamon v. ESG Watts, Inc.</u>  Consolidated with dockets AC 94-29, AC 94-48, AC 94-49, AC 94-50, AC 94-51, AC 94-52, AC 94-58, AC 94-59, AC 94-60, AC 94-81, AC 94-82, AC 94-90, AC 94-91, AC 94-95, AC 95-8, AC 95-18, AC 95-21, AC 95-28, AC 95-29 - The Board denied respondents motion to enforce a settlement agreement.	6-0
AC 98-12	<u>County of Will v. Albert Barnes and Mary Barnes</u> - The Board entered an order finding that these Will County respondents violated Section 21(p)(1) of the Environmental Protection Act (415 ILCS 5/21(p)(1) (1996)) and ordered them to pay a civil penalty of \$500.	6-0

**ADJUDICATORY CASES**Decisions


---

97-40	<u>People of the State of Illinois v. James R. Womack, d/b/a Womack Brothers Excavating</u> - The Board accepted a stipulation and settlement agreement in this land enforcement action involving a St. Clair County facility, ordered respondent to pay a civil penalty of \$7,000, and ordered respondent to cease and desist from further violations.	6-0
98-24	<u>White Cap, Inc. v. IEPA</u> - The Board granted this Cook County facility a variance, subject to conditions, from certain testing requirements of the Board's air emissions regulations as set forth at 35 Ill. Adm. Code 218.105(b), 218.205(c), 218.207 and 218.211.	6-0

Provisional Variances


---

98-75	<u>Lehigh Press Cadillac v. IEPA</u> - Upon receipt of an IEPA recommendation, the Board granted this Cook County facility a 14-day provisional variance, subject to conditions, from certain requirements of the air pollution control regulations, as set forth in permit condition (3)(c) of its air operating permit and 35 Ill. Adm. Code 218.407(a)(1)(E).	6-0
-------	--	-----

**Motions and Other Matters**

<b>93-80</b>	<u>Indian Prairie Community Unit School District No. 204 v. IEPA</u> - The Board denied petitioner's motion for summary judgment and granted respondent's motion for summary judgment in this underground storage tank appeal involving a DuPage County facility.	6-0
<b>97-100</b>	<u>Farmers State Bank, Pittsfield, Illinois v. Phillips Petroleum Company</u> - The Board granted complainant's motion for withdrawal of this citizen's land and water enforcement action involving a Pike County facility.	5-0 Hennessey abstained
<b>98-46</b>	<u>Herb Treder (Site Classification Completion Report) v. IEPA</u> - Having previously granted a request for a 90-day extension, the Board dismissed the matter because no underground storage tank appeal was timely filed on behalf of this Lake County facility.	6-0
<b>98-55</b>	<u>Donald McCarrell and Ann McCarrell v. Air Distribution Associates, Inc.</u> - Having found that the action is neither duplicitous nor frivolous pursuant to Section 103.124(a), the Board denied respondents motion to dismiss and accepted this citizens enforcement action for hearing.	6-0
<b>98-59</b>	<u>Morton College Board of Trustees of Illinois Community College District No. 527 v. Town of Cicero</u> - The Board granted respondents November 10, 1997, motion filed by respondent asking the Board to take judicial notice of the respondent's complaint for declaratory and ancillary relief filed in Cook County Circuit Court, the November 24, 1997, motion filed by respondent for leave to file a reply to complainant's response to the motion to dismiss, and a November 19, 1997, motion by complainant asking for time to file a supplement to complainant's response to the motion to dismiss.	6-0
<b>98-62</b> <b>98-67</b>	<u>Raymond S. Hara v. IEPA</u> - The Board, on its own motion, consolidated these cases.	5-0 Hennessey abstained
<b>98-73</b>	<u>Village of Glendale Heights v. IEPA</u> - The Board accepted this request for a 90-day extension of time to file an underground storage tank appeal on behalf of a DuPage County facility.	6-0
<b>98-74</b>	<u>Jiffy Lube International, Inc. v. IEPA</u> - The Board accepted this request for a 90-day extension of time to file an underground storage tank appeal on behalf of a Cook County facility.	6-0

**BOARD ACTIONS 12/18/97**

**RULEMAKINGS**

<b>R97-25</b>	<u>In the Matter of: Conforming Amendments for the Great Lakes Initiative: 35 Ill. Adm. Code Part 302.101, 302.105, 302.Subpart E, 303.443, and 304.222</u> - The Board adopted amendments to the water pollution control regulations.	6-0 Hennessey abstained
---------------	--	-------------------------------



<b>R97-31</b>	<u>In the Matter of: Wood Furniture Coating Amendments to 35 Ill. Adm. Code Parts 211, 218, and 219.Subpart F</u> - Proposed Rule, Second Notice, Opinion and Order.	7-0
<b>R98-16</b>	<u>Petition of W.R. Grace &amp; Company - Connecticut and IEPA for a Site-Specific Air Regulation: 35 Ill. Adm. Code 218.940(h)</u> - Proposed Rule, First Notice, Opinion and Order.	5-2 Flemal and Meyer dissented.

## ADJUSTED STANDARDS

---

<b>AS 94-6</b>	<u>In the Matter of: Petition of Hydrosol, Inc. for an Adjusted Standard from 35 Ill. Adm. Code 218.Subpart DD</u> - The Board granted petitioner's motion to dismiss this request for an adjusted standard.	7-0
<b>AS 96-6</b>	<u>In the Matter of: Petition of Amoco Oil Company for an Adjusted Standard from 35 Ill. Adm. Code 721.132</u> - The Board entered an order denying this Madison County facility an adjusted standard, from the hazardous classification found at 35 Ill. Adm. Code 721 Subpart D.	7-0
<b>AS 98-3</b>	<u>In the Matter of: Petition of Sundstrand Corporation for an Adjusted Standard from 35 Ill. Adm. Code 215.204(j)(3)</u> - The Board entered an order granting petitioner a stay in this matter, pending the outcome of the proposed amendments to 35 Ill. Adm. Code 215 in docket R98-15.	7-0
<b>AS 98-4</b>	<u>In the Matter of: Petition of Sundstrand Corporation for an Adjusted Standard from 35 Ill. Adm. Code 215.204(j)(3)</u> - The Board entered an order granting petitioner a stay in this matter, pending the outcome of the proposed amendments to 35 Ill. Adm. Code 215 in docket R98-15.	7-0

## ADJUDICATORY CASES

---

### Decisions

<b>96-229</b>	<u>People of the State of Illinois v. James Tull, individually, and as President of Cepco, Inc., d/b/a Chief Paving &amp; Excavating Company</u> - The Board accepted a stipulation and settlement agreement in this air enforcement action involving a Champaign County facility, ordered respondent to pay a civil penalty of \$5,000, and ordered respondent to cease and desist from further violations.	7-0
<b>97-156</b>	<u>Village of Fox River Grove v. IEPA</u> - The Board upheld the IEPA's decision in this permit appeal.	6-0 Hennessey abstained

**98-32**      Owens Oil Company v. IEPA - The Board reversed the IEPA's decision in this underground storage tank appeal.      7-0

### Motions and Other Matters

**94-287**      American Western Refining L.P. (formerly Indian Refining Limited Partnership) v. IEPA - The Board granted petitioner's motion for withdrawal of this request for an air variance involving a Lawrence County facility.      7-0

**94-295**      RTC Industries, Inc. v. IEPA - The Board granted petitioner's motion for withdrawal of this underground storage tank appeal involving a Cook County facility.      7-0

**96-84**      Forest Preserve District of DuPage County, Illinois v. Mineral and Land Resources Corporation, Southwind Financial, Ltd., f/k/a Abbott Contractors, Inc., Bluff City Materials, Inc., as assignee of Abbott Contractors, Inc. - The Board granted respondent's October 23, 1997, motion for a finding in its favor; the November 4, 1997 motion for leave to file its reply to complainant's response to its motion for a finding, and complainant's November 5, 1997, motion to strike respondents Southwind Financial and Bluff City Materials' response.      6-0  
Hennessey  
abstained

**97-134**      Dayton Hudson Corporation v. Cardinal Industries, Inc., and Daniel E. Cardinal, Jr. - The Board granted complainant's motion for withdrawal of this citizen's RCRA enforcement action involving a DuPage County facility.      7-0

**97-168**      People of the State of Illinois v. Old World Industries, Inc. and Specialty Sealant Tapes, Inc. - The Board granted the party's request to extend the stay in this matter.      7-0

**98-22**      Village of Matteson v. IEPA - The Board granted petitioner's request for extension of time to file its reply to respondent's motion for summary judgment.      7-0

**98-37**      People of the State of Illinois v. American Waste Processing, Ltd. - The Board entered an order denying respondent's motion for reconsideration of an October 16, 1997, Board order.      7-0

**98-51**      Kuhn Lumber Company, Inc. v. IEPA - Having previously granted a request for a 90-day extension, the Board dismissed the matter because no underground storage tank appeal was timely filed on behalf of this St. Clair County facility.      7-0

**98-76**      King Bruwaert House v. IEPA - The Board accepted this request for a 90-day extension of time to file an underground storage tank appeal on behalf of a Cook County facility.      7-0

98-77	<u>Grant Dean Buick v. IEPA</u> - The Board accepted this request for a 90-day extension of time to file an underground storage tank appeal on behalf of a Kane County facility.	7-0
98-78	<u>Champion Gas &amp; Oil v. IEPA</u> - The Board accepted this request for a 90-day extension of time to file an underground storage tank appeal on behalf of a Kane County facility.	7-0
98-79	<u>Lincoln Correctional Center v. IEPA</u> - The Board accepted this request for a 90-day extension of time to file an underground storage tank appeal on behalf of a Sangamon County facility.	7-0
98-82	<u>Resurrection Medical Center v. IEPA</u> - Accept for Hearing Order	7-0

## **NEW CASES 12/4/97**

**98-73** Village Of Glendale Heights v. IEPA - The Board accepted this request for a 90-day extension of time to file an underground storage tank appeal on behalf of a DuPage County facility.

**98-74** Jiffy Lube International, Inc. v. IEPA - The Board accepted this request for a 90-day extension of time to file an underground storage tank appeal on behalf of a Cook County facility.

**98-75** Lehigh Press Cadillac v. IEPA - *See Final Actions*

**R97-12(C)** In the Matter of: Tiered Approach to Corrective Action (T.A.C.O.) Amendments to 35 Ill. Adm. Code 742 - The Board, at the request of the Illinois Environmental Regulatory Group and the Illinois Environmental Protection Agency and on its on motion, opened this docket to amend certain sections of Part 742. **See Rulemaking Update.**

**R98-16** In the Matter of: Petition of W.R. Grace & Co. - Conn. and the IEPA for Site-Specific Air Regulation: 35 Ill. Adm. Code 218.940(h) - The Board accepted for hearing the joint proposal of the Agency and W.R. Grace & Co. - Conn. to amend the Board's air pollution control regulations. - **See Rulemaking Update**

**R98-17** Exemptions from Definition of VOM, USEPA Amendments (July 1, 1997, through December 31, 1997) - The Board reserved this docket for a routine identical-in-substance update. The update includes any federal amendments which occurred during the period July 1, 1997, through December 31, 1997.

**R98-18** SDWA Update, USEPA Regulations Amendments (July 1, 1997, through December 31, 1997) - The Board reserved this docket for a routine identical-in-substance update. The update includes any federal amendments which occurred during the period of July 1, 1997, through December 31, 1997.

**R98-19** UIC Update, USEPA Regulations Amendments (July 1, 1997, through December 31, 1997) - The Board reserved this docket for a routine identical-in-substance update. The update includes any federal amendments which occurred during the period of July 1, 1997, through December 31, 1997.

**R98-20** RCRA Subtitle D Update, USEPA Regulations Amendments (July 1, 1997, through December 31, 1997) - The Board reserved this docket for a routine identical-in-substance update. The update includes any federal amendments which occurred during the period of July 1, 1997, through December 31, 1997.

**R98-21** RCRA Subtitle C Update, USEPA Regulations Amendments (July 1, 1997, through December 31, 1997) - The Board reserved this docket for a routine identical-in-substance update. The update includes any federal amendments which occurred during the period of July 1, 1997, through December 31, 1997.

**R98-22** UST Update, USEPA Regulations Amendments (July 1, 1997, through December 31, 1997) - The Board reserved this docket for a routine identical-in-substance update. The update includes any federal amendments which occurred during the period of July 1, 1997, through December 31, 1997.

**R98-23** Wastewater Pretreatment Update, USEPA Amendments (July 1, 1997, through December 31, 1997) - The Board reserved this docket for a routine identical-in-substance update. The update includes any federal amendments which occurred during the period of July 1, 1997, through December 31, 1997.

---

## **NEW CASES 12/18/97**

**98-76** King Bruwaert House v. IEPA - The Board accepted this request for a 90-day extension of time to file an underground storage tank appeal on behalf of a Cook County facility.

**98-77** Grant Dean Buick v. IEPA - The Board accepted this request for a 90-day extension of time to file an underground storage tank appeal on behalf of a Kane County facility.

**98-78** Champion Gas & Oil v. IEPA - The Board accepted this request for a 90-day extension of time to file an underground storage tank appeal on behalf of a Kane County facility.

**98-79** Lincoln Correctional Center v. IEPA - The Board accepted this request for a 90-day extension of time to file an underground storage tank appeal on behalf of a Sangamon County facility.

**98-80** People of the State of Illinois v. Craig Linton, an individual, and Randy Rowe, an individual - The Board received for hearing this land enforcement action against a LaSalle County facility.

**98-81** Charter Hall Homeowner's Association v. Overland Transportation Systems, Inc., and D.P. Cartage, Inc. - The Board held this citizens' land enforcement action against a Cook County facility for a duplicitous and frivolous determination.

**98-82** Resurrection Medical Center v. IEPA - The Board accepted for hearing this appeal of an underground storage tank decision on behalf of a Cook County facility.

**98-83** People of the State of Illinois v. Donald Swinson, d/b/a Rock View Stone Company - The Board received for hearing this air enforcement action against a Winnebago County facility.

**98-84** Scott Behrmann and Shelly Benrmann v. Okawville Farmers Elevator-St. Libory - The Board held this citizens' land enforcement action against a St. Clair County facility for a duplicitous and frivolous determination.

**98-85** People of the State of Illinois v. The Central Illinois Conference of the United Methodist Church - The Board received for hearing this air enforcement action against a McLean County facility.

**R98-24** In the Matter of Vehicle Inspection and Maintenance - The Board on its own motion reserved this docket for an anticipated proposal from the Illinois Environmental Protection Agency.

**R98-25** In the Matter of Vehicle Scrappage - The Board on its own motion reserved this docket for an anticipated proposal from the Illinois Environmental Protection Agency.

## ILLINOIS ENVIRONMENTAL PROTECTION AGENCY

## DIVISION OF WATER POLLUTION CONTROL

## RESTRICTED STATUS LIST

In order to comply with 35 Illinois Administrative Code Section 306.401, Illinois Pollution Control Board Regulations, the Illinois EPA has prepared the following list of facilities which are on Restricted Status. Restricted Status is defined as the Agency determination that a sewer or lift station has reached hydraulic capacity or that a sewage treatment plant has reached design capacity, such that additional sewer connection permits may no longer be issued without causing a violation of the Act or Regulations. Please note that the list is continually being revised to reflect the current situation. Therefore, if you have any questions on the capability of a treatment facility or transport system, please contact this Agency for a final determination. This listing reflects the status as of December 31, 1997.

Facility names followed by an asterisk (\*) indicates that construction is underway to ultimately alleviate problems which resulted in imposition of Restricted Status. Facilities followed by a double asterisk (\*\*) are additions to the list.

<u>Facility Name</u>	<u>Responsible Authority</u>	<u>Remaining County</u>	<u>Capacity</u>
Astoria-Washington and Lincoln St. Overflow; Adams & State St. Overflow	Town of Astoria	Fulton	0
Athens STP	City of Athens	Menard	0
Bourbonnais (Belle Aire Subd.)	Village of Bourbonnais	Kankakee	0
Camelot Utilities - Wastewater Collection System	Camelot Utilities	Will	0
Camp Point (a portion mh 60-68)	Village of Camp Point	Adams	0
Candlewick Lake STP	Consumer Ill. Water Co.	Boone	0
Chester STP	City of Chester	Randolph	0
Clearview S.D.	Clearview S.D.	McLean	0
Clinton Wastewater Collection System	City of Clinton	DeWitt	0
East Alton STP	City of East Alton	Madison	0
Farmington	City of Farmington	Fulton	0
Hurst & Blairville Collection System	City of Hurst	Williamson	0
Maple Lawn Homes STP	Maple Lawn Homes	Woodford	0
Port Byron STP	Village of Port Byron	Rock Island	0
Riverton (Sewer System -Partial)	Village of Riverton	Sangamon	0
Rosewood Heights S.D. - Ninth Street LS	Rosewood Heights S.D.	Madison	0
Round Lk Beach - Oaktree Subd. Pump Station	America Today, Inc.	Lake	0
South Palos Twp. S.D.	South Palos Twp.	South Palos Twp.	0
Taylorville-Shawnee Ave. Pump Station	City of Taylorville	Christian	0
Utilities Unlimited	Utilities Unlimited	Will	0
Virden (Sewer System - Partial)	Virden S.D.	Macoupin	0
Washington (Devonshire Estates)	City of Washington	Tazewell	0
Washington (Rolling Meadows)	City of Washington	Tazewell	0
Wauconda-Collection System*	Village of Wauconda	Lakes	0

Deletions from previous Quarterly Report: Watseka STP.

ILLINOIS ENVIRONMENTAL PROTECTION AGENCY

DIVISION OF WATER POLLUTION CONTROL

CRITICAL REVIEW LIST

In order to comply with 35 Illinois Administrative Code Section 306.401, Illinois Pollution Control Board Regulations, the Illinois Environmental Protection Agency has prepared the following list of facilities which are on Critical Review. Critical Review is defined as the Agency determination that a sewer or lift station is approaching hydraulic capacity or that a sewage treatment plant is approaching design capacity such that additional sewer connection permit applications will require close scrutiny to determine whether issuance would result in a violation of the Act or Regulations. Please note that these lists are continually being revised to reflect the current situation. Therefore, if you have any questions on the capability of a treatment facility or transport system, please contact the Agency for a final determination. This listing reflects the status as of December 31, 1997.

Facilities followed by a double asterisk (\*\*) are additions to the list.

<u>Facility Name</u>	<u>Responsible Authority</u>	<u>County</u>	<u>Remaining Capacity</u>	<u>PE Added Since Last List</u>
Beardstown S.D.	City of Beardstown	Cass	1,828	0
Benton- Southeast STP	City of Benton	Franklin	60	0
Bethalto (L.S. #1)	Village of Bethalto	Madison	87	0
Bolingbrook STP 2	Village of Bolingbrook	Will	630	0
Carrier Mills	Village of Carrier Mills	Saline	836	0
Carrollton	City of Carrollton	Greene	140	0
Citizens Utilities C. of Ill Derby Meadows Utility Co STP	Citizens Utilites C. of Ill	Will	0	0
Citizens Utilities C. of Ill River Grange	Citizens Utilites C. of Ill	Will	10	0
Creve Coeur	Village of Creve Coeur	Tazewell	2,316	0
Downers Grove S.D.	Downers Grove S.D.	DuPage	5,960	732
Earlville	City of Earlville	LaSalle	201	0
East Dundee STP	Village of E. Dundee	Kane	933	0
Elkville	Village of Elkville	Jackson	6	0
Findlay	Village of Findlay	Shelby	60	0
Herschler	Village of Herscher	Kankakee	300	0
Highland STP	City of Highland	Madison	184	72
Hoopeston	City of Hoopeston`	Vermilion	0	0
CLPWD-Deerfield Rd. Interceptor	County of Lake Public Works Department	Lake	***	0
CLPWD-Diamond- Sylvan STP	County of Lake Public Works Department	Lake	0	396
Lake Barrington Home Owners Assn. STP	LBHOA	Lake	80	0
Lake in the Hills S.D.	Village of Lake in the Hills	McHenry	0	89
McHenry - South STP & Green Street LS	City of McHenry	McHenry	To Be Deter- mined	0
Moline (North Slope)	City of Moline	Rock Island	1,151	0
Mundelein STP	Village of Mundelein	Lake	0	74
O'Fallon	City of O'Fallon	St. Clair	0	****
Paris STP	City of Paris	Edgar	1,906	0
Rock Island (Main)	City of Rock Island	Rock Island	4,896	0
Round Lake-Rosewood Sewage Pumping Sta.	Village of Round Lake	Lake	97	0
Thompsonville STP	Village of Thompsonville	Franklin	35	0

Deletions from previous Quarterly Report: 0

\*\*\*Contact IEPA - Permit Section

\*\*\*\*15,771 P.E. (organic) have been added due to the discontinued pretreatment of waste from Land-O-Sun Dairy.

MM\95100301.DLK

Illinois Environmental Protection Agency  
 Division of Public Water Supplies  
 Restricted Status List -- Public Water Supplies  
 January 1998

The Restricted Status List was developed to give additional notification to officials of public water supplies which are in violation of 35 Ill. Adm. Code, Subtitle F: Public Water Supplies, Chapter I or the Illinois Environmental Protection Act.

The Restricted Status List will include all Public Water Supplies for which the Agency has information indicating a violation of any of the following requirements: Finished water quality requirements of 35 Ill. Adm. Code, Part 604, Subparts B and C; maintenance of adequate pressure on all parts of the distribution system under all conditions of demand; meeting raw water quantity requirements of 35 Ill. Adm. Code 604.502; or maintenance of treatment facilities capable of providing water "assuredly adequate in quantity" as required by Section 18 of the Illinois Environmental Protection Act.

A public water supply on the Restricted Status List will not be issued permits for water main extensions, except for certain limited situations, or unless the supply has been granted a variance from the Illinois Pollution Control Board for the violation, or from permit issuance requirements of Section 39 of the Act.

This list is continually being revised as new information becomes available, and therefore, specific inquiries as to the status of any public water supply should be directed to the Division of Public Water Supplies for final determination. This list reflects the status as of January 1, 1998.

\* Indicates public water supplies which have been added to the list since the previous publication.

<u>NAME OF PUBLIC WATER SUPPLY/COUNTY/FACILITY#</u>	<u>EPA RGN</u>	<u>NATURE OF PROBLEM</u>	<u>POP.SERVED</u>	<u>LISTING DATE</u>
Acorn Acres Sbdv (Lake Co - 0975020)	2	Inadequate Pres Tank	250	12/16/83
Alden Long Grove Nursing Center(Lake Co - 0971090)	2	Inadequate Pres Tank	204	06/15/93
Ashley (Washington Co - 1890100)	6	Trihalomethane	825	06/15/92
Bahl Wtr Corp (Jo Daviess Co - 0855200)	1	Inadequate Pres Storage	700	12/15/93
Bartmann Health Care Center (Logan Co-1075169)	5	Inadequate Pres Tank	93	12/16/83
Belmont-Highwood PWD (DuPage Co - 0435180)	2	Trichloroethylene	498	09/16/93
Benld (Macoupin Co - 1170050)	5	Trihalomethane	1,634	09/16/96
* Blandinsville (McDonough Co - 1090100)	5	Trihalomethane	760	12/15/97
Blue & Gold Hmownrs Assn (Winnebago Co - 2015250)	1	Inad Pres Tank & Source of Supply	170	06/17/83
Blue Mound (Macon Co - 1150100)	4	Nitrate	1,165	03/15/97
Bonnie Lane Water Supply (Kendall Co - 0930010)	2	Inadequate Pres Tank	49	09/16/93
Bradley Hts Sbdv (Winnebago Co - 2015050)	1	Inadequate Pres Tank	192	09/13/85
Breezeway Sbdv (Tazewell Co - 1795150)	5	Inadequate Pres Tank	175	09/17/82
Briar Garden Apts (Winnebago Co - 2015190)	1	Inadequate Pres Tank	60	12/17/82
Buck Lake Ests Sbdv (DeKalb Co - 0375100)	1	Inadequate Pres Tank	200	09/14/84
Buckingham (Kankakee Co - 0910250)	2	Inadequate Pres Tank	330	03/17/89
Campus (Livingston Co - 1050050)	4	Inadequate Pres Tank	230	03/20/81
Carroll Hts Utl Cmpny (Carroll Co - 0155200)	1	Inadequate Pres Tank	80	03/20/81
Century Pines Apts (Carroll Co - 0150020)	1	Inadequate Pres Tank	50	12/14/90
Cherry View Apts (Winnebago Co - 2015278)	1	Inadequate Pres Tank	60	06/17/83
Claremont Hls Sbdv (McHenry Co - 1115080)	2	Inadequate Pres Tank	330	03/15/96
Clearview Sbdv (Will Co - 1975360)	2	Inadequate Pres Tank	420	01/13/82
Coalton (Montgomery Co - 1350100)	5	Low System Pres	325	03/20/81
Coffeen (Montgomery Co - 1350150)	5	Trihalomethane	800	03/17/92
Community Srvc Corp (McHenry Co - 1115350)	2	Inadequate Pres Tank	750	09/16/83
Coulterville (Randolph Co - 1570150)	6	Trihalomethane	1,100	09/16/96
* Coyne Cntr Coop (Rock Island Co - 1615150)	1	Inadequate Pres Tank	150	12/15/97
Cropsey Cmnty Wtr (McLean Co -	4	Inadequate Pres Tank	60	03/20/81

<u>NAME OF PUBLIC WATER SUPPLY/COUNTY/FACILITY#</u>	<u>EPA RGN</u>	<u>NATURE OF PROBLEM</u>	<u>POP. SERVED</u>	<u>LISTING DATE</u>
1135150) Crystal Clear Wtr Cmpny (McHenry Co - 1115150)	2	Inadequate Pres Tank	900	09/16/88
Crystal Hts Assn (McHenry Co - 1115100)	2	Inadequate Pres Tank	93	06/17/96
Ctzns Liberty Ridge Dvn (DuPage Co - 0435650)	2	Inadequate Pres Tank	2,510	03/15/94
Ctzns Lombard Heights Dvn (DuPage Co - 0435700)	2	Inadequate Pres Tank	980	12/17/82
Ctzns Marina Village (Kendall Co - 0935100)	2	Inadequate Pres Tank & Inadequate Pres Storage	2,200	03/16/90
Inadequate Pres Storage D and R Apts (Champaign Co - 0190030)	4	Inadequate Pres Tank	26	09/16/93
Deering Oaks Sbdv (McHenry Co - 1115200)	2	Inadequate Pres Tank	60	12/17/82
DeKalb Univ Dvl Corp (DeKalb Co - 0375148)	1	Inadequate Pres Tank	950	12/16/92
DeWitt Cnty NH (DeWitt Co - 0395129)	4	Inadequate Pres Tank	80	06/17/83
Dieterich (Effingham Co - 0490150)	4	Nitrite	568	12/16/96
DL Well Owners Assn (Lake Co - 0975380)	2	Inadequate Pres Tank	125	03/18/83
Dorchester (Macoupin Co - 1170250)	5	Trihalomethane	480	09/16/96
Dover (Bureau Co - 0110350)	1	Inadequate Pres Tank	200	05/25/81
Eagerville (Macoupin Co - 1170300)	5	Trihalomethane	187	09/16/96
East Moreland Wtr Assn (Will Co - 1975600)	2	Inadequate Pres Tank	753	03/20/81
East Moreland Wtr Corp (Will Co - 1975640)	2	Inadequate Pres Tank	135	03/15/96
Echo Lake Wtr Sys Block 7 (Lake Co - 0975820)	2	Inadequate Pres Tank	48	09/16/83
Ellis Grove (Randolph Co - 1570200)	6	Trihalomethane	720	12/16/96
Elm Oak Mutual Wtr Syst (Lake Co - 0975736)	2	Inad Pres Tank	45	06/13/86
Emmett Utl Inc (McDonough Co - 1095200)	5	Inadequate Pres Tank	39	12/17/82
Evergreen Vlg Sbdv (Rock Island Co - 1615310)	1	Inadequate Pres Tank	250	03/20/81
Fahnstock Court Sbdv (Peoria Co - 1435200)	5	Inadequate Pres Tank	30	05/25/81
Fair Acres Sbdv (Will Co - 1975680)	2	Inadequate Pres Tank	185	10/19/81
Fairview (Fulton Co - 0570450)	5	Inadequate Pres Tank & Adjusted Gross Alpha	620	03/20/81
Adjusted Gross Alpha * Flat Rock (Crawford Co - 0330050)	4	Nitrite	400	12/15/97
Forest Lake Addn (Lake Co - 0975500)	2	Inadequate Pres Tank	180	12/16/83
Frwrld-Skyline Cpy (Kane Co - 0895030)	2	Inadequate Pres Tank	1,300	09/19/86
Galena Knolls Sbdv (Peoria Co - 1435300)	5	Nitrate	180	06/15/88
Garden Street Imprv Assn (Will Co - 1975376)	2	Inadequate Pres Tank	62	09/15/89
Gillespie (Macoupin Co - 1170400)	5	Trihalomethane	3,900	09/16/96
* Glasford (Peoria Co - 1430350)	5	Adjusted Gross Alpha	1,115	12/15/97
Glenkirk Campus North (Lake Co - 0977189)	2	Inadequate Pres Tank	64	06/15/88
Glenkirk Campus South (Lake Co - 0977199)	2	Inadequate Pres Tank	36	06/15/88
Good Shepherd Mnr (Kankakee Co - 0915189)	2	Inadequate Pres Tank	140	03/17/89
Great Oaks & Beacon Hls Apts(Winnebago Co-2015488)	1	Inadequate Pres Tank	943	12/17/82
Hawthorn Woods (Lake Co - 0970450)	2	Inadequate Pres Tank	800	03/15/95
Hazelwood 1st Addn Well 2 (Henry Co - 0735446)	1	Inadequate Pres Tank	32	09/17/82
Heatherfield Sbdv (Grundy Co - 0635150)	2	Inadequate Pres Tank	91	09/17/82
Hettick (Macoupin Co - 1170500)	5	Atrazine	250	03/15/95
Highland Lake Sbdv (Lake Co - 0975750)	2	Inadequate Pres Tank	294	03/20/81
Highland Sbdv (Kane Co - 0895530)	2	Inadequate Pres Tank	50	09/16/83



<u>NAME OF PUBLIC WATER SUPPLY/COUNTY/FACILITY#</u>	<u>EPA RGN</u>	<u>NATURE OF PROBLEM</u>	<u>POP. SERVED</u>	<u>LISTING DATE</u>
Hillview Sbdv (Will Co - 1975800)	2	Inadequate Pres Tank	99	03/15/85
Hull (Pike Co - 1490350)	5	Tetrachloroethylene	529	03/15/97
Huntley Cmnty Sbdv (Will Co - 1975840)	2	Inadequate Pres Tank	48	03/16/84
Ingalls Pk Sbdv (Will Co - 1975880)	2	Inadequate Pres Tank	690	09/16/83
Island Lake Wtr Cmpny (Lake Co - 0975080)	2	Iron	2,250	06/15/90
Joy (Mercer County - 1310100)	1	Inadequate Source	495	09/16/96
Lake Lynwood Wtr Sys (Henry Co - 0735330)	1	Inadequate Pres Tank	98	08/31/81
Lakeview Sbdv (Whiteside Co - 1955150)	1	Inadequate Pres Tank	146	03/20/81
Lakewood Wtr Sys (Lake Co - 0975400)	2	Inadequate Pres Tank	49	12/16/83
Larchmont Sbdv (Winnebago Co - 2015290)	1	Inadequate Pres Tank	106	06/17/83
Larson Court Rentals (Rock Island Co - 1615728)	1	Inadequate Pres Tank	48	01/14/82
Legend Lakes Wtr Assn (Winnebago Co - 2015300)	1	Inadequate Pres Tank	225	03/14/91
Lemon Street Wl Cmpny Inc (Rock Island Co-1615550)	1	Inadequate Pres Tank	470	03/20/81
Liberty Park Homeowners Assn (DuPage Co - 0435600)	2	Inadequate Pres Tank	1,092	09/17/92
Lindenwood Wtr Assn (Ogle Co - 1415300)	1	Inadequate Pres Tank	50	01/13/82
Lisbon North Inc (Grundy Co - 0631000)	2	Inadequate Pres Tank	30	09/14/90
London Mills (Fulton Co - 0574620)	5	Inadequate Pres Tank	670	12/14/84
Lynn Cntr (Henry Co - 0735100)	1	Inadequate Pres Tank	147	03/15/95
Lynnwood Water Corp (LaSalle Co - 0995336)	1	Inadequate Pres Tank	114	03/18/83
M C L W Sys Inc (Mercer Co - 1315150)	1	Inadequate Source	100	03/20/81
Maple Hill Imprv Assn (DuPage Co - 0435800)	2	Inad Pres Tank & Trichloroethylene	234	08/31/81
Maple Leaf Ests Wtr Corp (Monroe Co - 1335100)	6	Inadequate Pres Tank	39	03/20/81
Mayfair Sbdv (Tazewell Co - 1795750)	5	Inadequate Pres Tank	150	03/16/90
McHenry Shores (McHenry Co - 1115020)	2	Iron	1,460	06/13/97
Mound PWD (St Clair Co - 1635050)	6	Inadequate Plant Capacity	1,800	06/17/96
Mount Clare (Macoupin Co - 1170650)	5	Trihalomethane	297	09/16/96
Mount Gilead Shlcrhm (Greene Co - 0615129)	6	Inadequate Pres Tank	28	09/16/83
Northside Peterson Wlfnd (DuPage Co - 0435866)	2	Inadequate Pres Tank	30	12/15/89
Northwest Belmont Imprv Assn (DuPage Co - 0435900)	2	Inadequate Pres Tank	115	09/29/81
Oak Ridge Sndst (Woodford Co - 2035300)	1	Inadequate Pres Tank	240	03/20/81
Oakview Avenue Wtrwks Inc (Will Co - 1977210)	2	Inadequate Pres Tank	350	03/20/81
Olivet Nazarene College (Kankakee Co - 0915279)	2	Inadequate Pres Tank	1,450	03/15/94
Opheim PWS (Henry Co - 0735150)	1	Inadequate Pres Tank	150	06/18/82
Osco Mutual Wtr Supply Cpy Inc (Henry Co-0735200)	1	Inadequate Pres Tank	115	12/15/89
Park Crest Wtr Cmpny (Stephenson Co - 1775100)	1	Inadequate Pres Tank	1,200	09/14/84
Park Road Wtr Assn (Will Co - 1977330)	2	Inadequate Pres Tank	60	12/17/82
Park View Wtr Corp (Kane Co - 0895500)	2	Inadequate Pres Tank	150	12/17/82
Patoka (Marion Co - 1210400)	6	Inadequate Plant Capacity	731	03/15/97
Peru (LaSalle Co - 0990850)	1	Inadequate Treatment Plant	10,886	09/15/97
Polo Dr & Saddle Rd Sbdv (DuPage Co - 0437000)	2	Inadequate Pres Tank	95	12/17/82
Prairie Ridge Assn (McHenry Co - 1115730)	2	Inadequate Pres Tank	140	03/16/90
Prairie View Wtr Assn (Tazewell Co	5	Inadequate Pres Tank	55	03/20/81

<u>NAME OF PUBLIC WATER SUPPLY/COUNTY/FACILITY#</u>	<u>EPA RGN</u>	<u>NATURE OF PROBLEM</u>	<u>POP. SERVED</u>	<u>LISTING DATE</u>
- 1795900)				
* Princeville (Peoria Co - 1430750)	5	Adjusted Gross Alpha	1,815	12/15/97
Ridgecrest North Sbdv (Grundy Co - 0635250)	2	Inadequate Pres Tank	85	09/16/93
Ridgewood Ledges Wtr Assoc (Rock Island Co-1615670)	1	Inadequate Pres Tank	475	03/20/81
Ridgewood Sbdv (Will Co - 1977650)	2	Inadequate Pres Tank	315	06/18/82
Rome Farms #9 (Peoria Co - 1435500)	5	Nitrate	200	09/15/95
Save Site (St Clair Co - 1635289)	6	Trihalomethane	375	06/15/92
Sbdv Wtr Trust No 1 (Kane Co - 0895300)	2	Inadequate Pres Tank	1,120	03/20/81
Scribner Street Sbdv (Will Co - 1977660)	2	Inadequate Pres Tank	50	03/18/83
Shawnita Trc Wtr Assn (Will Co - 1977690)	2	Inadequate Pres Tank	125	09/17/92
Shipman (Macoupin Co - 1170950)	5	Atrazine & Trihalomethane	675	12/16/96
Silvis Heights Wtr Corp (Rock Island Co - 1615750)	1	Inadequate Pres Tank	1,680	03/20/82
Skyview Estates (Kankakee Co - 0915526)	2	Inadequate Pres Tank	65	09/14/84
Sorento (Bond Co - 0050300)	6	Trihalomethane	750	09/16/96
Spring Creek Wtr Assn (Macoupin Co - 1175450)	5	Trihalomethane	60	09/16/96
St Charles Cmsn Wlfnd 3 (DuPage Co - 0437040)	2	Inadequate Pres Tank	30	12/15/89
Staunton Res Rd Wtr (Macoupin Co - 1175250)	5	Trihalomethane	70	12/16/96
Sturm Sbdv (Lake Co - 0977010)	2	Inadequate Pres Tank	63	03/16/84
Suburban Heights Sbdv (Rock Island Co - 1615800)	1	Inadequate Pres Tank	114	12/16/83
Summit Homeowners Assn (Lake Co - 0975280)	2	Inadequate Pres Tank	48	03/16/84
Sunnyland Sbdv (Will Co - 1977730)	2	Inadequate Pres Tank	350	09/16/83
Swedona Wtr Assn (Mercer Co - 1315200)	1	Inadequate Pres Tank	100	06/15/90
Sylvan Lake 1st Sbdv (Lake Co - 0977100)	2	Inadequate Pres Tank	210	06/14/91
Tindalls 3rd & 6th Addn (Rock Island Co - 1617376)	1	Inadequate Pres Tank	28	06/18/82
Towners Sbdv (Lake Co - 0977250)	2	Inadequate Pres Tank	238	01/14/82
Trivoli PWD (Peoria Co - 1435510)	5	Inadequate Pres Tank	350	06/17/83
Turkey Hollow Well Corp (Rock Island Co - 1615686)	1	Inadequate Pres Tank	32	06/18/82
Utl Inc Clarendon Wtr Cmpny (DuPage Co - 0435300)	2	Inadequate Pres Tank	1,953	03/20/81
Utl Inc Northern Hls Utl Co (Stephenson Co-1775050)	1	Inadequate Pres Tank	290	03/15/96
Utl Inc Walk-Up Woods Wtr Co (McHenry Co - 1115800)	2	Inadequate Pres Tank	763	12/17/82
Vet's Place Sbdv (Peoria Co - 1435650)	5	Nitrate & Inadequate Pressure Tank	85	09/16/94
Warsaw (Hancock Co - 0670650)	5	Trihalomethane	1,882	12/16/96
Wermes Sbdv (Kane Co - 0895750)	2	Inadequate Pres Tank	150	12/16/88
West Shoreland Sbdv (Lake Co - 0977050)	2	Inadequate Pres Tank	220	06/14/91
Westfield (Clark Co - 0230200)	4	Inadequate Water Source	700	06/15/93
White City (Macoupin Co - 1171150)	5	Trihalomethane	280	12/16/96
White Hall (Greene Co - 0610400)	6	Trihalomethane	2,950	03/15/97
* Wiene Estates (Jo Daviess Co - 0850030)	1	Inadequate Pres Tank	70	12/15/97
Wilsonville (Macoupin Co - 1171200)	5	Trihalomethane	609	09/16/96
Wonder Lake Wtr Cmpny (McHenry Co - 1115750)	2	Inadequate Pres Tank	1,161	06/16/94
Woodland Hts Ests Sbdv (Peoria Co - 1435760)	5	Inadequate Pres Tank	245	03/20/81
Woodsmoke Ranch Assn (LaSalle Co - 0990030)	1	Inad Pres Tank	350	06/15/90
York Cntr Coop (DuPage Co - 0437550)	2	Inadequate Pres Tank	240	06/15/88
2nd Street Wtr Assn (Lake Co - 0971140)	2	Indaquate Pres Tank	33	12/15/95

PUBLIC WATER SUPPLIES REMOVED FROM PREVIOUS LIST

Brookview Sbdv (Peoria Co - 1435100)	Nauvoo (Hancock Co - 0670500)
Casey (Clark Co - 0230050)	Sawyererville (Macoupin Co - 1170850)
Hazelwood 2nd Addn Well 3 (Henry Co - 0735686)	The Mill (Winnebago Co - 2010040)
Hutsonville (Crawford Co - 0330100)	Woodland (Iroquois Co - 0751000)
Kaho (Macoupin Co - 1170030)	

Illinois Environmental Protection Agency

Division of Public Water Supplies

Critical Review List -- Public Water Supplies

The Critical Review List was developed to give additional notification to officials of public water supplies which may be close to being in violation of 35 Ill. Adm. Code, Subtitle F: Public Water Supplies, Chapter I or the Illinois Environmental Protection Act.

A supply will be placed on the Critical Review List when Agency records indicate that it is approaching any of the violations which would place it on the Restricted Status List.

This list is continually being revised as new information becomes available, and therefore, specific inquiries as to the status of any public water supply should be directed to the Division of Public Water Supplies for final determination. This list reflects the status as of January 1, 1998.

\* Indicates public water supplies which have been added to the list since the previous publication.

RDS:sp/0046g/4

Illinois Environmental Protection Agency  
 Division of Public Water Supplies  
 Critical Review List -- Public Water Supplies  
 January 1998

<u>NAME OF PUBLIC WATER SUPPLY/COUNTY/FACILITY#</u>	<u>EPA RGN</u>	<u>NATURE OF PROBLEM</u>	<u>POP.SERVED</u>	<u>LISTING DATE</u>
Albers (Clinton Co - 0270050)	6	Inadequate Plant Capacity	850	03/15/96
Baylis (Pike Co - 1490100)	5	Source Capacity	300	09/13/85
Bluford (Jefferson Co - 0810100)	7	Low System Pressure	465	03/20/81
Ctzns Chickasaw Hills Div (Will Co - 1975320)	2	Low System Pressure	7,700	09/17/92
Clinton (DeWitt Co - 0390050)	4	Inad Plant Capacity	7,437	06/14/91
DePue (Bureau Co - 0110300)	1	Inad Treatment Plant	1,930	12/15/93
Dieterich (Effingham Co - 0490150)	4	Inadequate Source	568	03/15/94
Edwardsville (Madison Co - 1190250)	6	Inad Treatment Plant	30,581	12/15/93
Evansville (Randolph Co - 1570250)	6	Low System Pressure	1,838	05/25/81
Georgetown (Vermilion Co - 1830350)	4	Inadequate Water Plant	3,678	06/15/93
Hardin (Calhoun Co - 0130200)	6	Low System Pressure	1,175	11/25/81
Highland Hills Sndst (DuPage Co - 0435560)	2	Inadequate Pres Tank	1,100	09/17/92
Homer (Champaign Co - 0190300)	4	Inadequate Source	1,300	03/15/94
Kincaid (Christian Co - 0210250)	5	Plant Capacity	2,640	06/14/85
McHenry Shores Wtr Cmpny (McHenry Co - 1115020)	2	Low System Pressure	1,170	09/17/92
Pearl (Pike Co - 1490650)	5	Inadequate Pres Tank	322	09/17/82
Pecatonica (Winnebago Co - 2010250)	1	Low System Pressure	1,830	06/15/90
Scales Mound (Jo Daviess Co - 0850400)	1	Low System Pressure	400	09/15/97
South Highway PWD (Jackson Co - 0775400)	7	Low System Pressure	8,189	06/15/92
Stockton (Jo Daviess Co - 0850450)	1	Low System Pressure	1,900	06/15/84
Sumner (Lawrence Co - 1010300)	7	Low System Pressure	1,553	12/13/85
Taylor Springs (Montgomery Co - 1350650)	5	Low System Pressure	650	02/20/81
Tower Ridge Sbdv (Rock Island Co - 1615780)	1	Inadequate Pres Tank	70	03/15/94
Utl Inc Lake Marian Wtr Corp (Kane Co - 0895200)	2	Low Sys Pres & Inad Pres Storage	800	09/14/84
Walnut Hill (Marion Co - 1210600)	6	Low System Pressure	1,200	06/14/85
West Liberty-Dundas Wtr Dst (Richland Co-1595050)	7	Low System Pressure & Inadequate Source	693	12/14/84
Wonder Lake Wtr Cmpny (McHenry Co - 1115750)	2	Inadequate Storage	1,080	12/14/90

PUBLIC WATER SUPPLIES REMOVED FROM PREVIOUS LIST