

ORIGINAL RECEIVED
CLERK'S OFFICE

ILLINOIS POLLUTION CONTROL BOARD
December 1, 2008

DEC - 1 2008

STATE OF ILLINOIS
Pollution Control Board

VESUVIUS USA CORPORATION,)	
)	
Petitioner,)	
)	
v.)	PCB 08-48
)	(Permit Appeal - Air)
ILLINOIS ENVIRONMENTAL)	
PROTECTION AGENCY,)	
)	
Respondent.)	

HEARING OFFICER ORDER

On December 1, 2008, petitioner participated in a telephone status conference with the hearing officer. Respondent did not appear. Petitioner is still waiting for test results at the facility, and the parties continue to discuss the possibility of settlement. At the next status conference, an additional deadline waiver will be discussed.

The parties are directed to participate in a telephone status conference with the hearing officer at 9:30 a.m. on February 3, 2009. The status conference shall be initiated by the petitioner.

The decision deadline for this case is May 21, 2009.

IT IS SO ORDERED.



Carol Webb
Hearing Officer
Illinois Pollution Control Board
1021 North Grand Avenue East
P.O. Box 19274
Springfield, Illinois 62794-9274
217/524-8509
webbc@ipcb.state.il.us

CERTIFICATE OF SERVICE

It is hereby certified that true copies of the foregoing order were mailed, first class on December 1, 2008, to each of the persons on the attached service list.

It is hereby certified that a true copy of the foregoing order was hand delivered to the following on December 1, 2008.

John T. Therriault
Illinois Pollution Control Board
James R. Thompson Center
100 W. Randolph St., Ste. 11-500
Chicago, Illinois 60601



Carol Webb
Hearing Officer
Illinois Pollution Control Board
1021 North Grand Avenue East
P.O. Box 19274
Springfield, Illinois 62794-9274
217/524-8509
webbc@ipcb.state.il.us

PCB 2008-048
IEPA
1021 North Grand Avenue East
P.O. Box 19276
Springfield, IL 62794-9276

PCB 2008-048
Katherine D. Hodge
Hodge Dwyer Zeman
3150 Roland Avenue
Post Office Box 5776
Springfield, IL 62705-5776

PCB 2008-048
Lauren C. Lurkins
Hodge Dwyer Zeman
3150 Roland Avenue
Post Office Box 5776
Springfield, IL 62705-5776