ILLINOIS POLLUTION CONTROL BOARD December 16, 2008

THE PREMCOR REFINING GROUP INC.,)	
)	
Petitioner,)	
)	
v.)	PCB 07-30
)	(CAAPP Permit Appeal – Air)
ILLINOIS ENVIRONMENTAL)	
PROTECTION AGENCY,)	
)	
Respondent.)	

HEARING OFFICER ORDER

On December 16, 2008, petitioner participated in a telephone status conference with the hearing officer. Respondent did not appear. Petitioner is still waiting to hear from respondent regarding one issue.

The parties are directed to participate in a telephone status conference with the hearing officer at 10:00 a.m. on February 10, 2009. The status conference shall be initiated by the petitioner.

Petitioner has filed an open waiver of the decision deadline.

IT IS SO ORDERED.

Carol Webb Hearing Officer Illinois Pollution Control Board 1021 North Grand Avenue East P.O. Box 19274 Springfield, Illinois 62794-9274 217/524-8509 webbc@ipcb.state.il.us

Carol Webb

CERTIFICATE OF SERVICE

It is hereby certified that true copies of the foregoing order were mailed, first class, on December 16, 2008, to each of the person on the attached service list.

It is hereby certified that a true copy of the foregoing order was hand delivered to the following on December 16, 2008:

John T. Therriault Illinois Pollution Control Board James R. Thompson Center 100 W. Randolph St., Ste. 11-500 Chicago, Illinois 60601

Carol Webb

Hearing Officer

Carol Webb

Illinois Pollution Control Board 1021 North Grand Avenue East

P.O. Box 19274

Springfield, Illinois 62794-9274

217/524-8509

webbc@ipcb.state.il.us

PCB 2007-030 Robb H. Layman Illinois Environmental Protection Agency 1021 North Grand Avenue East P.O. Box 19276 Springfield, IL 62794-9276

PCB 2007-030 Illinois Environmental Protection Agency 1021 North Grand Avenue East P.O. Box 19276 Springfield, IL 62794-9276

PCB 2007-030 Katherine D. Hodge Hodge Dwyer Zeman 3150 Roland Avenue Post Office Box 5776 Springfield, IL 62705-5776 PCB 2007-030 Monica T. Rios Hodge Dwyer Zeman 3150 Roland Avenue Post Office Box 5776 Springfield, IL 62705-5776