# Environmental Register

## December 2008 - Number 654

The Environmental Register is a Publication of the Illinois Pollution Control Board

G. Tanner Girard, Acting Chairman

Board Members: Thomas E. Johnson, Shundar Lin, Nicholas J. Melas, and Andrea S. Moore

Illinois Pollution Control Board James R. Thompson Center 100 W. Randolph, Suite 11-500 Chicago, Illinois 60601 (312) 814-3620 (312) 814-6032 TDD Illinois Pollution Control Board 1021 North Grand Avenue East P.O. Box 19274 Springfield, Illinois 62794-9274 (217) 524-8500

Web Site: http://www.ipcb.state.il.us

The Board wrapped up a busy calendar year in December, but our biggest news of the month involves Board Members, not opinions written. This month my Board colleagues join me in honoring a past Board member, Dr. Samuel R. Aldrich, and in welcoming our newest member, Mr. Gary Blankenship.

Dr. Aldrich was appointed as an original Board Member in 1970 by Governor Ogilvie. Dr. Aldrich, a former Professor of Agriculture at the University of Illinois, served until July 1972. Dr. Aldrich passed away on November 22, 2008. Dr. Aldrich helped lay the foundation for the Board as it exists today and we greatly appreciate his public service to the citizens of Illinois. Our thoughts and prayers are with his family at this time.

My colleagues and I welcome Member Blankenship, who was appointed to the Board effective December 1, 2008. Before joining the Board, he served since 1981 as the Business Manager and Financial Secretary Treasurer for Plumbers & Pipefitters Local #422, a 1350-member organization in Joliet. In addition, he served as Vice President of the Illinois Pipe Trades Association, Financial Secretary for the Will and Grundy Counties Building Trades Council, and was a member of the Strategic Planning Committee for the United Association of Plumbers and Pipefitters International Union.

With 38 years of experience, Member Blankenship has participated in and supervised the construction and maintenance of a wide variety of air, water, solid and hazardous pollution control systems for industrial facilities such as coal fired power plants, waste water treatment plants, refineries, chemical plants, incinerators, and landfills. He also implemented a five-year training program for Pipefitter Apprentices that included constructing and maintaining air and water pollution control systems.

Member Blankenship and his wife reside in Channahon, Illinois.

I know that our staff joins me in welcoming Member Blankenship to the Board. His background will play a valuable role in the Board's work, and we look forward to his time with us.

Dr. G. Tanner Girard

Thomas E. Johnson

Andrea S. Moore

Dr. Shundar Lin

## **Inside This Issue:**

| RULE UPDATE                       | p. 1  |
|-----------------------------------|-------|
| BOARD ACTIONS                     | р. 3  |
| NEW CASES                         | р. 7  |
| BOARD CALENDAR                    | p. 8  |
| RESTRICTED STATUS/CRITICAL REVIEW | р. 10 |

## **Rule Update**

Board Adopts Final Identical In Substance Rules <u>In the Matter of SDWA Update, USEPA Amendments</u> (January 1, 2007 through June 30, 2007 and June 3, 2008) R08-7 and <u>SWDA Update, USEPA Amendments</u> (July 1, 2007 through December 31, 2007 and June 3, 2008) R08-13

On December 18, 2008, the Board adopted amendments to the Illinois regulations that are "identical in substance" to drinking water regulations adopted by the United States Environmental Protection Agency (USEPA). The amendments adopted by the Board include minor, non-substantive revisions to the text as proposed in the orders of August 7, 2008 and September 4, 2008. Those revisions are in response to comments made by the Joint Committee on Administrative Rules and the Illinois Environmental Protection Agency. The consolidated R08-7/R08-13 docket includes federal Safe Drinking Water Act (SWDA) amendments that USEPA adopted in the period January 1, 2007 through December 30, 2007 and on June 3, 2008. On March 12, 2007, USEPA adopted amendments relating to analytical methods approved under the wastewater pretreatment and drinking water programs. The R08-5 docket includes the drinking water segments of those amendments. On June 3, 2008, USEPA approved alternative methods for analysis under the drinking water program. The Board has added the June 3, 2008 amendments to this consolidated docket due to their close relationship with the March 12, 2007 amendments.

The R08-13 docket includes federal SDWA amendments that USEPA adopted in period July 1, 2007 through December 31, 2007. On October 10, 2007, USEPA revised segments of the Lead and Copper Rule under the drinking water regulations.

#### R08-7: SDWA Updated, USEPA Amendments January 1, 2007 through June 30, 2007

#### March 12, 2007 (at 72 Fed. Reg. 11200)

USEPA modified the testing procedures approved for sampling and analysis in programs established under the Clean Water Act (CWA) and the SDWA. The wastewater pretreatments rules are established under CWA, and the Primary Drinking Water Regulations are established under SDWA. The amendments updated the versions allowed for existing methods and approved new methods for use. The drinking water aspects of these amendments relate closely to later amendments adopted by USEPA on June 3, 2008.

#### R08-13: SDWA Update, USEPA Amendments July 1, 2007 through December 31, 2007

#### October 10, 2007 (at 71 Fed. Reg. 65574)

USEPA amended the lead and copper rule to strengthen its implementation in the areas of monitoring, treatment processes, public education, customer awareness, and lead service line replacement. The federal amendments were effective on December 10, 2007. Compliance by regulated entities is due no later than December 10, 2009.

#### June 3, 2008 (at Fed. Reg. 31616)

The Board identified one set of related USEPA actions since December 31, 2007 that further amend the SDWA rules in a way that affects the present amendments. When the Board observes an action outside the nominal timeframe of a docket that requires expedited consideration, the Board will expedite consideration of those amendments in the pending docket.

USEPA approved 99 alternative test methods for analysis of contaminants in drinking water. This was USEPA's first use of a new summary approval mechanism. Section 1401(1) of SDWA (42 U.S.C. 300f(1)2006)) authorizes USEPA to approve alternative methods by guidance published in a *Federal Register* notice without the formalities of a full rulemaking action. USEPA listed the methods in a new appendix at 40 C.F.R 141.

The Board included the June 3, 2008 USEPA action in docket R08-7 because most of the methods involved in that action affect the same segments of the Illinois rules that are involved in the March 12, 2007 amendments. Further, many of the alternative methods approved in the June 3, 2008 action are the same ser4sion of the methods as are involved in the March 12, 2007 amendments.

For additional information contact Michael J. McCambridge at 312-814-6924; e-mail address mccambm@ipcb.state.il.us .

#### Board Accepts for Hearing IEPA Proposal <u>In the Matter of: Clean-Up Amendments to 35 Ill. Adm. Code</u> <u>Part 243</u> (R09-19)

The Board, on December 18, 2008, accepted for hearing a proposal to amend Part 243 of the Board's air pollution regulations (35 Ill. Adm. Code 243) to incorporate new federal air quality standards. The Illinois Environmental Protection Agency (IEPA) filed the proposed rulemaking on December 1, 2008.

The IEPA states that "[t]his proposed rulemaking simply updates the existing regulation and is a result of new National Ambient Air Quality Standards (NAAQS) adopted by the United States Environmental Protection Agency (USEPA).

First, the IEPA proposed that the Board amend the existing Section 243.125 by incorporating the new USEPA eight-hour ozone standard and revoking the one-hour standard. The IEPA also proposed a measurement method for determining compliance with the updated ozone standard.

Second, the IEPA proposed amending the existing Section 243.120, which addresses particulate matter with an aerodynamic diameter less than or equal to a nominal 10 micrometers ( $PM_{10}$ ). Specifically, the IEPA proposed revoking the "annual  $PM_{10}$  standard which had been calculated as the annual arithmetic mean concentration of 50 micrograms per cubic meter."

Third, in response to recent action by USEPA, the IEPA proposed adding a Section 243.120a addressing particulate matter with an aerodynamic diameter less than or equal to a nominal 2.5 micrometers ( $PM_{2.5}$ ). The IEPA noted that USEPA set the annual arithmetic mean concentration of  $PM_{2.5}$  at 15 micrograms per cubic meter.

Fourth, the IEPA proposed amending Section 243.107, which addresses reference conditions, "to reflect the  $PM_{2.5}$  measurements should be based upon the actual ambient air volume measured at the actual temperature and pressure at the monitoring site during the measurement period."

Hearings are scheduled for Tuesday, February 3, 2009 at 1:00 pm at the Madison County Administration Building, County Board Room 203, 157 N. Main Street, Edwardsville, IL and for Tuesday, March 10, 2009, at 9:00 am at Illinois Pollution Control Board Conference Room 11-512, 100 W. Randolph St., Chicago, IL. Additional details are contained in the hearing officer's order of December 23, 2008.

For additional information contact Tim Fox at 312-814- 6085; e-mail address foxt@ipcb.state.il.us.

## **Board Actions**

## December 4, 2008 Chicago, Illinois

## **Adjusted Standards**

| AS 08-1   | In the Matter of: Petition of Illinois Department of Transportation, District 8,<br>Bowman Avenue Pump Station and Deep Well System, for an Adjusted<br>Standard from 35 Ill. Adm. Code 302.208(g) (NPDES Permit No. IL0070955)<br>– The Board granted petitioner's motion to stay this adjusted standard<br>proceeding through June 4, 2009.   | 5-0<br>Water |
|-----------|---|--------------|
| AS 08-5   | In the Matter of: Petition of BFI Waste Systems of North America, Inc. for<br>Waste Delisting – The Board granted an adjusted standard to BFI Waste<br>Systems for its Davis Junction Landfill in Ogle County, Illinois, subject to<br>conditions.  | 5-0<br>Land  |
| Administr | ative Citations   |              |
| AC 08-31  | <u>IEPA v. Upper Rock Island County Landfill and Dave Geier</u> – The Board<br>granted the Illinois Environmental Protection Agency's motion to reconsider,<br>vacated the September 4, 2008 order, and entered a default order against<br>respondents. The Board found that these respondents violated Sections<br>21(o)(5) and (o)(12) of the Environmental Protection Act (415 ILCS<br>5/21(o)(5), (o)(12) (2006)), assessing a penalty of \$1,000 in this<br>administrative citation involving a Rock Island County facility.   | 5-0          |
| AC 08-32  | <u>IEPA v. Joseph Flick</u> – The Board granted the Illinois Environmental<br>Protection Agency's motion to reconsider, vacated the September 4, 2008<br>order, and entered a default order against this respondent. The Board found<br>that respondent violated Sections $21(p)(1)$ and $(p)(7)$ of the Environmental<br>Protection Act (415 ILCS 5/21(p)(1), (p)(7) (2006)), assessing a penalty of<br>\$3,000 in this administrative citation involving a Union County facility.   | 5-0          |
| AC 08-34  | <u>IEPA v. Joseph Combs</u> – The Board granted the Illinois Environmental<br>Protection Agency's motion to reconsider, vacated the September 4, 2008<br>order, and entered a default order against this respondent. The Board found<br>that respondent violated Sections $21(p)(1)$ and $(p)(7)$ of the Environmental<br>Protection Act (415 ILCS 5/21(p)(1), $(p)(7)$ (2006)) in this administrative<br>citation involving a Greene County facility. Because this administrative<br>citation addresses second or subsequent adjudicated violations of Sections<br>21(p)(1) and $(p)(7)$ by Combs, the total civil penalty is \$6,000. <i>See</i> <u>IEPA v.</u><br><u>Joseph Combs</u> , AC 07-60, slip op. at 2 (July 12, 2005). | 5-0          |

| AC 08-36 | <u>IEPA v. Charles F. Kinsel</u> – The Board granted the Illinois Environmental<br>Protection Agency's motion to reconsider, vacated the September 16, 2008<br>order, and entered a default order against this respondent. The Board found<br>that respondent violated Sections $21(p)(1)$ and $(p)(7)$ of the Environmental<br>Protection Act (415 ILCS $5/21(p)(1)$ , $(p)(7)$ (2006)) in this administrative<br>citation involving a Fulton County facility. Because this administrative<br>citation addresses a subsequent adjudicated violation of Section $21(p)(1)$ by<br>Kinsel, as well as a violation of Section $21(p)(7)$ , the total civil penalty is<br>4,500. <i>See, e.g.</i> , <u>IEPA v. Charles F. Kinsel</u> , AC 07-9, slip op. at 2 (Oct. 5,<br>2006). | 5-0 |
|----------|--|-----|
| AC 09-2  | IEPA v. Theodore & Elizabeth Hollenbeak and Hollenbeak Concrete, Inc. –<br>The Board found that Elizabeth Hollenbeak and Hollenbeak Concrete<br>defaulted by failing to timely file an amended petition. The Board withheld<br>issuing a final order regarding Elizabeth Hollembeak and Hollembeak<br>Concrete, Inc. until the Board makes its final decision regarding Theodore<br>Hollembeak. The Board directed the hearing officer to proceed expeditiously<br>to hearing on the previously accepted petition for review filed by Theodore<br>Hollembeak.  | 5-0 |
| AC 09-14 | <u>IEPA v. Reynolds Service Co.</u> – The Board found that respondent's petition<br>was untimely, denied respondent's motion to clarify, and entered a default<br>order against respondent. The Board found that respondent violated Sections<br>21(p)(1), $(p)(5)$ , and $(p)(7)$ of the Environmental Protection Act (415 ILCS<br>5/21(p)(1), $(p)(5)$ , $(p)(7)$ (2006)), assessing a penalty of \$4,500 in this<br>administrative citation involving a Union County facility.  | 5-0 |
| AC 09-19 | <u>IEPA v. Donald G. Wilkey</u> – The Board accepted for hearing respondent's petition for review of this administrative citation involving a Jefferson County facility.   | 5-0 |
| AC 09-20 | <u>IEPA v. Charles Kissick</u> – The Board found that respondent violated Sections $21(p)(1)$ and $(p)(7)$ of the Environmental Protection Act (415 ILCS $5/21(p)(1)$ , $(p)(7)$ (2006)), assessing a penalty of \$3,000 in this administrative citation involving a Morgan County facility.   | 5-0 |
| AC 09-21 | <u>IEPA v. Darrell Knox</u> – The Board found that respondent violated Sections $21(p)(1)$ , $(p)(3)$ , and $(p)(7)$ of the Act (415 ILCS $5/21(p)(1)$ , $(p)(3)$ , $(p)(7)$ (2006)), assessing a penalty of \$4,500 in this administrative citation involving a Morgan County facility.   | 5-0 |

## Adjudicatory Cases

| PCB 08-52 | People of the State of Illinois v. Dr. Charles R. Boyce, d/b/a Chatham            | 5-0 |
|-----------|---|-----|
|           | Veterinary Clinic – In this, land, air and potentially infectious medical waste   | L-E |
|           | enforcement action concerning a Sangamon County facility, the Board granted       |     |
|           | relief from the hearing requirement of Section 31(c)(1) of the Environmental      |     |
|           | Protection Act (415 ILCS 5/31(c)(1) (2006)), and accepted a stipulation and       |     |
|           | settlement agreement, ordering the respondent to pay a total civil penalty of     |     |
|           | \$7,100, and to cease and desist from further violations.                         |     |
| PCB 09-26 | People of the State of Illinois v. Triple A Asbestos Service, Inc., - In this air | 5-0 |
|           | enforcement action concerning a Madison County facility, the Board granted        | A-E |
|           | relief from the hearing requirement of Section 31(c)(1) of the Environmental      |     |
|           | Protection Act (415 ILCS 5/31(c)(1) (2006)), and accepted a stipulation and       |     |

settlement agreement, ordering the respondent to pay a total civil penalty of \$20,750, and to cease and desist from further violations.

| РСВ 09-33 | <u>S &amp; D Realty, Inc. v. IEPA</u> – The Board granted this request for a 90-day extension of time to file an underground storage tank appeal on behalf of this Cook County facility.   | 5-0<br>UST<br>Appeal,<br>90-Day<br>Extension |
|-----------|--|--|
| PCB 09-34 | Intermart, Inc. v. IEPA – The Board accepted for hearing this underground storage tank appeal involving a site located in Kane County.   | 5-0<br>UST<br>Appeal                         |
| PCB 09-35 | <u>People of the State of IL v. James Buysee, d/b/a J &amp; B Landscaping</u> – The Board accepted for hearing this water enforcement action involving a site located in Henderson County. | 5-0<br>W-E                                   |
| PCB 09-37 | Simons Auto Service Center v. IEPA – The Board granted this request for a 90-day extension of time to file an underground storage tank appeal on behalf of this St. Clair County facility. | 5-0<br>UST<br>Appeal,<br>90-Day<br>Extension |

## December 18, 2008 Via Videoconference Springfield and Chicago, Illinois

## Rulemakings

| <b>R08-7</b><br><b>R08-13</b><br>(cons.) | SDWA Update, USEPA Amendments (January 1, 2007 through June 30, 2007)<br>SDWA Update, USEPA Amendments (July 1, 2007 through December 31, 2007) – The Board adopted a final opinion and order in this "identical-in-substance" consolidated rulemaking amending the Board's drinking water regulations.     | 5-0<br>PWS |
|--|---|------------|
| R09-12                                   | <u>Definition of VOM Update, USEPA Amendments (July 1, 2008 through</u><br><u>December 31, 2008</u> ) – The Board reserved this docket for a routine update to<br>make the Board rules "identical in substance" to United States Environmental<br>Protection Agency rules adopted during the update period. | 5-0<br>Air |
| R09-13                                   | SDWA Update, USEPA Amendments (July 1, 2008 through December 31, 2008) – The Board reserved this docket for a routine update to make the Board rules "identical in substance" to United States Environmental Protection Agency rules adopted during the update period.                                      | 5-0<br>Air |
| R09-14                                   | <u>UIC Update, USEPA Amendments (July 1, 2008 through December 31, 2008)</u> – The Board reserved this docket for a routine update to make the Board rules "identical in substance" to United States Environmental Protection Agency rules adopted during the update period.                                | 5-0<br>Air |

| R09-15      | <u>RCRA Subtitle D (Municipal Solid Waste Landfill) Update, USEPA</u><br><u>Amendments (July 1, 2008 through December 31, 2008)</u> – The Board<br>reserved this docket for a routine update to make the Board rules "identical in<br>substance" to United States Environmental Protection Agency rules adopted<br>during the update period.  | 5-0<br>Air   |
|-------------|---|--------------|
| R09-16      | <u>RCRA Subtitle C (Hazardous Waste) Update, USEPA Amendments (July 1, 2008 through December 31, 2008)</u> – The Board reserved this docket for a routine update to make the Board rules "identical in substance" to United States Environmental Protection Agency rules adopted during the update period.  | 5-0<br>Air   |
| R09-17      | UST Update, USEPA Amendments (July 1, 2008 through December 31, 2008) – The Board reserved this docket for a routine update to make the Board rules "identical in substance" to United States Environmental Protection Agency rules adopted during the update period.   | 5-0<br>Air   |
| R09-18      | Wastewater Pretreatment Update, USEPA Amendments (July 1, 2008 through December 31, 2008) – The Board reserved this docket for a routine update to make the Board rules "identical in substance" to United States Environmental Protection Agency rules adopted during the update period.   | 5-0<br>Air   |
| R09-19      | In the Matter of: Air Quality Standards Clean-up: Amendments to 35 Ill.<br>Adm. Code Part 243 – The Board accepted for hearing the Illinois<br>Environmental Protection Agency's December 1, 2008 proposal to amend the<br>Board's air pollution control regulations.   | 5-0<br>Air   |
| Adjusted St | tandards  |              |
| AS 08-8     | In the Matter of: Petition of Citgo Petroleum Corporation and PDV Midwest<br>Refining, L.L.C. for Adjusted Standard from Ammonia Nitrogen Discharge<br>Levels at 35 Ill. Adm. Code 304.122 – The Board granted an adjusted<br>standard to Citgo Petroleum Corporation (Citgo) and PDV Midwest Refining,<br>L.L.C. (PDV) for a petroleum refinery which PDV owns and Citgo operates,<br>located at 135th Street and New Avenue in Lemont, Will County, subject to<br>conditions. | 5-0<br>Water |

AS 09-2In the Matter of: In the Matter of: Petition of Maximum Investments, LLC for<br/>an Adjusted Standard from 35 Ill Administrative Code 740.210(a)3 for the<br/>Stoney Creek Landfill, Palos Hills, Il. – The Board dismissed this petition for<br/>an adjusted standard because an attorney did not file the petition and an<br/>attorney has not filed an appearance, contrary to the Board's procedural rules,<br/>and for petitioner's failure to timely publish notice of the filing of the petition<br/>by advertisement in a newspaper of general circulation in the area likely to be<br/>affected, as required by Section 28.1 of the Environmental Protection Act<br/>(415 ILCS 5/28.1(d)(1) (2006)).5-0

#### Administrative Citations

| AC 09-14 | <u>IEPA v. Reynolds Service Co.</u> – The Board denied Reynolds Service Co.'s reply to the motion to clarify as moot, having denied the motion and entered a default order against respondents on December 4, 2008. | 5-0 |
|----------|---|-----|
| AC 09-22 | <u>IEPA v. Bradley &amp; Carol Corzine</u> – The Board accepted for hearing respondents' petition for review of this administrative citation involving a Union County facility.                                     | 5-0 |
| AC 09-23 | <u>IEPA v. Allied Waste, Inc.</u> – The Board granted complainant's motion for withdrawal of this administrative citation and closed the docket.  | 5-0 |

#### **Adjudicatory Cases**

| Aujuuicatoi | y Cases   |            |
|-------------|---|------------|
| PCB 08-17   | <u>People of the State of Illinois v. Felker Pharmacy, Inc., and Rod Bennett</u><br><u>Construction, Inc., v. McClellan Blakemore Architects, Inc. and Wendler</u><br><u>Engineering Services, Inc.</u> – The Board found the stipulation deficient, stating<br>the Board lacks the authority under the Environmental Protection Act to<br>approve the stipulation because the stipulation requires payment of funds to a<br>private party. The Board declined to accept the stipulation.   | 5-0<br>W-E |
| PCB 08-102  | <u>People of the State of Illinois v. City of Coffeen</u> – Upon receipt of a proposed stipulation and settlement agreement and an agreed motion to request relief from the hearing requirement in this water enforcement action involving a Montgomery County facility, the Board ordered publication of the required newspaper notice.  | 5-0<br>W-E |
| PCB 09-5    | <u>People of the State of Illinois v. Alden Bennett Construction Company, Inc.</u><br><u>and Bloomingdale Horizon I Limited Partnership</u> – In this water enforcement<br>action concerning a DuPage County facility, the Board granted relief from the<br>hearing requirement of Section 31(c)(1) of the Environmental Protection Act<br>(415 ILCS 5/31(c)(1) (2006)), and accepted a stipulation and settlement<br>agreement, ordering the respondents to pay a total civil penalty of \$12,000,<br>and to cease and desist from further violations. | 5-0<br>W-E |
| PCB 09-39   | <u>People of the State of Illinois v. Al-Algonguin Apartments, LLC, Algonquin Apartments, LLC, and Algonquin Management, LLC</u> – The Board accepted for hearing this air enforcement action involving a site located in Cook County.  | 5-0<br>A-E |

## **New Cases**

#### **December 4, 2008 Board Meeting**

**09-33** <u>S & D Realty, Inc. v. IEPA</u> – The Board granted this request for a 90-day extension of time to file an underground storage tank appeal on behalf of this Cook County facility.

**09-34** <u>Intermart, Inc. v. IEPA</u> – The Board accepted for hearing this underground storage tank appeal involving a site located in Kane County.

09-35 Apollo Plastics Corporation v IEPA – No action taken.

**09-36** <u>Simons Auto Service Center v. IEPA</u> – The Board granted this request for a 90-day extension of time to file an underground storage tank appeal on behalf of this St. Clair County facility.

**09-37** <u>People of the State of Illinois v. Montalbano Builder, s Inc.</u> – The Board accepted for hearing this water enforcement action involving a site located in McHenry County.

AC 09-24 <u>IEPA v. Quinn & Glenna Hunley</u> – The Board accepted an administrative citation against these Edwards County respondents.

AC 09-25 <u>IEPA v. Gilbert and Mary Codgill Estate, c/o William Codgill, Executor</u> – The Board accepted an administrative citation against these Lawrence County respondents.

R09-19 In the Matter of: Clean-up Amendments to 35 Ill. Adm. Code Part 243 - No action taken.

#### December 18, 2008 Board Meeting

09-38 Ameren Energy Generating Company v. IEPA – No action taken.

**09-39** <u>People of the State of Illinois v. Al-Algonguin Apartments, LLC, Algonquin Apartments, LLC, and Algonquin Management, LLC</u> – The Board accepted for hearing this air enforcement action involving a site located in Cook County.

AC 09-26 <u>County of Vermilion, Illinois v. Bill Richardson</u> – The Board accepted an administrative citation against this Vermilion County respondent.

AC 09-27 <u>IEPA v. Steve Danielson</u> – The Board accepted an administrative citation against this Bureau County respondent.

AC 09-28 <u>IEPA v. Theodore and Sally Jackson</u> – The Board accepted an administrative citation against these Mason County respondents.

| 1/08/09<br>11:00 am | Illinois Poll | ution Control Board Meeting  | James R. Thompson Center<br>100 W. Randolph Street<br>Chicago   |
|---------------------|---------------|--|---|
| 1/13/09<br>9:00 AM  | PCB 09-25     | City of Joliet v. IEPA   | Village of Bolingbrook Board<br>Room<br>375 W. Briarcliff Road<br>Bolingbrook                             |
| 1/22/09<br>11:00 am | Illinois Poll | ution Control Board Meeting  | James R. Thompson Center<br>100 W. Randolph Street<br>Chicago   |
| 1/27/09<br>10:30 am | R09-09        | In the Matter of: Proposed Amendments<br>to Tiered Approach to Corrective Action<br>Objectives (35 Ill. Adm. Code 742)<br>(Continues until complete or through<br>January 28, 2009)) | IEPA Office Building (North<br>Entrance)<br>TQM Room<br>1000 E. Converse<br>Springfield                   |
| 2/3/09<br>9:00 Am   | R08-19        | In the Matter of: Proposed Amendments<br>to Tiered Approach to Corrective Action<br>Objectives (35 Ill. Code 742)  | IEPA Office Building (North<br>Entrance)<br>TQM Room<br>1000 E. Converse<br>Springfield                   |
| 2/3/09<br>9:00 am   | R09-19        | In the Matter of Air: Quality Standards<br>Clean-up: Amendments to 35 Ill. Adm.<br>Code Part 243   | Madison County Administration<br>building<br>County Board Room #203<br>157 N. Main Street<br>Edwardsville |

## Calendar

| 2/05/09<br>11:00 am | Illinois Pollution Control Board Meeting                      |   | James R. Thompson Center<br>100 W. Randolph Street<br>Chicago  |
|---------------------|---|---|--|
| 2/10/10<br>9:00 AM  | R09-10  | In the Matter of: Amendments to 35 Ill.<br>Code 225: Control of Emissions From<br>Large Combustion Sources (Mercury<br>Monitoring)  | James R. Thompson Center<br>Room 9-0939<br>100 W. Randolph Street<br>Chicago   |
| 2/17/09<br>9:00 am  | R08-09  | In the Matter of: Water Quality<br>Standards and Effluent Limitations for<br>the Chicago Area Waterways System and<br>the Lower Des Plaines River: Proposed<br>Amendments to 35 Ill. Adm. Code 301,<br>302, 303 and 304<br>(Continues until complete or through | James R. Thompson Center<br>Room 2-025<br>100 W. Randolph Street<br>Chicago  |
| 2/19/09<br>11:00 am | February 18, 2009)   Illinois Pollution Control Board Meeting |   | James R. Thompson Center<br>100 W. Randolph Street<br>Chicago  |
| 3/5/09<br>11:00 am  | Illinois Pollution Control Board Meeting                      |   | James R. Thompson Center<br>100 W. Randolph Street<br>Chicago  |
| 3/10/09<br>9:00 AM  | R09-19  | In the Matter of Air: Quality Standards<br>Clean-up: Amendments to 35 Ill. Adm.<br>Code Part 243  | Illinois Pollution Control Board<br>Conference Room 11-512<br>James R. Thompson Center<br>100 W. Randolph Street Chicago |
| 3/17/09<br>10:00 am | R09-09  | In the Matter of: Proposed Amendments<br>to Tiered Approach to Corrective Action<br>Objectives (35 Ill. Adm. Code 742)<br>(Continues until complete or through<br>March 18, 2009)   | James R. Thompson Center<br>Room 9-040<br>100 W. Randolph Street<br>Chicago  |
| 3/19/09<br>11:00 am | Illinois Pollution Control Board Meeting                      |   | James R. Thompson Center<br>100 W. Randolph Street<br>Chicago  |

#### ILLINOIS ENVIRONMENTAL PROTECTION AGENCY

#### DIVISION OF WATER POLLUTION CONTROL

#### **RESTRICTED STATUS LIST**

In order to comply with 35 Illinois Administrative Code Section 306.401, Illinois Pollution Control Board Regulations, the Illinois EPA has prepared the following list of facilities which are on Restricted Status. Restricted Status is defined as the Agency determination that a sewer or lift station has reached hydraulic capacity or that a sewage treatment plant has reached design capacity, such that additional sewer connection permits may no longer be issued without causing a violation of the Act or Regulations. Please note that the list is continually being revised to reflect the current situation. Therefore, if you have any questions on the capability of a treatment facility or transport system, please contact this Agency for a final determination. This listing reflects the status as of December 31, 2008.

Facility names followed by an asterisk (\*) indicates that construction is underway to ultimately alleviate problems, which resulted in imposition of Restricted Status. Facilities followed by a double asterisk (\*\*) are additions to the list.

| FACILITY NAME                                 | RESPONSIBLE AUTHORITY         | <u>COUNTY</u>    | REMAINING<br>CAPACITY |
|---|-------------------------------|------------------|-----------------------|
|   | ·                             | ·                |                       |
| Bourbonnais (Belle Aire Subd.)                | Village of Bourbonnais        | Kankakee         | 0                     |
| Camelot Utilities                             | Camelot Utilities             | Will             | 0                     |
| Wastewater Collection System                  |                               |                  |                       |
| Camp Point                                    | Village of Camp Point         | Adams            | 0                     |
| (a portion mh 60-68)                          |                               |                  |                       |
| Clearview S.D.                                | Clearview S.D.                | McLean           | 0                     |
| Davis Junction                                | Village of Davis Junction     | Ogle             | 0                     |
| East Alton                                    | City of East Alton            | Madison          | 0                     |
| Farmington                                    | City of Farmington            | Fulton           | 0                     |
| Hurst & Blairville Collection                 | City of Hurst                 | Williamson       | 0                     |
| System  |                               |                  |                       |
| Port Byron STP                                | Village of Port Byron         | Rock Island      | 0                     |
| Rosewood Heights S.D<br>Ninth Street LS       | Rosewood Heights S.D.         | Madison          | 0                     |
| South Palos Twp. SD                           | South Palos Twp.              | South Palos Twp. | 0                     |
| Sundale Utilities – Washington<br>Estates STP | Sundale Utilities Corporation | Tazewell         | 0                     |
| Taylorville-Shawnee Ave.<br>PUMP STATION      | City of Taylorville           | Christian        | 0                     |
| Utilities Unlimited                           | Utilities Unlimited           | Will             | 0                     |
| Washington (Rolling Meadows)                  | City of Washington            | Tazewell         | 0                     |

<u>Deletions from previous quarterly report</u>: Richmond WWTP <u>Additions from previous quarterly report</u>: None

#### ILLINOIS ENVIRONMENTAL PROTECTION AGENCY

#### DIVISION OF WATER POLLUTION CONTROL

#### CRITICAL REVIEW LIST

In order to comply with 35 Illinois Administrative Code Section 306.401, Illinois Pollution Control Board Regulations, the Illinois Environmental Protection Agency has prepared the following list of facilities which are on Critical Review. Critical Review as defined as the Agency determination that a sewer or lift station is approaching hydraulic capacity or that a sewage treatment plant is approaching design capacity such that additional sewer connection permit applications will require close scrutiny to determine whether issuance would result in a violation of the Act or Regulations. Please note that these lists are continually being revised to reflect the current situation. Therefore, if you have any questions on the capability of a treatment facility or transport system, please contact the Agency for a final determination. This listing reflects the status as of December 31, 2008.

Facility names followed by a double asterisk (\*\*) are additions to the list.

|          |                  |               |                 | PE ADDED  |
|----------|------------------|---------------|-----------------|-----------|
| FACILITY | RESPONSIBLE      |               | REMAINING       | SINCE     |
| NAME     | <u>AUTHORITY</u> | <u>COUNTY</u> | <u>CAPACITY</u> | LAST LIST |

| Algonquin                     | Village of Algonquin     | Kane        | 0     | 55  |
|-------------------------------|--------------------------|-------------|-------|-----|
| Aqua Illinois, Inc.           | Aqua Illinois, Inc.      | Will        | 676   | 20  |
| University Park               |                          |             |       |     |
| Antioch STP                   | Village of Antioch       | Lake        | 325   | 48  |
| Beardstown SD                 | City of Beardstown       | Cass        | 1485  | 63  |
| Benton-Southeast STP          | City of Benton           | Franklin    | 60    | 0   |
| Bethalto (L.S. #1)            | Village of Bethalto      | Madison     | 87    | 0   |
| Carrier Mills                 | Village of Carrier Mills | Saline      | 836   | 0   |
| Carrollton                    | City of Carrollton       | Greene      | 140   | 0   |
| Citizens Utilities Co. of Ill | Citizens Utilities Co.   | Will        | 10    | 0   |
| River Grange                  | of Ill.                  |             |       |     |
| Charleston                    | City of Charleston       | Coles       | 4,986 | 155 |
| Downers Grove S.D.            | Downers Grove S.D.       | DuPage      | 0     | 25  |
| East Dundee STP               | Village of E. Dundee     | Kane        | 508   | 0   |
| Elkville                      | Village of Elkville      | Jackson     | 6     | 0   |
| Ferson Creek Utilities Co.    | Utilities, Inc.          | Will        | 70    | 0   |
| Harvard WWTP                  | City of Harvard          | McHenry     | 0     | 0   |
| LCPWD-Diamond-                | County of Lake Public    | Lake        | 0     | 0   |
| Sylvan STP                    | Works Department         |             |       |     |
| Lockport                      | City of Lockport         | Will County | 0     | 0   |
| Moline (North Slope)          | City of Moline           | Rock Island | 1,151 | 0   |
| Morris STP                    | City of Morris           | Grundy      | 0     | 205 |
| New Lenox STP 1***            | Village of New Lenox     | Will        | 0     | 0   |
| Paris STP                     | City of Paris            | Edgar       | 0     | 0   |
| Richmond WWTP                 | City of Richmond         | McHenry     |       |     |
| Rock Island (Main)            | City of Rock Island      | Rock Island | 2,704 | 120 |
| Streator                      | City of Streator         | LaSalle/    | 449   | 0   |
|                               |                          | Livingston  |       |     |
| Wasco Sanitary District       | Wasco Sanitary District  | Kane        | 637   |     |
| Wauconda WWTP                 | Village of Wauconda      | Lake        | 0     | 455 |

<u>Deletions from previous quarterly report</u>: Wauconda – Remaining Collections System & Lakeview Villa LS <u>Additions from previous quarterly report</u>: Richmond WWTP

\*\*\*Contact IEPA – Permit Section

MAP:\epa1176\rscr\dec4q08draft.doc

-----CUT HERE-----

**Environmental Register Comment Card** 



The Illinois Pollution Control Board is an independent five-member board that adopts environmental control standards, rules on enforcement actions, and other environmental disputes for the State of Illinois.

The *Environmental Register* is published monthly by the Board, and contains updates on rulemakings, descriptions of final decisions, the Board's hearing calendar, and other environmental law information.

-----CUT HERE-----



Illinois Pollution Control Board Environmental Register Coordinator 1021 N. Grand Avenue East P.O. Box 19274 Springfield, Illinois 62794-9274